



**U.S. Department of Housing and Urban  
Development**

451 Seventh Street, SW  
Washington, DC 20410  
[www.hud.gov](http://www.hud.gov)

[espanol.hud.gov](http://espanol.hud.gov)

## **Environmental Review for Activity/Project that is Categorically Excluded Subject to Section 58.5 Pursuant to 24 CFR 58.35(a)**

### **Project Information**

**Project Name:** PR-ESP-00125 Banco De Ojos Del Leonismo Puertorriqueño Pedro Crespo Justiniano

**Responsible Entity:** Puerto Rico Department of Housing

**Grant Recipient:** Department of Economic Development and Commerce (DEDC)

**State/Local Identifier:** Puerto Rico / San Juan, PR

**Preparer:** Patricia Carmenatty, Environmental Specialist  
Behar Ybarra & Associates LLC  
[patricia.carmenatty@byaea.com](mailto:patricia.carmenatty@byaea.com)  
787-783-0290

**Certifying Officer Name and Title:** Permit and Environmental Compliance Officers:

Aldo A. Rivera Vazquez, PE - Director, Permits and Environmental Compliance Division

Angel G. López Guzmán - Deputy Director, Permits and Environmental Compliance Division

Maria T. Torres-Bregón - Permits and Environmental Compliance Manager

Permits and Environmental Compliance Specialist: Sally Z. Acevedo-Cosme, Limary Vélez Marrero, Ivelisse Lorenzo Torres, Mónica Machuca Ríos, Janette I. Cambrelen, Santa Ramírez Lebrón, Abdul Feliciano Plaza, Pedro de León Rodriguez, Javier Mercado Barrera, Priscilla Toro Rivera

**Consultant** (if applicable): Behar Ybarra & Associates LLC

**Direct Comments to:** Puerto Rico Department of Housing at  
[comentariosambiental@vivienda.pr.gov](mailto:comentariosambiental@vivienda.pr.gov)

**Project Location:** V3-22 Ave San Alfonso, San Juan PR 00921

Coordinates: 18.389325, -66.094980

Parcel cadastral: 086-055-450-23-802

**Description of the Proposed Project [24 CFR 50.21 & 58.32]:**

The subject property is a commercial building located in San Juan, PR serving as a non-profit organization. The project is located at V3-22 Ave San Alfonso, San Juan PR 00921, Latitude: 18.389325, Longitude: -66.094980. A Site Map is included in Figure 1 in Appendix 1, illustrating the location of the building. The area is characterized by being urban, near commercial buildings and family residences. The northern, southern and eastern boundaries are commercial buildings. The western boundaries are family residences.

A field visit was conducted on March 7, 2025, to document existing conditions of the project site. The Field Visit Report is included in Appendix 2. The project scope includes the installation of a photovoltaic (solar) panel system on the existing commercial building's roof and appurtenant storage system (batteries) on a lateral wall, with all improvements limited to the roof, floors, and walls of the existing structure. The batteries will be installed on the left side of the building. The size of the proposed system will be to cover the annual consumption: 23.4 kWDC. The system will be interconnected with the LUMA Energy distribution network under the Net Metering Program. The proposed project Scope of Work quote is included in Appendix 3.

**Level of Environmental Review Determination:**

Categorically Excluded per 24 CFR 58.35(a), and subject to laws and authorities at §58.5: 58.35(a) [3(iii)]. In the case of non-residential structures, including commercial, industrial, and public buildings: (A) The facilities and improvements are in place and will not be changed in size or capacity by more than 20 percent; and (B) The activity does not involve a change in land use, such as from non-residential to residential, commercial to industrial, or from one industrial use to another.

**Funding Information**

<b>Grant Number</b>	<b>HUD Program</b>	<b>Funding Amount</b>
B-18-DE-72-0001	Community Development Block Grant (CDBG-DR): Electrical Power Reliability and Resilience Program (ER2) (Energy Support Incentive Program 2.0 Set-Aside)	Energy Support Incentive Program 2.0 Set-Aside - \$30,000,000 set aside from ER2 Total – <b>\$1,316,406,180.00.</b>

**Estimated Total HUD Funded Amount:** \$40,605.00

**Estimated Total Project Cost (HUD and non-HUD funds) [24 CFR 58.32(d)]:** \$67,675.00

**Privately funded by the applicant:** \$27,070.00

## **Compliance with 24 CFR 50.4, 58.5, and 58.6 Laws and Authorities**

Record below the compliance or conformance determinations for each statute, executive order, or regulation. Provide credible, traceable, and supportive source documentation for each authority. Where applicable, complete the necessary reviews or consultations and obtain or note applicable permits of approvals. Clearly note citations, dates/names/titles of contacts, and page references. Attach additional documentation as appropriate.

<b>Compliance Factors:</b> Statutes, Executive Orders, and Regulations listed at 24 CFR §58.5 and §58.6	Are formal compliance steps or mitigation required?	Compliance determinations
<b>STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR 50.4 &amp; 58.6</b>		
<b>Airport Hazards</b>  24 CFR Part 51 Subpart D	Yes   No <input type="checkbox"/> <input checked="" type="checkbox"/>	<p>The site is located 24,944 feet from the nearest civil airport, Fernando Ribas Dominicci in San Juan and 32,659 feet from the nearest military airport, Luis Muñoz Marín International Airport in San Juan. This topic is in compliance with HUD's Airport Hazard Regulations without further evaluation.</p> <p>Refer to Airports Map Zone, Figure 2 included in Appendix 1.</p>
<b>Coastal Barrier Resources</b>  Coastal Barrier Resources Act, as amended by the Coastal Barrier Improvement Act of 1990 [16 USC 3501]	Yes   No <input type="checkbox"/> <input checked="" type="checkbox"/>	<p>This project is not located in a CBRS Unit. The project is located 39,661 feet southeast of the nearest Coastal Barrier Resource System, PR-86P. Therefore, this project has no potential to impact on a CBRS Unit and is in compliance with the Coastal Barrier Resources Act.</p> <p>Refer to Coastal Barrier Resource System Map, Figure 3 included in Appendix 1.</p>
<b>Flood Insurance</b>  Flood Disaster Protection Act of 1973 and National Flood Insurance Reform Act of 1994 [42 USC 4001-4128 and 42 USC 5154a]	Yes   No <input type="checkbox"/> <input checked="" type="checkbox"/>	<p>As per FEMA's FIRM Panel 72000C0365J, effective November 18, 2009, this project is located within Zone X. The project does not require flood insurance or is excepted from flood insurance. The project is in compliance with the Flood Insurance section without further evaluation.</p> <p>Refer to Flood Insurance Rate Map, Figure 4 included in Appendix 1.</p>

**STATUTES, EXECUTIVE ORDERS, AND REGULATIONS LISTED AT 24 CFR 50.4 & 58.5**

<b>Clean Air</b> Clean Air Act, as amended, particularly section 176(c) & (d); 40 CFR Parts 6, 51, 93	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<p>The project is located in a non-attainment municipality for SO<sub>2</sub>. This project includes the installation of a photovoltaic (solar) panel system on the existing commercial building's roof and appurtenant storage system (batteries) on a lateral wall located in the Municipio of San Juan. The project activities do not create new sources of air pollution. As described, the project does not involve new construction or a change in land use to facilitate the development of public, commercial, or industrial facilities, nor does it involve five or more dwelling units. Accordingly, under HUD's environmental review procedures, the project is presumed to result in emissions below de minimis levels and is considered compliant with the Clean Air Act (CAA).</p> <p>The project is located 317 feet from the nearest Non-attainment area. The proposed project activities will not create new air emission generator sources. Furthermore, under Puerto Rico's air quality regulations, the project meets the exemption criteria outlined in Rule 206 of the RCAP (1995), Regulation No. 5300, and is therefore in compliance with the Clean Air Act and all applicable federal, state, and local air quality standards. The installation and operation of this project will have no impact and is in compliance with the Clean Air Act without further evaluation.</p> <p>See attached published list of Puerto Rico Nonattainment/Maintenance Status for each country by year for all criteria pollutants in Appendix 4.</p> <p>Refer to Clean Air Map, Figure 5 included in Appendix 1.</p>
<b>Coastal Zone Management</b>	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<p>The project is located 11,138 feet from the nearest Coastal Zone Management Area and does not affect a Coastal Zone as defined in</p>

Coastal Zone Management Act, sections 307(c) & (d)		<p>the state Coastal Management Plan. The project is in compliance with the Coastal Zone Management Act.</p> <p>Refer to CZMA map, Figure 6 included in Appendix 1.</p>
<b>Contamination and Toxic Substances</b>  24 CFR Part 50.3(i) & 58.5(i)(2)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	<p>This project includes the installation of a photovoltaic (solar) panel system on the existing commercial building's roof and appurtenant storage system (batteries) on a lateral wall. The project site was evaluated for potential contamination by conducting a field inspection on March 7, 2025, to identify any onsite hazards including, but not limited to, soil staining, above ground storage tanks, signs of underground storage tanks, odors, hazardous debris, potential contamination regarding lead-based paint or asbestos, etc. The site inspection did not identify any onsite hazards.</p> <p>In addition, a desktop review of USEPA databases, NEPAssist, and other sources was conducted to determine if the project site was located near dump sites, junk yards, landfills, hazardous waste sites, or industrial sites, including USEPA National Priorities List Sites (Superfund sites), CERCLA or state equivalent sites, RCRA Corrective Action sites with release(s) or suspected release(s) requiring clean-up action and/or further investigation. The desktop review finds seven sites within 3,000 feet of the project area. Six sites are registered as RCRA facilities with no violations identified, one is registered as NPDES facility and one as AIR Pollution facility. However, the sites do not present a risk to the health and safety of project occupants or conflict with the intended use of the property.</p> <ul style="list-style-type: none"> <li>• ONE HOUR VISTA HERMOSA DRY CLEANERS INC, REGISTRY ID: 110001662059, 1400 AVENIDA SAN PATRICIO #3 – AIR – OPERATING, 2,163 feet</li> <li>• ONE HOUR VISTA HERMOSA DRY CLEANERS INC, REGISTRY</li> </ul>

		<p>ID: 110001662059, 1400 AVENIDA SAN PATRICIO #3 – RCRAINFO – ACTIVE, 2,163 feet</p> <ul style="list-style-type: none"> <li>• PR PUBLIC HOUSING ADMIN RES VISTA HERMOS, REGISTRY ID: 110004893651, AVE SAN PATRICIO 101 – RCRAINFO – INACTIVE, 2,133 feet</li> <li>• ESSO STANDARD OIL CO - PR CO-011, REGISTRY ID: 110004895999, PAZ GRANELA 1421 – RCRAINFO – ACTIVE, 2,781 feet</li> <li>• TOTAL PETROLEUM PUERTO RICO CORP - SERVICE STATION 304141, REGISTRY ID: 110042424089, AVE SAN IGNACIO 1385 ALTAMESA – RCRAINFO – ACTIVE, 1,974 feet</li> <li>• 5 SENSES SOLUTIONS LLC, REGISTRY ID: 110070912614, 1795 AVENIDA PAZ GRANELA URB SANTIAGO IGLESIAS – RCRAINFO – ACTIVE, 1,640 feet</li> <li>• AUTORIDAD DE TRANSPORTE INTEGRADO, REGISTRY ID: 110071679686, 24 RD 21 – RCRAINFO – ACTIVE, 2,477 feet</li> <li>• ALAMEDA TOWERS I &amp; II, REGISTRY ID: 110071866198, 1782 CARR. 21 – NPDES – EFFECTIVE, 1,660 feet</li> </ul> <p>Refer to the ECHO Reports included in Appendix 5.</p> <p>The lead-based paint review is subject to the Lead Safe Housing Rule (LSHR) under 24 CFR Part 35, the EPA's Renovation, Repair and Painting (RRP) Rule under 40 CFR Part 745 Subpart E, and Puerto Rico DNER Regulation 9098. A lead-based paint inspection and/or risk assessment is not required if the building was constructed after January 1, 1978. The subject property was built in circa 1955; therefore, it is required to</p>
--	--	--

	<p>perform a screen for lead-based paint prior to starting the work.</p> <ul style="list-style-type: none"> <li>• The work must be performed by RRP Certified Renovation Firm.</li> <li>• At least one RRP-Certified Renovator must be at the job site or available when work is being done.</li> <li>• Workers at the job site must receive on-the-job training from the Certified Renovator.</li> <li>• Lead Safe Work Practices are recommended if paint disturbance is "de minimis".</li> <li>• Lead Safe Work Practices are required if paint disturbance exceeds "de minimis" but not EPA's minor repair and maintenance threshold.</li> <li>• Property Risk Assessment and abatement of all lead-based paint hazards is required prior to commencing work if paint disturbance is significant.</li> </ul> <p>The proposed activities are minor in scope and involve limited surface penetration (e.g., drilling to mount equipment). They do not include demolition or renovation activities that would disturb significant quantities of ACM. The systems being installed have been consistently evaluated as non-invasive and do not trigger permitting thresholds under NESHAP.</p> <p>While minimal dust or particulate emissions may result from surface drilling, these emissions are expected to remain well below de minimis thresholds and do not result in the release of regulated asbestos fibers. Additionally, the program does not include new construction or land conversion.</p> <p>Under Puerto Rico's air quality regulations, these activities qualify for permitting exemptions under Rule 206 of the Regulation for the Control of Atmospheric Pollution (RCAP), Regulation No. 5300, confirming compliance with the Clean Air Act and all</p>
--	--

		<p>applicable federal, state, and local air quality standards.</p> <p>The Energy Support Incentive Program 2.0 – Set-Aside Program, funded through CDBG-DR, does not involve construction activities that would require a building or use permit. According to Planning Board Joint Regulation 9473, approved on June 16, 2023, Section 9.4.1.3.a.1 states: “Photovoltaic solar installations that are installed on the roofs of structures and whose capacity is up to one megawatt do not require a construction or use permit. Nor will a building permit be required for systems up to one hundred kilowatts above ground.”</p> <p>As such, the proposed activities do not trigger construction permit requirements and do not involve regulated asbestos disturbance. No renovation or demolition activities that would exceed ACM thresholds are included in the program.</p> <p>On January 11, 2024, HUD issued Notice CPD-23-103, Departmental Policy for Addressing Radon in the Environmental Review Process, which requires the Responsible Entity (RE) to consider radon as part of the site contamination analysis for projects subject to HUD’s contamination regulations at 24 CFR 58.5(i), unless the project qualifies for an exemption. According to the notice, radon must be addressed in environmental reviews for projects involving structures that are or will be occupied for at least four (4) hours per day. The eligible business activities under the Energy Support Incentive Program 2.0 – Set-Aside Program are expected to meet this occupancy threshold and thus would typically require radon consideration as part of the environmental review. However, there is currently no large-scale dataset available for Puerto Rico that meets HUD’s standards for determining radon hazard levels. On March 6, 2024, the Puerto Rico Department of Housing (PRDOH) formally consulted with HUD to</p>
--	--	---

document the absence of reliable scientific data and to explain that radon testing in Puerto Rico would be impractical and infeasible. This determination was based on prior research efforts that lacked adequate laboratory support, making it difficult to obtain accurate or consistent results.

Additionally, there is a limited number of trained radon testing professionals on the island, which presents another barrier to compliance with HUD's testing requirements. In response, on May 15, 2024, HUD requested that PRDOH consult with relevant agencies—including the Environmental Protection Agency (EPA), United States Geological Survey (USGS), University of Puerto Rico – Mayagüez Campus, and the Puerto Rico Department of Natural and Environmental Resources (DNER)—to further document the lack of scientific data, as outlined in Section III.C. of Notice CPD-23-103. On August 20, 2024, PRDOH conducted formal consultations with the above-mentioned agencies and submitted information requests to state and federal entities. Responses were received from the following: United States Geological Survey (USGS); Centers for Disease Control and Prevention (CDC); Puerto Rico Department of Health; United States Environmental Protection Agency (EPA).

All responding agencies confirmed the absence of reliable, large-scale radon data for Puerto Rico and acknowledged the technical and logistical challenges associated with radon testing on the island. Based on these consultations and findings, radon testing is deemed infeasible and impracticable for the Energy Support Incentive Program 2.0 – Set-Aside Program. Therefore, no further consideration or evaluation of radon is required as part of the environmental review, in accordance with HUD Notice CPD-23-103. Supporting documentation is provided in Appendix 5. In conclusion, after reviewing the program in the context of the site

		<p>contamination analysis requirements under 24 CFR 58.5(i), PRDOH has determined that radon testing is impractical and infeasible, and no further evaluation is required for radon.</p> <p>The project is in compliance with Contamination and Toxic Substances requirements.</p> <p>Refer to Contamination and Toxic Substances, Figure 7 included in Appendix 1.</p>
<b>Endangered Species</b>  Endangered Species Act of 1973, particularly section 7; 50 CFR Part 402	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	<p>After reviewing data from the United States Fish and Wildlife Service (USFWS) Information and Planning Consultation (IPaC), the Puerto Rican boa (<i>Chilabothrus inornatus</i>) could be found in the project area. The scope of work includes the installation of a photovoltaic (solar) panel system on the existing commercial building's roof and appurtenant storage system (batteries) on a lateral wall. Since the work to be carried out is limited to the roof and wall of the structure, it does not involve any type of ground disturbance or removal of vegetation. The nature of the project, scope of work, information available, a careful analysis of the IPaC, the Caribbean Dkey in the US Fish and Wildlife Service's online IPaC application, and the observations during the field visit on March 7, 2025, were used to evaluate the potential impacts to federally listed species from this project. Based on the answers provided, a consistency letter was obtained for the Puerto Rican boa which determined that the proposed actions for this project would have "No Effect" (NE) for this species.</p> <p>The nearest Critical Habitat is 38,851 feet from the project site. Agency consultation was submitted on April 23, 2025, and response was received on May 2, 2025. The project is in compliance with the Endangered Species Act of 1973.</p> <p>If a Puerto Rican Boa is found in the project activity site, work shall cease until the Boa moves off on its own. If the Boa does not</p>

		<p>move off, the Construction Manager shall contact the Puerto Rico Department of Natural and Environmental Resources and ask them to relocate the Boa. As established by the USFWS Puerto Rican Boa Conservation Measures Guideline. <a href="https://ipac.ecosphere.fws.gov/guideline/design/population/156/office/41430.pdf">https://ipac.ecosphere.fws.gov/guideline/design/population/156/office/41430.pdf</a></p> <p>Refer to Threatened and Endangered Species Map, Figure 8 included in Appendix 1.</p> <p>See USFWS “No Effect” Memo and supporting documentation in Appendix 6.</p>
<b>Explosive and Flammable Hazards</b>  24 CFR Part 51 Subpart C	Yes    No <input type="checkbox"/> <input checked="" type="checkbox"/>	<p>This project includes the installation of photovoltaic (solar) panel system on the existing commercial building’s roof and appurtenant storage system (batteries) on a lateral wall and will not result in increased densities, conversion to residential uses, or making a vacant building habitable.</p> <p>The project itself is not the development of a hazardous facility, nor will the project increase residential densities or result in land conversion. The project is in compliance with HUD Explosive and Flammable Hazards.</p>
<b>Farmlands Protection</b>  Farmland Protection Policy Act of 1981, particularly sections 1504(b) and 1541; 7 CFR Part 658	Yes    No <input type="checkbox"/> <input checked="" type="checkbox"/>	<p>This project does not include any activities that could potentially convert agricultural land to non-agricultural use. The project is in an area designated as not prime farmland. The project is in compliance with the Farmland Protection Policy Act.</p> <p>Refer to Farmland Protection Map, Figure 9 included in Appendix 1.</p>
<b>Floodplain Management</b>  Executive Order 11988, particularly section 2(a); 24 CFR Part 55	Yes    No <input type="checkbox"/> <input checked="" type="checkbox"/>	<p>PFIRMs in Puerto Rico was only developed for certain sections of the municipalities of Carolina, Canovanas, Loiza, San Juan, Trujillo Alto and Rio Grande. The proposed project is located in the municipality of San Juan; however, PFIRM information was not available for the area and considered in the review.</p> <p>As per the FEMA Advisory Based Flood Elevation Maps (ABFE), the project site is located within Zone X (area of minimal flood</p>

		<p>hazard). As the project site is not located within the FEMA-designated Special Flood Hazard Areas for the 1 percent (100-year) or 0.2 percent (500-year) flood zones, it is not classified as being within the floodplain. The project is in compliance with the HUD Floodplain Management Regulations and the Executive Order 11988.</p> <p>Refer to Preliminary FIRM Figure 4-A and Advisory Base Flood Elevation Map, Figure 10 included in Appendix 1.</p>
<b>Historic Preservation</b>  National Historic Preservation Act of 1966, particularly sections 106 and 110; 36 CFR Part 800	Yes    No <input type="checkbox"/> <input checked="" type="checkbox"/>	<p>The State Historic Preservation Office reviewed the proposed project location in accordance with 54 U.S.C. 306108 (commonly known as Section 106 of the National Historic Preservation Act) and 36 CFR Part 800: Protection of Historic Properties. Documentation with photographs and maps was subsequently submitted to SHPO (attached Appendix 7). In response from PR SHPO dated June 17, 2025, SHPO concurred with a finding of “No Historic Properties Affected” within the project’s Area of Potential Effects. The property is not considered historic or contributing to an historic district (See attached Historic map, Figure 11). Therefore, this activity is in compliance with the National Historic Preservation Act.</p> <p>Refer to Historic Preservation Map, Figure 11 included in Appendix 1.</p>
<b>Noise Abatement and Control</b>  Noise Control Act of 1972, as amended by the Quiet Communities Act of 1978; 24 CFR Part 51 Subpart B	Yes    No <input type="checkbox"/> <input checked="" type="checkbox"/>	<p>This project includes the installation of a photovoltaic (solar) panel system on the existing commercial building’s roof and appurtenant storage system (batteries) on a lateral wall. The project does not include new construction for residential use or rehabilitation of an existing residential property. The site is urban developed and the proposed project activities will not include new noise generating sources. Therefore, there will be no impact to or from the surrounding area from a noise perspective. This topic is in compliance with Noise</p>

		abatement and Control without further evaluation.  Refer to Noise Abatement and Control Map, Figure 12 included in Appendix 1.
<b>Sole Source Aquifers</b>  Safe Drinking Water Act of 1974, as amended, particularly section 1424(e); 40 CFR Part 149	Yes   No <input type="checkbox"/> <input checked="" type="checkbox"/>	According to the USEPA's Source Water Protection, Sole Source Aquifer Protection Program, there are no sole source aquifers in Puerto Rico. Therefore, the proposed project site is not located within a sole source aquifer, nor will it directly or indirectly impact one. Therefore, the project is in compliance with the Safe Drinking Water Act of 1974, as amended, particularly section 1424(e); 40 C.F.R. Part 149 without further evaluation.  Refer to Sole Source Aquifer Map, Figure 13 included in Appendix 1.
<b>Wetlands Protection</b>  Executive Order 11990, particularly sections 2 and 5	Yes   No <input type="checkbox"/> <input checked="" type="checkbox"/>	The project does not involve new constructions and/or activities that may have a direct or indirect adverse impact on any on site wetlands, there are no wetlands within or in the vicinity of the project area. The closest wetland is located 338 feet from the Project Site. The project does not have the potential to impact wetlands. The project is in compliance with E.O. 11990.  Refer to Wetlands Map, Figure 14 included in Appendix 1.
<b>Wild and Scenic Rivers</b>  Wild and Scenic Rivers Act of 1968, particularly section 7(b) and (c)	Yes   No <input type="checkbox"/> <input checked="" type="checkbox"/>	This project is not within proximity of the NWSRS river. The project is located 110,516 feet from the nearest Wild and Scenic River (De la Mina River). The project is in compliance with the Wild and Scenic Rivers Act.  Refer to Wild and Scenic Rivers Map, Figure 15 included in Appendix 1.

**Field Inspection:** March 7, 2025, by Egon Gonzalez and Patricia Carmenatty.

**Summary of Findings and Conclusions:** The proposed activity has been found to not have any adverse effects on the environment nor is there a requirement for further consultation with any agency. There is no environmental review topics addressed that result in the need for formal compliance steps or the requirement for mitigation.

## **Mitigation Measures and Conditions**

Summarize below all mitigation measures adopted by the Responsible Entity to reduce, avoid, or eliminate adverse environmental impacts and to avoid non-compliance or non-conformance with the above-listed authorities and factors. These measures/conditions must be incorporated into project contracts, development agreements, and other relevant documents. The staff responsible for implementing and monitoring mitigation measures should be clearly identified in the mitigation plan.

Law, Authority, or Factor	Mitigation Measure
<b>Contamination and Toxic Substances</b> 24 CFR Part 50.3(i) & 58.5(i)(2)	<p>The subject property was built circa 1955; therefore, it is required to perform a screen for lead-based paint prior to starting the work.</p> <ul style="list-style-type: none"><li>• The work must be performed by RRP Certified Renovation Firm.</li><li>• At least one RRP-Certified Renovator must be at the job site or available when work is being done.</li><li>• Workers at the job site must receive on-the-job training from the Certified Renovator.</li><li>• Lead Safe Work Practices are recommended if paint disturbance is "di minimis".</li><li>• Lead Safe Work Practices are required if paint disturbance exceeds "di minimis" but not EPA's minor repair and maintenance threshold.</li><li>• Property Risk Assessment and abatement of all lead-based paint hazards is required prior to commencing work if paint disturbance is significant.</li></ul>

**Determination:**

- This categorically excluded activity/project converts to Exempt, per 58.34(a)(12) because there are no circumstances which require compliance with any of the federal laws and authorities cited at §58.5. **Funds may be committed and drawn down after certification of this part** for this (now) EXEMPT project; OR
- This categorically excluded activity/project cannot convert to Exempt because there are circumstances which require compliance with one or more federal laws and authorities cited at §58.5. Complete consultation/mitigation protocol requirements, **publish NOI/RROF and obtain “Authority to Use Grant Funds”** (HUD 7015.16) per Section 58.70 and 58.71 before committing or drawing down any funds; OR
- This project is now subject to a full Environmental Assessment according to Part 58 Subpart E due to extraordinary circumstances (Section 58.35(c)).

Preparer Signature:



Date: 7/29/2025

Name>Title/Organization: Patricia Carmenatty Santiago  
Environmental Specialist,  
Behar Ybarra & Associates LLC

Responsible Entity Agency Official Signature:

\_\_\_\_\_  
Date: \_\_\_\_\_Name>Title: Santa D. Ramírez Lebrón / Permits and Environmental Compliance Specialist

This original, signed document and related supporting material must be retained on file by the Responsible Entity in an Environmental Review Record (ERR) for the activity/project (ref: 24 CFR Part 58.38) and in accordance with recordkeeping requirements for the HUD program(s).

## Appendices

**List of Appendices**

<b>Appendix Number</b>	<b>Appendix Description</b>
1	Figures
2	Field Visit Report
3	Scope of Work Quote
4	EPA's published Summary of Nonattainment Area Population Exposure 1 Report. This is a summary of the 2010 population living in an area that is in nonattainment for at least one of the National Ambient Air Quality Standards (NAAQS). EPA's Published Status of Puerto Rico Designated Areas. This is a summary of Puerto Rico's designated areas by NAAQS and year
5	RADON - Memorandum to File and Supporting documentation
6	USFWS "No Effect" Memo and supporting documentation
7	Section 106 Consultation Package

## **Appendix 1:** Figures

**List of Figures**


<b>Figure Number</b>	<b>Appendix 1 Description</b>
1	Location: Aerial Map
2	Airports Map
3	Coastal Barrier Resource System Map
4	Flood Insurance Rate Map
4-A	Preliminary Flood Insurance Rate Map
5	Clean Air Map
6	Coastal Zone Management Map
7	Toxic and Hazardous Facilities Map
8	Threatened and Endangered Species Map
9	Farmland Protection Map
10	Advisory Base Flood Elevation Map
11	Historic Preservation Map
12	Noise Abatement and Control Map
13	Sole Source Aquifer
14	Wetlands Map
15	Wild and Scenic Rivers Map

Figure 1

# Location: Aerial Map


Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



## Legend:

- PR-ESP-00125



### Service Layer Credits:

Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community  
 Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

### Source:


Centro de Recaudación de Ingresos Municipales (CRIM)  
<https://catastro.crimpr.net/cdrpc/>

Figure 2

# Airports Map

Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
V3-22 Ave. San Alfonso,  
San Juan PR 00921  
Catastro: 086-055-450-23-802  
Lat: 18.389325, Lon: -66.094980



## Legend:

- PR-ESP-00125
- SJU Military Runaway
- SJU Civil Runaway
- Militaryl Airport Buffer (15,000 Fts.)
- Civil Airport Buffer (2,500 Fts.)

## Accident Potential Zone

- |              |         |
|--------------|---------|
| ■ APZ 1      | ■ APZ 2 |
| ■ Clear Zone |         |



1:200,000

0 10,000 20,000 Feet

0 2,000 4,000 6,000 Meters



## Service Layer Credits:

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community  
Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

## Source:


Federal Aviation Administration (FAA)  
<https://adds-faa.opendata.arcgis.com/>  
The Environmental Protection Agency  
<https://www.epa.gov/nepa/nepassist>

Figure 3

# Coastal Barrier Resource System Map

Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
V3-22 Ave. San Alfonso,  
San Juan PR 00921  
Catastro: 086-055-450-23-802  
Lat: 18.389325, Lon: -66.094980



## Legend:

● PR-ESP-00125

### Coastal Barrier Resources System

- Otherwise Protected Area
- System Unit



1:200,000

0 10,000 20,000 Feet  
0 2,000 4,000 6,000 Meters



### Service Layer Credits:

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community  
Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

### Source:

U.S. Fish and Wildlife Service (FWS)


<https://www.fws.gov/program/coastal-barrier-resources-act>

Figure 4

# Flood Insurance Rate Map

Electrical Power Reliability and Resilience Program (ER2)


Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



### Legend:

- PR-ESP-00125
- FIRM Panel
- Floodway
- 0.2% Annual Chance Flood Hazard
- Zone D Area of Undetermined Flood Hazard

- Zone A
- Zone AE
- Zone AH
- Zone AO
- Zone VE
- Zone X



Service Layer Credits:  
 Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Source:  
 Federal Emergency Management Agency (FEMA)  
<https://msc.fema.gov/portal/home>

Figure 4-A

# Preliminary Flood Insurance Rate Map


Electrical Power Reliability and Resilience Program (ER2)

Fundación Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



### Legend:

- PR-ESP-00125
- Preliminary FIRM Panel
- Floodway
- Profile Baseline
- Base Flood Elevation (m)
- 0.2% Annual Chance Flood Hazard (Zone X)
- Zone A
- Zone AE
- Zone AH
- Zone AO
- Zone VE
- Zone X



Service Layer Credits:  
 Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Source:  
 Federal Emergency Management Agency (FEMA)  
<https://msc.fema.gov/portal/home>

Figure 5

# Clean Air Map

Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



### Legend:

- PR-ESP-00125
- Clean Air Areas - SO2
- Clean Air Areas - Lead



1:5,000  
 0 100 200 300 400 500 Feet  
 0 50 100 150 Meters



### Service Layer Credits:

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Source:  
 U.S. Geological Survey (USGS)  
<https://pubs.er.usgs.gov>

Figure 6

# Coastal Zone Management Map

Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



## Legend:

- PR-ESP-00125
- Coastal Zone Management Act Boundary



1:100,000  
 0 2,000 4,000 6,000 8,000 10,000 Feet  
 0 1,000 2,000 3,000 Meters



### Service Layer Credits:

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

### Source:


NOAA Office for Coastal Management (NOAA/OCM)  
<https://www.fisheries.noaa.gov/inport/item/53132>

Figure 7

# Toxic and Hazardous Facilities Map


Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



### Legend:

- |   |  |
|---|--|
| <span style="color: blue;">●</span> PR-ESP-00125  | <span style="color: orange;">◆</span> NPDES - Major  |
| <span style="border: 2px solid black; width: 100px; height: 20px;"></span> Buffer (500 Ft.)   | <span style="color: yellow;">●</span> RADINFO        |
| <span style="border: 2px solid black; width: 100px; height: 20px;"></span> Buffer (3,000 Ft.) | <span style="color: green;">▲</span> RCRA            |
| <span style="color: red;">■</span> AIR  | <span style="color: green;">▲</span> RCRA - Active   |
| <span style="color: yellow;">◆</span> NPDES   | <span style="color: brown;">▲</span> RCRA - Inactive |
|   | <span style="color: purple;">▼</span> TRI            |




Service Layer Credits:  
 Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

Source:  
 EPA Facility Registry Service (FRS)  
<https://www.epa.gov/frs>


Figure 8  
**Threatened and Endangered Species Map**  
 Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



**Legend:**

- PR-ESP-00125
- Critical Habitat



Service Layer Credits:

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Source:  
 NOAA Office of Response and Restoration  
<https://response.restoration.noaa.gov/>

Figure 9

# Farmland Protection

Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980




### Legend:

● PR-ESP-00125

### Farm Class

Not prime farmland



### Service Layer Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

Source:  
 Underground Storage Tanks (USTs)  
<https://www.epa.gov/ust>

Figure 10

# Advisory Base Flood Elevation Map

Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980





Figure 11

# Historic Preservation Map

Electrical Power Reliability and Resilience Program (ER2)


Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



## Legend:

- PR-ESP-00125
- Buffer (0.5 Mile)
- Cultural Resource Building
- Cultural Resource Structure
- Cultural Resource Object
- ▲ Cultural Resource Site

- Historic Centers
- Cultural Resource District Sensitive
- Archaeological Zones
- Archaeological Resource Zones
- Historic Communities
- Traditional Urban Center



Service Layer Credits:  
 Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Source:  
 National Park Service (NPS) - National Register of Historic Places  
 (NRHP)  
<https://www.nps.gov/subjects/nationalregister/index.htm>  
 State Historic Preservation Office (SHPO)  
<https://oech.pr.gov/Pages/default.aspx>

Figure 12

# Noise Abatement and Control Map


Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



### Legend:

- PR-ESP-00125
- University
- School
- Hospital
- Emergency Hospital



### Service Layer Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

Source:  
 U.S. Geological Survey (USGS)  
<https://pubs.er.usgs.gov/publication/ofr20201022>

Figure 13

# EPA Sole Source Aquifers


Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
V3-22 Ave. San Alfonso,  
San Juan PR 00921  
Catastro: 086-055-450-23-802  
Lat: 18.389325, Lon: -66.094980



## Legend:

- PR-ESP-00125
- EPA Sole Source Aquifers



Service Layer Credits:  
Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Source:  
U.S. Environmental Protection Agency  
<https://epa.maps.arcgis.com/apps/webappviewer/index.html?id=9ebb047ba3ec41ada1877155fe31356b>

Figure 14

# Wetlands Map

Electrical Power Reliability and Resilience Program (ER2)

Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



### Legend:

- PR-ESP-00125

### National Wetlands Inventory

Estuarine and Marine Deepwater	Freshwater Pond
Estuarine and Marine Wetland	Lake
Freshwater Emergent Wetland	Riverine
Freshwater Forested/Shrub Wetland	



1:5,000  
 0 150 300 450 Feet  
 0 50 100 150 Meters



### Service Layer Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

### Source:

U.S. Fish and Wildlife Service - National Wetlands Inventory  
<https://www.fws.gov/program/national-wetlands-inventory>




## **Appendix 2: Field Visit Report**



## Environmental Field Assessment Form - PR-ESP-00125

APPLICANT/LOCATION INFORMATION		
Applicant ID:	PR-ESP-00125	
Applicant Name:	Fundación Banco de Ojos del Leonismo Puertorriqueño	
Parcel ID:	086-055-450-23-802	
Coordinates:	18.389325, -66.094980	
Street Address:	V3-22 AVE SAN ALFONSO	
Municipio:	San Juan	
Zip Code:	00921	
Site Inspector:	Egon Gonzalez	
Date of Visit:	March 7, 2025	
Time of Visit:	10:23	
Year Built:	Circa 1965	
Building Information		
Question	Answer	Notes
1. Location verified:	Yes	18.389325, -66.094980
2. Is the building correct on GIS?	Yes	Building is correct on GIS
3. Building Type:	Commercial	
4. # of Stories:	2	
5. Building Foundation:	Concrete Slab	
6. Is the building in use?	Yes	Building is in use
7. Does the building have a detached garage / carport present?	No	
8. Is the electricity connected?	Yes	Electricity is connected
9. Is the water connected?	Yes	Water is connected
10. Are there signs of poor housekeeping on site? (mounds of rubble, garbage, storm debris, solid waste, petroleum products, paint, pesticides, cleaning fluids, vehicle batteries, abandoned vehicles, pits, pools, ponds of hazardous substances, electrical equipment etc.)	No	
11. Is a septic system present? If Yes report apparent condition.	No	
12. Are there any obvious signs of animals, birds nesting or burrows near the site?	No	



Parcel Conditions		
Question	Answer	Notes
1) Are there any 55-gallon drums visible on site? If yes, are they leaking?	No	
2) Are there any (or signs of any) underground storage tanks on the property?	No	
3) Are there signs of AST on the parcel or adjacent parcel? If yes, list approximate size and contents, if known.	Yes	400gal Water cistern located in roof. Roof is currently inaccessible. 200gal Diesel tank located on right side of structure
4) Is there any stained soil or pavement on the parcel?	No	
5) Are there any potentially hazardous trees that could fall?	No	
6) Are there any groundwater monitoring wells on the site or adjacent parcel?	No	
7) Is there distressed vegetation on the parcel?	No	
8) Are any additional environmental or non-environmental site hazards observed?	No	
9) Is there any permanent standing water, such as a pond or stream, located on the site(do not include ponding from recent rain / weather events)?	No	
10) Does the subject property have water frontage?	No	
11) Is the applicant aware of any significant historical event or persons associated with the structure, or of it being located in a historic district/ area?	No	
12) Is a historic marker present?	No	
13) Based on the above finding, does additional information need to be obtained from the applicant to determine whether an environmental hazard is present?	No	

### Building Environmental Conditions

Question	Answer	Notes
1. Is there any visible evidence of asbestos, chipping, and flaking or peeling paint, or hazardous materials present in or on the structure?	No	
2. Is there any visible indication of mold?	No	
3. Are there any pungent, foul or noxious odors?	No	

### Additional Needs Analysis

Question	Answer	Notes
Based on the above findings, does additional information need to be obtained from the applicant to determine whether an environmental hazard is present?	No	

I verify that I have physically visited this property and that the findings outlined above are accurate.



Inspector Signature

Egon Gonzalez

March 7, 2025



**Front of Structure**

Photo Direction: West

Comments:



**Facing Away from Front**

Photo Direction: East

Comments:





**Side #1 of Structure**

Photo Direction: West

Comments:



**Facing Away From Side #1**

Photo Direction: Southwest

Comments:





**Back of Structure**

Photo Direction: East

Comments:



**Facing Away from Back**

Photo Direction: West

Comments:





**Side #2 of Structure**

Photo Direction: West

Comments:



**Facing Away from Side #2**

Photo Direction: Northwest

Comments:





**Streetscape #1**

Photo Direction: North

Comments:



**Streetscape #2**

Photo Direction: South

Comments:



**Address**

Photo Direction: West

Comments:



**Architectural Details 1**

Photo Direction:

Photo Description: Electricity is connected

**Architectural Details 2**

Photo Direction:

Photo Description: Water is connected



### Architectural Details 3

Photo Direction:

Photo Description: 200gal Diesel tank for generator located on left side of structure



### Architectural Details 4

Photo Direction:

Photo Description: General interior view



#### Architectural Details 5

Photo Direction:

Photo Description: General interior view



#### Architectural Details 6

Photo Direction:

Photo Description: Additional back of structure view



**Architectural Details 7**

Photo Direction:

Photo Description: Additional right side of structure view

**Architectural Details 8**

Photo Direction:

Photo Description: Additional left side view



**Architectural Details 9**

Photo Direction:

Photo Description: Additional right side view



**Architectural Details 10**

Photo Direction:

Photo Description:

## **Appendix 3: Quote**

# Propuesta para Instalación de Sistema de Energía Solar APOYO ENERGETICO 2.0



CARIBBEAN SOLAR ENERGY, LLC

## CÁLCULO DE CONSUMO ANUAL Y SISTEMA PROPUESTO

Initial  
 **PLJ** Iniciales

Nombre de cliente	<b>BANCO DE OJOS DEL LEONISMO PUERTORRIQUEÑO</b>										
Dirección del servicio	<b>V3-22 C SAN ALFONSO URB LAS LOMAS SAN JUAN PR 00901</b>										
ID Contrato	<b>BDODLP 1364</b>										
Fecha	<b>8/27/2024</b>										
<b>Ultimos 12 meses de consumo</b>											
4757	4316	4588	4681	3871	2289	2120	1895	2203	2166	2726	2481
Placa (W)	400										
Pueblo	San Juan										
											Consumo anual (kWh) <b>38,093</b>
											Costo por kWh en LUMA <b>0.26</b>
											Tamaño de sistema según consumo (kWDC) <b>23.4</b>
											(1) Sistema propuesto (kWDC) <b>23.6</b>
											(2) Almacenamiento propuesto (kWh) <b>27</b>
											(3) Cubierta de consumo estimada <b>101%</b>
											(4) Costo de placas solares <b>\$17,700</b>
											(5) Costo de bateria(s) <b>\$26,500</b>
											(6) Instalacion, Ingenieria, Permisos y BOS <b>\$23,475</b>
											(7) Costo Total <b>\$67,675</b>
											(8) Incentivo potencial <b>-\$40,605</b>
											(9) Balance aportado por cliente <b>\$27,070</b>
											(10) Retorno de inversion estimado (en años) <b>2.7</b>
											(11) Ahorro anual estimado en factura de LUMA <b>\$9,988</b>

## TIPO DE SISTEMA

Sistema fotovoltaico nuevo con sistema de almacenamiento de batería(s).

## EQUIPOS

Equipo	Marca	Modelo	Cantidad
Placas	Canadian Solar	CS6R-400MS-HL	59
Batería	Tesla	Powerwall 2	2
Inversor	Tesla	7.6 kW/AC Powerwall+	2
Inversor	Enphase	IQ8 Series	19
Transformador	Hammond	SG3L0050BE	0

## INTRODUCCIÓN

Le damos las gracias por la oportunidad que nos ha dado para presentar nuestra propuesta para el trabajo de referencia. Caribbean Solar Energy, LLC se complace en presentar esta propuesta para la instalación de un Sistema Fotovoltaico para generación de energía. Agradecemos sus esfuerzos para ayudarnos a definir y entender las necesidades de su proyecto en su casa o negocio. Caribbean Solar Energy LLC se compromete a proporcionar los recursos necesarios para ejecutar con éxito este proyecto conforme a su petición y de acuerdo con las especificaciones y acuerdos aquí presentados.

## SEGUROS

Caribbean Solar Energy reconoce el riesgo inherente y las exposiciones en la prestación de servicios a los clientes y utiliza un programa de seguro integral para protegerse contra cualquier acto negligente por el que pueda volverse legalmente responsable. Nuestro programa incluye \$1,000,000 en cobertura general y \$1,000,000 en exceso de cobertura. Adicional a esto contamos con una fianza para realizar proyectos de energía renovable, según establece la Ley 146 del Estado Libre Asociado de Puerto Rico.

## Fuerza de trabajo

La fuerza de trabajo de Caribbean Solar Energy está formada por profesionales de la industria con experiencia en miles de instalaciones. Nuestra fuerza de trabajo está compuesta por ingenieros con licencia, electricistas certificados, personal administrativo, personal de ventas e instaladores altamente experimentados.


## Certificaciones

Caribbean Solar Energy cuenta con las prestigiosas certificaciones de Tesla, Inc como "Tesla Certified Installer", Enphase Energy como "Enphase Certified Installer", UNIRAC, Gobierno Federal de Estados Unidos (SAM), Agencia de Protección Ambiental (EPA), entre otros. Adicional, nuestro personal de diseño cuenta con certificación del Colegio de Ingenieros y Agrimensores de Puerto Rico y de Instalador de Sistemas Eléctricos Renovables del Programa de Política Pública del Gobierno de Puerto Rico. Todos nuestros componentes cumplen con las certificaciones requeridas por la Oficina de Gerencia y Permisos (OGPE) y la Autoridad De Energía Eléctrica de Puerto Rico.

TESLA  
ENERGY  
CERTIFIED INSTALLER



## CARTERA DE INSTALACIONES



## ALCANCE DEL TRABAJO

Initial	<u>PCL</u>	Iniciales
---------	------------	-----------

Esta propuesta incluye (según aplique):

**1) Diseño e ingeniería.**

**2) Permisos requeridos para operación e instalación.**

- a) Someter solicitud para programa de medición neta ante LUMA.
- b) Certificaciones Oficina de Gerencia y Permisos (OGPE).

**3) Equipos**

- a) Paneles solares.
- b) Inversores de corriente.
- c) Sistemas de almacenamiento (baterías).
- d) Accesorios necesarios para operación de sistema.
- e) Anclaje estructural de aluminio y acero inoxidable (“racking”).
- f) Materiales misceláneos: tuberías, cables, interruptores, etc.

**4) Instalación**

- a) Instalación y encendido.
- b) Pruebas y “System Commissioning”.
- c) Adiestramiento sobre operación y mantenimiento.

8/27/24, 1:03 PM

PVWatts Calculator



**Caution:** Photovoltaic system performance predictions calculated by PVWatts® include many inherent assumptions and uncertainties and do not reflect variations between PV technologies nor site-specific characteristics except as represented by PVWatts® inputs. For example, PV modules with better performance are not differentiated within PVWatts® from lesser performing modules. Both NREL and private companies provide more sophisticated PV modeling tools (such as the System Advisor Model at [sam.nrel.gov](http://sam.nrel.gov)) that allow for more precise and complex modeling of PV systems.

The expected range is based on 30 years of actual weather data at the given location and is intended to provide an indication of the variation you might see. For more information, please refer to this NREL report: The Error Report.

**Disclaimer:** The PVWatts® Model ("Model") is provided by the National Renewable Energy Laboratory ("NREL"), which is operated by the Alliance for Sustainable Energy, LLC ("Alliance") for the U.S. Department of Energy ("DOE") and may be used for any purpose whatsoever.

The name DOE/NREL/ALLIANCE shall not be used in any representation, advertising, publicity or other manner whatsoever. In endorse or promote any entity that adopts or uses the Model. DOE/NREL/ALLIANCE shall not provide any support, consulting, training or assistance of any kind with regard to the use of the Model or any updates, revisions or new versions of the Model.

YOU AGREE TO INDEMNIFY DOE/NREL/ALLIANCE, AND ITS AFFILIATES, OFFICERS, AGENTS, AND EMPLOYEES AGAINST ANY CLAIM OR DEMAND, INCLUDING REASONABLE ATTORNEYS' FEES RELATED TO YOUR USE, REVENGE, OR ADOPTION OF THE MODEL FOR ANY PURPOSE WHATSOEVER. THE MODEL IS PROVIDED BY DOE/NREL/ALLIANCE AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY DISCLAIMED. IN NO EVENT SHALL DOE/NREL/ALLIANCE BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER, INCLUDING BUT NOT LIMITED TO CLAIMS ASSOCIATED WITH THE LOSS OF DATA OR PROFITS, WHICH MAY RESULT FROM ANY ACTION IN CONTRACT, NEGLIGENCE OR OTHER TORTIOUS CLAIM THAT ARISES OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE MODEL.

The energy output range is based on analysis of 30 years of historical weather data, and is intended to provide an indication of the possible interannual variability in generation for a fixed (open rack) PV system at this location.

## RESULTS

# 33,449 kWh/Year\*

Month	Solar Radiation (kWh / m <sup>2</sup> / day)	AC Energy (kWh)
January	4.49	2,494
February	5.32	2,656
March	5.31	2,884
April	5.85	3,062
May	5.37	2,920
June	5.75	3,029
July	5.79	3,169
August	5.67	3,091
September	5.50	2,874
October	4.85	2,645
November	4.41	2,349
December	4.10	2,276
<b>Annual</b>	<b>5.20</b>	<b>33,449</b>


### Location and Station Identification

Requested Location	18.389332284506157, -66.09496501200233
Weather Data Source	Lat, Lng: 18.37, -66.1 1.4 mi
Latitude	18.37° N
Longitude	66.10° W

### PV System Specifications

DC System Size	23.6 kW
Module Type	Standard
Array Type	Fixed (roof mount)
System Losses	14.08%
Array Tilt	5°
Array Azimuth	180°
DC to AC Size Ratio	1.2
Inverter Efficiency	96%
Ground Coverage Ratio	0.4
Albedo	From weather file
Bifacial	No (0)

Monthly Irradiance Loss	Jan	Feb	Mar	Apr	May	June
	0%	0%	0%	0%	0%	0%
	July	Aug	Sept	Oct	Nov	Dec
	0%	0%	0%	0%	0%	0%



## ACUERDO DE INSTALACIÓN

Initial

PCJ

Iniciales

## TÉRMINOS, CONDICIONES Y DEFINICIONES


1. **DEFINICIONES.** "INSTALACIÓN" PARA USO EN ESTE DOCUMENTO SE REFIERE A MANO DE OBRA Y SITUAR LOS EQUIPOS PROPUESTOS EN EL SITIO. "PROPIUESTA" O "CONTRATO" SE REFIERE A ESTE DOCUMENTO. "SITIO" SE REFIERE A LA PROPIEDAD DONDE SE INSTALARÁ EL SISTEMA PROPUESTO. "PROGRAMA" SE REFIERE A PROGRAMA DE APOYO ENERGETICO 2.0. "ACTIVIDADES DE INSTALACION" SE REFIERE A DISEÑO, ADQUISITION DE MATERIALES O INSTALACION. "DDEC" SE REFIERE A DEPARTAMENTO DE DESARROLLO ECONOMICO Y COMERCIO DE PUERTO RICO. "CSE" SE REFIERE A CARIBBEAN SOLAR ENERGY, LLC.
2. **DIVULGACIÓN.** ESTA PROPUESTA CONTIENE INFORMACIÓN CONFIDENCIAL, PROPIETARIA Y/O SENSIBLE A LA COMPETENCIA DE CSE POR LO TANTO; TODA LA INFORMACIÓN PROPORCIONADA EN ESTA PROPUESTA SE CONSIDERARÁ CONFIDENCIAL Y NO SE DIVULGARÁ A TERCEROS SIN EL CONSENTIMIENTO ESCRITO DE CSE.
3. **GARANTÍAS.** CSE CORREGIRÁ CUALQUIER DEFECTO DE INSTALACIÓN, SIN COSTO ALGUNO, DURANTE LOS PRIMEROS 10 AÑOS DESDE ENCENDIDO EL SISTEMA. NUESTROS MANUFACTUREROS OFRECEN LAS SIGUIENTES GARANTÍAS, EN DESEMPEÑO; PANELES SOLARES 25 AÑOS; MICRO-INVERSORES ENPHASE 25 AÑOS; SOPORTE UNIRAC O SWH 25 AÑOS; BATERÍA TESLA O ENPHASE 10 AÑOS. MANIPULACIÓN AL EQUIPO POR PERSONAL NO-AUTORIZADO INVALIDARÍA GARANTÍAS. EL CLIENTE, CON LA FIRMA DE ESTE DOCUMENTO, CERTIFICA HABER LEIDO EL(LOS) MANUAL(ES) DE TÉRMINOS Y CONDICIONES DE GARANTÍA DEL MANUFACTURERO.
4. **TÉRMINOS DE PAGO.** (1) CSE RECIBIRÁ 50% DE LA APORTACION TOTAL CORRESPONDIENTE AL CLIENTE CON LA FIRMA DEL ACUERDO DE RESERVA DEL INCENTIVO. (2) CSE RECIBIRA EL RESTANTE 50% DE LA APORTACION TOTAL CORRESPONDIENTE AL CLIENTE UNA VEZ CULMINADA LA INSTALACIÓN. LOS PAGOS SERÁN EMITIDOS EN UN PERÍODO NO MAYOR DE 7 DÍAS LABORABLES Y NO PODRÁN SER RETENIDOS BAJO NINGUN CONCEPTO. DEFICIENCIAS EN LA RED ELÉCTRICA QUE LIMITEN LA INTERACCIÓN DEL SISTEMA SOLAR CON DICHA RED NO SERÁ CAUSA PARA EXTENDER ESTE PERÍODO. CSE SE RESERVA EL DERECHO DE APAGAR EL SISTEMA FOTOVOLTAICO, SIN EMITIR AVISO, SI SE EXCEDE ESTE PERÍODO DE 7 DÍAS. EN CASO DE QUE CUALQUIER PAGO NO SEA EMITIDO DENTRO DE LOS TÉRMINOS ESTABLECIDOS EN ESTE CONTRATO, Y SIN MENOSCABO O MODIFICACIÓN DE OTRAS SECCIONES DE ESTE CONTRATO, EL CLIENTE ACUERDA Y SE OBLIGA A PAGAR A CSE UN CARGO POR DEMORA ADICIONAL DE DIEZ POR CIENTO (10%) DEL BALANCE ADEUDADO, MENSUALMENTE, HASTA QUE LOS PAGOS SEAN RECIBIDOS EN SU TOTALIDAD.
5. **EQUIPOS.** EN CASO DE "BACK-ORDER" EN INVENTARIO SE PROVEERÁ EQUIVALENTE DE IGUAL O MAYOR CAPACIDAD.
6. **TIEMPO DE INSTALACIÓN.** SE ESTIMA LA INSTALACIÓN SE REALIZARÁ DENTRO DEL TERMINO QUE PROVEE EL PROGRAMA. ESTE PERÍODO PUEDE VERSE AFECTADO POR EVENTOS DE LLUVIA EXTENSOS, ESCASEZ DE MATERIAL Y EVENTOS DE FUERZA MAYOR (ATMOSFÉRICOS, PANDEMIAS, TERREMOTOS, ENTRE OTROS EVENTOS IMPREDECIBLES). EL CLIENTE RELEVA A CSE DE EXCEDERSE EL TERMINO DEL PROGRAMA A CAUSA DE UNO DE ESTOS EVENTOS.
7. **PRODUCCIÓN SOLAR ANUAL ESTIMADA.** SU PRODUCCIÓN SOLAR PUEDE VARIAR DEPIDIENDO DEL CLIMA Y EL ACORTAMIENTO (EN CASO DE APAGONES). CSE UTILIZA LA BASE DE DATOS DEL "NATIONAL RENEWABLE ENERGY LABORATORY" PARA LA RECOMENDACIÓN DE TAMANO DE SISTEMA POR LO QUE CSE NO SE HACE RESPONSABLE DE LAS VARIACIONES QUE PUDIERAN SURGIR.
8. **CANCELACIONES.** EN CUALQUIERA DE LOS ESCENARIOS DE CANCELACIÓN POSTERIOR AL COMIENZO DE LAS ACTIVIDADES DE INSTALACIÓN, SE COBRARÁ UNA TARIFA PROPORCIONAL AL GASTO INCURRIDO HASTA EL MOMENTO DE LA CANCELACIÓN EL CUAL NO SERÁ MENOR DE UN 5% DEL COSTO TOTAL DEL PROYECTO. CSE SE RESERVA EL DERECHO DE RESCINDIR DE ESTE CONTRATO, EN CUALQUIER MOMENTO, PREVIO A LA INSTALACIÓN DEL SISTEMA. ESTO NOTIFICANDO AL CLIENTE CON 10 DIAS DE ANTICIPACIÓN.
9. **MEDICIÓN NETA.** MEJORAS A INFRAESTRUCTURA SOLICITADAS POR LUMA NO ESTÁN CUBIERTOS EN ESTA PROPUESTA. LA APROBACIÓN DE ESTE PROGRAMA ESTÁ BAJO LA DISCRECIÓN DE LUMA.
10. **ALCANCE.** CUALQUIER TRABAJO NO IDENTIFICADO EN ESTA PROPUESTA O COMPONENTE (EJ. MEJORAS A INFRAESTRUCTURA EXISTENTE, ETC.) SE CONSIDERARÁ FUERA DEL ALCANCE Y PUEDE REQUERIR UNA ORDEN DE TRABAJO O UNA ORDEN DE COMPRA ADICIONAL. ESTA PROPUESTA INCLUYE UNA INSTALACIÓN BÁSICA DE 25 PIES AL PUNTO DE INTERCONEXIÓN Y CON TUBERÍAS EXPUESTAS, CUALQUIER PREFERENCIA ADICIONAL REQUERIRÁ UN CAMBIO DE ORDEN. EL DÍA DE INSTALACIÓN SE REPASARÁ EL PLANO DE INSTALACIÓN Y PRESENTARAN LOS EQUIPOS EN SUS RESPECTIVAS ÁREAS PARA SU APROBACIÓN ESCRITA. UNA VEZ APROBADOS E INSTALADOS LOS EQUIPOS SI DESEA REALIZAR UN CAMBIO DE UBICACIÓN EL MISMO CONLEVARA UN CAMBIO DE ORDEN.
11. **SEGUROS.** ESTA PROPUESTA NO INCLUYE CUBIERTA PARA DAÑOS POR EVENTOS DE FUERZA MAYOR (ATMOSFÉRICOS, FUEGOS, TERREMOTOS, ENTRE OTROS), ROBO, VANDALISMO Y/O VARIACIONES DE VOLTAJE DE LA RED ELÉCTRICA UNA VEZ CULMINADA LA INSTALACION. EL CLIENTE ASUME RESPONSABILIDAD TOTAL DE CUALQUIER DAÑO AL SISTEMA UNA VEZ CULMINADA DICHA INSTALACIÓN EN EL SITIO.
12. **PERMISOS DE CONSTRUCCIÓN.** SEGÚN ESTABLECE EL REGLAMENTO DE OGPE, ESTAS INSTALACIONES NO REQUIEREN PERMISO DE CONSTRUCCIÓN POR SER MENORES A 1MW Y LLEVARSE A CABO SOBRE EL TECHO DE LA RESIDENCIA O COMERCIO.
13. **APAGONES.** PARA FUNCIONAR EN EL EVENTO DE UN APAGÓN, DE DÍA O NOCHE, ES NECESARIO EL SISTEMA INCLUYA ALMACENAMIENTO (BATERÍAS).
14. **MONITOREO.** REQUIERE CONECTAR EL SISTEMA A RED WI-FI CON INTERNET ESTABLE Y DE ALTA VELOCIDAD.
15. **VISITAS TÉCNICAS.** VISITAS DE SERVICIO NO-ASOCIADAS A DEFECTOS DE INSTALACIÓN TENDRÁN TARIFA MÍNIMA, COMENZANDO DESDE \$150.
16. **CÓDIGOS Y REQUERIMIENTOS.** LOS EQUIPOS SOLO PODRÁN SER INSTALADOS EN ÁREAS APROBADAS POR

- MANUFACTUREROS, CÓDIGOS DE ELECTRICIDAD Y LA AUTORIDAD DE ENERGÍA ELÉCTRICA DE PUERTO RICO ("AEE" O "LUMA", EN ADELANTE). EL CLIENTE RELEVA DE CUALQUIER RESPONSABILIDAD A CSE DE EL CLIENTE EXIGIR QUE NO SE CUMPLA CON ESTOS REQUISITOS.
17. **FACILIDADES.** SE PRESUME QUE SU INFRAESTRUCTURA ENERGÉTICA EXISTENTE CUMPLE CON LOS PARÁMETROS (VOLTAJES, FRECUENCIAS, ETC.) REQUERIDOS POR AEE-LUMA Y EL "NATIONAL ELECTRICAL CODE" PARA LA INTERACCIÓN DE SISTEMAS FOTOVOLTAICOS CON SU PROVEEDOR DE ENERGÍA ELÉCTRICA. CSE NO SE RESPONSABILIZA POR DAÑOS ESCONDIDOS, DISIMULADOS U OCULTOS QUE SE DESCUBRAN EN, DURANTE O DESPUÉS DE LA INSTALACIÓN; CORREGIRLOS REQUERIRÁ UNA ORDEN DE TRABAJO ADICIONAL.
18. **TECHO.** SE PRESUME ESPACIO DE TECHO DISPONIBLE Y EN CONDICIONES ADECUADAS PARA INSTALAR EL SISTEMA SIN REALIZAR MEJoras, MODIFICACIONES O ADICIONES. CSE SE RESERVA EL DERECHO DE CLASIFICAR LAS CONDICIONES DEL TECHO. NO SE INCLUYE IMPERMEABILIZACIÓN DE TECHOS, SIN EMBARGO, TODAS LAS PENETRACIONES GARANTIZAN LAS MEJORES PRÁCTICAS PARA NO AFECTAR NINGUNA GARANTÍA (SI CORRESPONDE) O INTEGRIDAD DEL TECHO. CSE NO SE HACE RESPONSABLE BAJO NINGUN CONCEPTO DE DAÑOS AL TECHO NO RELACIONADOS A LA INSTALACIÓN O A LOS TRABAJOS REALIZADOS POR CSE. UNA VEZ INSTALADO EL SISTEMA FOTOVOLTAICO Y HABIENDO SIDO ACEPTADO POR EL CLIENTE, CSE NO SERÁ RESPONSABLE POR NINGUN RECLAMO RELACIONADO A LA IMPERMEABILIZACIÓN Y/O DAÑOS DEL TECHO.
19. **VALIDEZ Y CORRECCIONES.** ESTA PROPUESTA TIENE UNA VALIDEZ DE NOVENTA DÍAS (90) DÍAS A PARTIR DE LA EMISIÓN. LAS CITAS VERBALES EXPIRAN EL MISMO DÍA EN QUE SE REALIZAN. TODOS LOS ERRORES TIPOGRÁFICOS Y ADMINISTRATIVOS ESTÁN SUJETOS A CORRECCIÓN.
20. **TITULARIDAD.** EL CLIENTE RECONOCE QUE EL SISTEMA PROPUESTO Y TODOS SUS COMPONENTES SON PROPIEDAD EXCLUSIVA DE CSE HASTA TANTO SE SATISFAGAN EL 100% DE LOS PAGOS ACORDADOS BAJO ESTE CONTRATO.
21. **ACCESO.** EL CLIENTE RECONOCE QUE CONCEDE ACCESO A CSE A SU PROPIEDAD (PROPIA O ARRENDADA), EN CUALQUIER MOMENTO, PARA REMOVER Y/O REPOSEER LOS EQUIPOS, DE SER INCUMPLIDOS LOS TÉRMINOS DE PAGO POR CUALQUIER RAZÓN.
22. **FOTOGRAFÍAS.** CSE ESTÁ AUTORIZADO A UTILIZAR FOTOGRAFÍAS DE LOS EQUIPOS INSTALADOS EN SU PROPIEDAD (PROPIA O ARRENDADA) PARA PROPÓSITO PUBLICITARIO SIEMPRE Y CUANDO SE PROTEJA SU PRIVACIDAD.  MARCAR SI NO AUTORIZA.
23. **LLAMADAS GRABADAS.** TODAS LAS LLAMADAS RECIBIDAS Y REALIZADAS DE CSE SE REALIZAN A TRAVÉS DE UNA LÍNEA GRABADA.
24. **HONORARIOS DE ABOGADO.** EN CASO DE QUE CSE RECURRA A UN ABOGADO PARA MANEJAR POR MEDIO DE LA VÍA JUDICIAL, O EXTRAJUDICIAL, CUALQUIER VIOLACIÓN DE CUALQUIER TÉRMINO O CONDICIÓN DE ESTE CONTRATO, EL CLIENTE PAGARÁ LOS HONORARIOS RESULTANTES POR UNA CANTIDAD NO MENOR DEL VEINTE POR CIENTO (20%) DE LA CANTIDAD RECLAMADA EN EL MOMENTO, O QUE ESTÉ ACUMULANDO, PERO EN NINGÚN CASO DICHA CANTIDAD SERÁ MENOR DE DOS MIL QUINIENTOS DÓLARES (\$2,500.00). ADEMÁS, SE ACUERDA QUE, SI SE INICIA UNA ACCIÓN JUDICIAL EN SU CONTRA POR VIOLAR LOS TÉRMINOS DE ESTE CONTRATO, ÉSTA SE SOMETERÁ A LA JURISDICCIÓN DEL TRIBUNAL QUE ESCOJA CSE.
25. **INCENTIVOS.** EL CLIENTE SE COMPROMETE A REALIZAR DE MANERA DILIGENTE Y PROACTIVA TODAS LAS GESTIONES PERTINENTES Y REQUERIDAS, DE SU PARTE, POR CUALQUIER ENTIDAD QUE LE HAYA APROBADO U OTORGADO UN INCENTIVO PARA LA ADQUISICIÓN DE SU SISTEMA Y ESTE SE HAYA CONSIDERADO COMO PARTE O TOTALIDAD DE LOS PAGOS POR EL PRESENTE CONTRATO. EL CLIENTE SE COMPROMETE A PAGAR EL 100% DE LOS COSTOS DEL PROYECTO, OBJETO DE ESTE CONTRATO, SI POR NEGLIGENCIA, OMISIÓN, PREFERENCIA O DEJADEZ DE SU PARTE EXPIRA EL PERÍODO PARA RECLAMAR EL PAGO DE DICHO INCENTIVO Y EL SISTEMA HA SIDO INSTALADO. DE SER REQUERIDO POR EL CLIENTE QUE CSE O SUS REPRESENTANTES LE ASISTAN EN EL SOMETIMIENTO, LLENADO O RADICACIÓN DE CUALQUIER PROCESO, DOCUMENTO O SOLICITUD, EL CLIENTE, RELEVA A CSE Y SUS REPRESENTANTES DE CUALQUIER NEGLIGENCIA, OMISIÓN O ERROR EN TODO MOMENTO. HASTA TANTO SE EJECUTE EL ACUERDO DE RESERVA DE SUBVENCIÓN: (A) NO SE INICIARÁN NI REALIZARÁN NINGÚN TRABAJO PARA LA INSTALACIÓN DEL SISTEMA; (B) NO SE ORDENARÁN O TOMARÁN ACCIONES PARA ADQUIRIR EQUIPO O MATERIAL PARA EL SISTEMA; Y (C) NO SE INCURRIRÁ O PAGARÁ COSTOS RELACIONADOS CON EL TRABAJO O CUALQUIER OTRA RESPONSABILIDAD DE LAS FASES DE INSTALACIÓN PARA EL SISTEMA. **ESTE CONTRATO QUEDARA AUTOMATICAMENTE CANCELADO, SIN PENALIDAD ALGUNA PARA LAS PARTES, SI EL DDEC NO APRUEBA EL INCENTIVO.** LOS SUPLIDORES Y LOS BENEFICIARIOS NO PODRÁN MODIFICAR LAS SOLICITUDES APROBADAS Y DEBIDAMENTE NOTIFICADAS NI LOS CRITERIOS EXAMINADOS PARA EL PROCESO DE EVALUACIÓN Y APROBACIÓN, ENTIÉNDASE: LA PROPUESTA DEL SUPLIDOR, COSTO TOTAL DEL PROYECTO, CAMBIO DE UBICACIÓN O LOCAL, TAMAÑO DEL SISTEMA DE ENERGÍA RENOVABLE, TAMAÑO DEL ALMACENAMIENTO DE BATERÍA Y, SI SOLICITÓ, LA INFRAESTRUCTURA PARA EL CARGADOR DE AUTO ELÉCTRICO.
26. **ACEPTACIÓN.** TAL ES EL CONTRATO QUE OTORGAN LOS COMPAñEENTES Y POR EL CUAL SE COMPROMETEN Y OBLIGAN MUTUAMENTE, HACIENDO CONSTAR QUE EL PRESENTE CONTIENE LA TOTALIDAD DE LOS ACUERDOS ENTRE LAS PARTES Y QUE CUALQUIER CAMBIO O ENMIENDA AL MISMO TENDRÁ QUE CONSTAR POR ESCRITO PARA SURTIR EFECTO Y OBLIGAR A LAS PARTES. SI ALGUNA DE LAS CLÁUSULAS DE ESTE CONTRATO FUERA DECLARADA ILEGAL O CONTRARIA A DERECHO, QUEDARÁN VIGENTES Y EN TODO VIGOR LAS CLÁUSULAS RESTANTES DEL CONTRATO.

**FIRMA CLIENTE:**

Pedro Crespo Justiniano

NOMBRE EN LETRAS DE MOLDE


 Pedro Crespo Justiniano  
 1AC4818CF4C4D9...

FIRMA

8/27/2024

FECHA



**CARIBBEAN SOLAR ENERGY:**

Roxana Rivera Núñez

NOMBRE DE REPRESENTANTE AUTORIZADO

FIRMA





## HiKu6 Mono PERC

395 W ~ 420 W

CS6R-395 | 400 | 405 | 410 | 415 | 420MS-HL

### MORE POWER



Module power up to 420 W  
Module efficiency up to 21.5 %



Lower LCOE & system cost



Comprehensive LID / LeTID mitigation technology, up to 50% lower degradation



Better shading tolerance



Industry Leading Product Warranty on Materials and Workmanship\*



Linear Power Performance Warranty\*

1<sup>st</sup> year power degradation no more than 2%

Subsequent annual power degradation no more than 0.55%

\*Subject to the terms and conditions contained in the applicable Canadian Solar Limited Warranty Statement. Also this 25-year limited product warranty is available only for products installed and operating on residential rooftops in certain regions.

### MANAGEMENT SYSTEM CERTIFICATES\*

ISO 9001:2015 / Quality management system  
ISO 14001:2015 / Standards for environmental management system  
ISO 45001: 2018 / International standards for occupational health & safety

### PRODUCT CERTIFICATES\*

IEC 61215 / IEC 61730 / CE  
CEC listed (US California) / FSEC (US Florida)  
UL 61730 / IEC 61701 / IEC 62716  
Take-e-way





\* The specific certificates applicable to different module types and markets will vary, and therefore not all of the certifications listed herein will simultaneously apply to the products you order or use. Please contact your local Canadian Solar sales representative to confirm the specific certificates available for your Product and applicable in the regions in which the products will be used.

**CSI SOLAR (USA) CO., LTD.** is committed to providing high quality solar photovoltaic modules, solar energy and battery storage solutions to customers. The company was recognized as the No. 1 module supplier for quality and performance/price ratio in the IHS Module Customer Insight Survey. Over the past 20 years, it has successfully delivered over 70 GW of premium-quality solar modules across the world.

\* For detailed information, please refer to the Installation Manual.

### CSI SOLAR (USA) CO., LTD.

1350 Treat Blvd. Suite 500, Walnut Creek, CA 94598, USA | [www.csisolar.com/na](http://www.csisolar.com/na) | [service.ca@csisolar.com](mailto:service.ca@csisolar.com)

**ENGINEERING DRAWING (mm)****Rear View****Frame Cross Section A-A****CS6R-405MS-HL / I-V CURVES****ELECTRICAL DATA | STC\***

CS6R-395/400/405/410/415/420MS-HL						
Nominal Max. Power (Pmax)	395 W	400 W	405 W	410 W	415 W	420 W
Opt. Operating Voltage (Vmp)	30.6 V	30.8 V	31.0 V	31.2 V	31.4 V	31.6 V
Opt. Operating Current (Imp)	12.91 A	12.99 A	13.07 A	13.15 A	13.23 A	13.31 A
Open Circuit Voltage (Voc)	36.6 V	36.8 V	37.0 V	37.2 V	37.4 V	37.6 V
Short Circuit Current (Isc)	13.77 A	13.85 A	13.93 A	14.01 A	14.09 A	14.17 A
Module Efficiency	20.2%	20.5%	20.7%	21.0%	21.3%	21.5%
Operating Temperature	-40°C ~ +85°C					
Max. System Voltage	1000V (IEC/UL)					
Module Fire Performance	TYPE 2 (UL 61730 1000V) or CLASS C (IEC 61730)					
Max. Series Fuse Rating	25 A					
Application Classification	Class A					
Power Tolerance	0 ~ + 10 W					

\* Under Standard Test Conditions (STC) of irradiance of 1000 W/m², spectrum AM 1.5 and cell temperature of 25°C.

**ELECTRICAL DATA | NMOT\***

CS6R-395/400/405/410/415/420MS-HL						
Nominal Max. Power (Pmax)	296 W	300 W	304 W	307 W	311 W	315 W
Opt. Operating Voltage (Vmp)	28.7 V	28.9 V	29.1 V	29.2 V	29.4 V	29.6 V
Opt. Operating Current (Imp)	10.33 A	10.39 A	10.45 A	10.52 A	10.58 A	10.65 A
Open Circuit Voltage (Voc)	34.6 V	34.8 V	35.0 V	35.1 V	35.3 V	35.5 V
Short Circuit Current (Isc)	11.09 A	11.15 A	11.21 A	11.28 A	11.34 A	11.41 A

\* Under Nominal Module Operating Temperature (NMOT), irradiance of 800 W/m² spectrum AM 1.5, ambient temperature 20°C, wind speed 1 m/s.

\* The specifications and key features contained in this datasheet may deviate slightly from our actual products due to the on-going innovation and product enhancement. CSI Solar Co., Ltd. reserves the right to make necessary adjustment to the information described herein at any time without further notice.

Please be kindly advised that PV modules should be handled and installed by qualified people who have professional skills and please carefully read the safety and installation instructions before using our PV modules.

**PARTNER SECTION**



## POWERWALL+

Powerwall+ is an integrated solar battery system that stores energy from solar production. Powerwall+ has two separate inverters, one for battery and one for solar, that are optimized to work together. Its integrated design and streamlined installation allow for simple connection to any home, and improved surge power capability brings whole home backup in a smaller package. Smart system controls enable owners to customize system behavior to suit their renewable energy needs.

### KEY FEATURES

- Integrated battery, inverter, and system controller for a more compact install
- A suite of application modes, including self-powered, time-based control, and backup modes
- Wi-Fi, Ethernet, and LTE connectivity with easy over-the-air updates

NA 2022-02-18

|

## POWERWALL+

### PHOTOVOLTAIC (PV) AND BATTERY ENERGY STORAGE SYSTEM (BESS) SPECIFICATIONS


Powerwall+ Model Number	1850000-xx-y
Solar Assembly Model Number	1538000-xx-y
Nominal Battery Energy	13.5 kWh
Nominal Grid Voltage (Input / Output)	120/240 VAC
Grid Voltage Range	211.2 - 264 VAC
Frequency	60 Hz
Phase	240 VAC: 2W+N+GND
Maximum Continuous Power On-Grid	7.6 kVA full sun / 5.8 kVA no sun <sup>1</sup>
Maximum Continuous Power Off-Grid	9.6 kW full sun / 7 kW no sun <sup>1</sup>
Peak Off-Grid Power (10 s)	22 kW full sun / 10 kW no sun <sup>1</sup>
Maximum Continuous Current On-Grid	32 A output
Maximum Continuous Current Off-Grid	40 A output
Load Start Capability	98 - 118 A LRA <sup>2</sup>
PV Maximum Input Voltage	600 VDC
PV DC Input Voltage Range	60 - 550 VDC
PV DC MPPT Voltage Range	60 - 480 VDC
MPPTs	4 (or 2 combined strings)
Input Connectors per MPPT	1-2-1-2
Maximum Current per MPPT ( $I_{mp}$ )	13 A (26 A for combined strings)
Maximum Short Circuit Current per MPPT ( $I_{sc}$ )	15 A
Allowable DC/AC Ratio	1.7
Overcurrent Protection Device	50 A breaker
Maximum Supply Fault Current	10 kA
Output Power Factor Rating	+/- 0.9 to 1 <sup>3</sup>
Round Trip Efficiency	90%
Solar Generation CEC Efficiency	97.5% at 208 V 98.0% at 240 V
Customer Interface	Tesla Mobile App
Internet Connectivity	Wi-Fi, Ethernet, Cellular LTE/4G <sup>4</sup>
PV AC Metering	Revenue grade (+/- 0.5%)
Protections	Integrated arc fault circuit interrupter (AFCI), PV Rapid Shutdown
Warranty	10 years

### COMPLIANCE INFORMATION

PV Certifications	UL 1699B, UL 1741, UL 3741, UL 1741 SA, UL 1998 (US), IEEE 1547, IEEE 1547.1
Battery Energy Storage System Certifications	UL 1642, UL 1741, UL 1741 PCS, UL 1741 SA, UL 1973, UL 9540, IEEE 1547, IEEE 1547.1, UN 38.3
Grid Connection	United States
Emissions	FCC Part 15 Class B
Environmental	RoHS Directive 2011/65/EU
Seismic	AC156, IEEE 693-2005 (high)

### MECHANICAL SPECIFICATIONS

Dimensions	1596 x 755 x 160 mm (62.8 x 29.7 x 6.3 in)
Total Weight	140 kg (310 lb) <sup>5</sup>
Battery Assembly	118 kg (261 lb)
Solar Assembly	22 kg (49 lb)
Mounting options	Floor or wall mount



### ENVIRONMENTAL SPECIFICATIONS

Operating Temperature	-20°C to 50°C (-4°F to 122°F) <sup>6</sup>
Recommended Temperature	0°C to 30°C (32°F to 86°F)
Operating Humidity (RH)	Up to 100%, condensing
Storage Conditions	-20°C to 30°C (-4°F to 86°F) Up to 95% RH, non-condensing State of Energy (SoE): 25% initial
Maximum Elevation	3000 m (9843 ft)
Environment	Indoor and outdoor rated
Enclosure Type	Type 3R
Solar Assembly Ingress Rating	IP55 (Wiring Compartment)
Battery Assembly Ingress Rating	IP56 (Wiring Compartment) IP67 (Battery & Power Electronics)
Noise Level @ 1 m	< 40 dB(A) optimal, < 50 dB(A) maximum

<sup>1</sup>Values provided for 25°C (77°F).

<sup>2</sup>Load start capability may vary.

<sup>3</sup>Power factor rating at max real power.

<sup>4</sup>AC to battery to AC, at beginning of life.

<sup>5</sup>Cellular connectivity subject to network service coverage and signal strength.

<sup>6</sup>The total weight does not include the Powerwall+ bracket, which weighs an additional 9 kg (20 lb).

<sup>7</sup>Performance may be de-rated at operating temperatures below 10°C (50°F) or greater than 43°C (109°F).

TESLA

NA 2022-02-18

TESLA.COM/ENERGY

## SOLAR SHUTDOWN DEVICE

The Tesla Solar Shutdown Device is part of the PV system rapid shutdown (RSD) function in accordance with Article 690 of the applicable NEC. When paired with Powerwall+, solar array shutdown is initiated by turning the Powerwall+ Enable switch off, or by pushing the System Shutdown Switch if one is present.



### ELECTRICAL SPECIFICATIONS

Nominal Input DC Current Rating ( $I_{NP}$ )	12 A
Maximum Input Short Circuit Current ( $I_{SC}$ )	15 A
Maximum System Voltage	600 V DC

### RSD MODULE PERFORMANCE

Maximum Number of Devices per String	5
Control	Power Line Excitation
Passive State	Normally open
Maximum Power Consumption	7 W
Warranty	25 years

### COMPLIANCE INFORMATION


Certifications	UL 1741 PVRSE, UL 3741, PVRSA (Photovoltaic Rapid Shutdown Array)
RSD Initiation Method	External System Shutdown Switch
Compatible Equipment	See Compatibility Table below

### ENVIRONMENTAL SPECIFICATIONS

Ambient Temperature	-40°C to 50°C (-40°F to 122°F)
Storage Temperature	-30°C to 60°C (-22°F to 140°F)
Enclosure Rating	NEMA 4 / IP65

### MECHANICAL SPECIFICATIONS

Electrical Connections	MC4 Connector
Housing	Plastic
Dimensions	125 mm x 150 mm x 22 mm (5 in x 6 in x 1 in)
Weight	350 g (0.77 lb)
Mounting Options	ZEP Home Run Clip M4 Screw (#10) M8 Bolt (5/16") Nail / Wood screw



### UL 3741 PV HAZARD CONTROL (AND PVRSA) COMPATIBILITY


Tesla Solar Roof and Tesla/Zep ZS Arrays using the following modules are certified to UL 3741 and UL 1741 PV RSA when installed with the Powerwall+ and Solar Shutdown Devices. See the Powerwall+ Installation Manual for detailed instructions and for guidance on installing Powerwall+ and Solar Shutdown Devices with other modules.

Brand	Model	Required Solar Shutdown Devices
Tesla	Solar Roof V3	1 Solar Shutdown Device per 10 modules
Tesla	TxxxS (where xxx = 405 to 450 W, increments of 5)	1 Solar Shutdown Device per 3 modules <sup>1</sup>
Tesla	TxxxH (where xxx = 395 to 415 W, increments of 5)	1 Solar Shutdown Device per 3 modules
Hanwha	Q.PEAK DUO BLK-G5	1 Solar Shutdown Device per 3 modules
Hanwha	Q.PEAK DUO BLK-G6+	1 Solar Shutdown Device per 3 modules


<sup>1</sup>Exception: Tesla solar modules installed in locations where the max Voc for three modules at low design temperatures exceeds 165 V shall be limited to two modules between MCIs.

## SYSTEM LAYOUTS


Powerwall+ with Backup Switch for Whole Home Backup



Powerwall+ with Backup Gateway 2 for Whole Home Backup



Powerwall+ with Backup Gateway 2 for Partial Home Backup





DATA SHEET



## IQ8 Series Microinverters

Our newest IQ8 Microinverters are the industry's first microgrid-forming, software-defined microinverters with split-phase power conversion capability to convert DC power to AC power efficiently. The brain of the semiconductor-based microinverter is our proprietary application-specific integrated circuit (ASIC) which enables the microinverter to operate in grid-tied or off-grid modes. This chip is built in advanced 55nm technology with high speed digital logic and has super-fast response times to changing loads and grid events, alleviating constraints on battery sizing for home energy systems.



Part of the Enphase Energy System, IQ8 Series Microinverters integrate with the Enphase IQ Battery, Enphase IQ Gateway, and the Enphase App monitoring and analysis software.



IQ8 Series Microinverters redefine reliability standards with more than one million cumulative hours of power-on testing, enabling an industry-leading limited warranty of up to 25 years.



Connect PV modules quickly and easily to IQ8 Series Microinverters using the included Q-DCC-2 adapter cable with plug-n-play MC4 connectors.



IQ8 Series Microinverters are UL Listed as PV Rapid Shut Down Equipment and conform with various regulations, when installed according to manufacturer's instructions.

### Easy to Install

- Lightweight and compact with plug-n-play connectors
- Power Line Communication (PLC) between components
- Faster installation with simple two-wire cabling

### High productivity and reliability

- Produce power even when the grid is down\*
- More than one million cumulative hours of testing
- Class II double-insulated enclosure
- Optimized for the latest high-powered PV modules

### Microgrid-forming

- Complies with the latest advanced grid support\*\*
- Remote automatic updates for the latest grid requirements
- Configurable to support a wide range of grid profiles
- Meets CA Rule 21 (UL 1741-SA) requirements

\* Only when installed with IQ System Controller 2, meets UL 1741. IQ8H-208V operates only in grid-tied mode.

\*\* IQ8 Series Microinverters supports split phase, 240V. IQ8H-208 supports split phase, 208V only.

IQ8SE-DS-0001-01-EN-US-2022-03-17

## IQ8 Series Microinverters

INPUT DATA (DC)		IQB-80-2-US	IQBPLUS-72-2-US	IQM-72-2-US	IQA-72-2-US	IQBH-240-72-2-US	IQBH-208-72-2-US <sup>1</sup>
Commonly used module pairings <sup>2</sup>	W	235 – 350	235 – 440	260 – 460	295 – 500	320 – 540+	295 – 500+
Module compatibility		60-cell/120 half-cell		60-cell/120 half-cell, 66-cell/132 half-cell and 72-cell/144 half-cell			
MPPT voltage range	V	27 – 37	29 – 45	33 – 45	36 – 45	38 – 45	38 – 45
Operating range	V	25 – 48			25 – 58		
Min/max start voltage	V	30 / 48			30 / 58		
Max input DC voltage	V	50			60		
Max DC current <sup>3</sup> [module Isc]	A				15		
Overvoltage class DC port					II		
DC port backfeed current	mA				0		
PV array configuration		txt Ungrounded array; No additional DC side protection required; AC side protection requires max 20A per branch circuit					
OUTPUT DATA (AC)		IQB-80-2-US	IQBPLUS-72-2-US	IQM-72-2-US	IQA-72-2-US	IQBH-240-72-2-US	IQBH-208-72-2-US <sup>1</sup>
Peak output power	VA	245	300	330	366	384	366
Max continuous output power	VA	240	290	325	349	380	360
Nominal (L-L) voltage/range <sup>4</sup>	V			240 / 211 – 264			208 / 183 – 250
Max continuous output current	A	1.0	1.21	1.35	1.45	1.58	1.73
Nominal frequency	Hz			60			
Extended frequency range	Hz			50 – 68			
AC short circuit fault current over 3 cycles	Arms			2			4.4
Max units per 20 A (L-L) branch circuit <sup>5</sup>		16	13	11	11	10	9
Total harmonic distortion				<5%			
Overvoltage class AC port				III			
AC port backfeed current	mA			30			
Power factor setting				1.0			
Grid-tied power factor (adjustable)				0.85 leading – 0.85 lagging			
Peak efficiency	%	97.5	97.6	97.6	97.6	97.6	97.4
CEC weighted efficiency	%	97	97	97	97.5	97	97
Night-time power consumption	mW			60			
MECHANICAL DATA							
Ambient temperature range				-40°C to +60°C (-40°F to +140°F)			
Relative humidity range				4% to 100% (condensing)			
DC Connector type				MC4			
Dimensions (HxWxD)				212 mm (8.3") x 175 mm (6.9") x 30.2 mm (1.2")			
Weight				1.06 kg (2.38 lbs)			
Cooling				Natural convection – no fans			
Approved for wet locations				Yes			
Pollution degree				PD3			
Enclosure				Class II double-insulated, corrosion resistant polymeric enclosure			
Environ. category / UV exposure rating				NEMA Type 6 / outdoor			
COMPLIANCE							
Certifications		CA Rule 21 (UL 1741-SA), UL 62109-1, UL1741/IEEE1547, FCC Part 15 Class B, ICES-0003 Class B, CAN/CSA-C22.2 NO.107.1-01					
		This product is UL Listed as PV Rapid Shut Down Equipment and conforms with NEC 2014, NEC 2017, and NEC 2020 section 690.12 and C22.1-2018 Rule 64-218 Rapid Shutdown of PV Systems, for AC and DC conductors, when installed according to manufacturer's instructions.					

(1) The IQBH-208 variant will be operating in grid-tied mode only at 208V AC. (2) No enforced DC/AC ratio. See the compatibility calculator at <https://link.enphase.com/module-compatibility> (3) Maximum continuous input DC current is 10.6A. (4) Nominal voltage range can be extended beyond nominal if required by the utility. (5) Limits may vary. Refer to local requirements to define the number of microinverters per branch in your area.

IQBSE-DS-0001-01-EN-US-2022-03-17

**Appendix 4:** EPA's Published Summary of Non-attainment Areas Population Exposure Report & Status of Puerto Rico Designated Areas

EPA's Published Summary of Nonattainment Areas  
Population Exposure Report & Status of Puerto Rico  
Designated Areas



## Summary Nonattainment Area Population Exposure Report

Data is current as of June 30, 2025

Ordered by state(s)

The NO<sub>2</sub> nonattainment area became a maintenance area on September 22, 1998. All Carbon Monoxide areas were redesignated to maintenance areas as of September 27, 2010. The 8-hour Ozone (1997) standard was revoked on April 6, 2015 and the 1-hour Ozone (1979) standard was revoked on June 15, 2005.

Download National Dataset: [dbf](#) | [xls](#) | [Data dictionary \(PDF\)](#)

State(s)	General Area Name (see note)	2010 Population in 1000s (area count)									
		8-Hour Ozone (2015)	8-Hour Ozone (2008)	PM-2.5 (2012)	PM-2.5 (2006)	PM-2.5 (1997)	PM-10 (1987)	SO <sub>2</sub> (2010)	SO <sub>2</sub> (1971)	Lead (2008)	Lead (1978)
AK	Fairbanks				87(1)						
AZ	Douglas/Paul Spur (Cochise County)						17(1)				
AZ	Hayden/Miami						26(2)	20(2)	5(1)	5(1)	
AZ	Nogales						30(1)				
AZ	Phoenix-Mesa	3,945(1)	3,850(1)				3,853(1)				
AZ	Rillito (Pima County)						1(1)				
AZ	West Pinal				52(1)		283(1)				
AZ	Yuma	87(1)					101(1)				
CA	Amador and Calaveras Cos (Central Mountain Cos)	84(2)	46(1)								
CA	Chico	220(1)	220(1)								
CA	Imperial County	175(1)	175(1)	154(1)	154(1)						
CA	Los Angeles-South Coast Air Basin	15,704(3)	15,723(3)	15,716(1)	15,716(1)	15,716(1)				9,437(1)	
CA	Mariposa and Tuolumne Cos (Southern Mountain Cos)	74(2)	18(1)								
CA	Mono County						0(1)				
CA	Nevada County (Western Part)	82(1)	82(1)								
CA	Owens Valley						7(1)				
CA	Plumas County			6(1)							
CA	Sacramento Metro	2,240(1)	2,241(1)		2,206(1)						
CA	San Diego	3,077(1)	3,095(1)								
CA	San Francisco-Bay Area	6,969(1)	6,973(1)		6,971(1)						

State(s)	General Area Name (see note)	2010 Population in 1000s (area count)									
		8-Hour Ozone (2015)	8-Hour Ozone (2008)	PM-2.5 (2012)	PM-2.5 (2006)	PM-2.5 (1997)	PM-10 (1987)	SO <sub>2</sub> (2010)	SO <sub>2</sub> (1971)	Lead (2008)	Lead (1978)
CA	San Joaquin Valley	3,937(2)	3,938(2)	3,842(1)	3,842(1)	3,842(1)	126(1)				
CA	San Luis Obispo	1(1)	2(1)								
CA	Searles Valley						4(1)				
CA	Southeast Desert Modified AQMA	1,292(2)	1,294(2)					495(2)			
CA	Tuscan Buttes	0(1)	0(1)								
CA	Ventura County	821(1)	823(1)								
CA	Yuba City	0(1)									
CO	Denver-Boulder-Greeley-Ft. Collins-Loveland	3,331(1)	3,330(1)								
CT	Greater Connecticut	1,629(1)	1,629(1)								
DC-MD-VA	Washington	5,136(1)									
GU	Piti-Cabras Tanguisson Power Plant							6(1)	1(1)		
IA	Muscatine County								1(1)		
ID	Pocatello							30(1)			
IL-IN-WI	Chicago-Joliet-Napier	9,075(1)									
IN	Fort Wayne-Huntington-Auburn							21(1)			
KS	Salina								0(1)		
KY	Henderson-Webster Counties								7(1)		
KY-IN	Louisville	876(1)									
LA	Evangeline Parish							0(1)			
LA	New Orleans							36(1)			
MA-NH	Boston-Worcester-Manchester		17(1)								
MD	Baltimore	2,663(1)	2,663(1)					990(1)			
MI	Allegan County	47(1)									
MI	Benton Harbor	157(1)									
MI	Detroit-Ann Arbor							306(2)			
MI	Muskegon	147(1)									
MN	Minneapolis-St. Paul								9(1)		

State(s)	General Area Name (see note)	2010 Population in 1000s (area count)									
		8-Hour Ozone (2015)	8-Hour Ozone (2008)	PM-2.5 (2012)	PM-2.5 (2006)	PM-2.5 (1997)	PM-10 (1987)	SO <sub>2</sub> (2010)	SO <sub>2</sub> (1971)	Lead (2008)	Lead (1978)
MO	Iron, Dent, and Reynolds Counties									0(1)	
MO	New Madrid County								0(1)		
MO-IL	St. Louis	2,488(1)									5(1)
MT	Billings/Laurel									7(1)	
MT	Lame Deer								1(1)		
MT	Polson (Lake County)								4(1)		
MT	Ronan (Lake County)								3(1)		
NV	Las Vegas	1,892(1)									
NY	Jamestown		135(1)								
NY	St. Lawrence County									12(1)	
NY-NJ-CT	New York-N. New Jersey-Long Island	20,217(1)	20,217(1)								
OH	Canton-Massillon									6(1)	
OH	Cleveland-Akron-Elyria	2,780(1)									
OR	Klamath Falls					47(1)					
PA	Clearfield and Indiana Counties									93(1)	
PA	Lancaster		519(1)								
PA	Pittsburgh-New Castle		2,356(1)	1,223(1)	21(1)	21(1)			20(2)	5(1)	18(1)
PA	Reading		411(1)								49(2)
PA	Warren County									18(1)	
PA-NJ	Allentown-Bethlehem-Easton		712(1)								
PA-NJ-DE-MD	Philadelphia-Wilmington-Atlantic City	7,437(1)	7,634(2)								32(1)
PR	Arecibo										
PR	Guayama-Salinas								23(1)		
PR	San Juan								275(1)		
TN	Johnson City-Kingsport-Bristol									15(1)	
TX	Dallas-Fort Worth	6,202(1)	6,280(1)								
TX	Fairfield								4(1)		
TX	Houston-Sugar Land-Baytown	5,773(1)	5,892(1)								
TX	Howard County								0(1)		

State(s)	General Area Name (see note)	2010 Population in 1000s (area count)									
		8-Hour Ozone (2015)	8-Hour Ozone (2008)	PM-2.5 (2012)	PM-2.5 (2006)	PM-2.5 (1997)	PM-10 (1987)	SO <sub>2</sub> (2010)	SO <sub>2</sub> (1971)	Lead (2008)	Lead (1978)
TX	Hutchinson County							15(1)			
TX	Mount Pleasant							0(1)			
TX	Navarro County							2(1)			
TX	San Antonio	1,715(1)									
TX	Tatum							2(1)			
TX-NM	El Paso-Las Cruces	813(1)					652(2)				
UT	Provo	516(1)			518(1)						
UT	Salt Lake City	1,616(1)			1,665(1)				1,030(1)		
UT	Tooele County								58(1)		
UT	Uinta Basin	47(1)									
VA	Giles County							0(1)			
WI	Milwaukee-Racine	1,648(1)									
WI	Sheboygan	68(1)									
WV-OH	Parkersburg-Marietta							4(1)			
WY	Upper Green River Basin		11(1)								
2010 Population in 1000s (area count) by Pollutant											
Total Estimated 2010 Population in Nonattainment Areas (1000's)	8-Hour Ozone (2015)	8-Hour Ozone (2008)	PM-2.5 (2012)	PM-2.5 (2006)	PM-2.5 (1997)	PM-10 (1987)	SO <sub>2</sub> (2010)	SO <sub>2</sub> (1971)	Lead (2008)	Lead (1978)	
	114,981 (46)	90,288 (34)	20,942 (5)	31,280 (11)	19,579 (3)	5,605 (20)	1,900 (28)	1,106 (7)	9,561 (11)	3 (1)	
Across All Criteria Pollutants: 121,102											

The Summary Population Exposure Report is a summary of the population living in an area that is in nonattainment for at least one of the NAAQS.

#### Area Name:

The "State(s) Area Name" column contains a common or general name for the nonattainment areas on the row, but may not reflect the exact name of any area on the row. This column cannot be exact since the nonattainment area for one pollutant may not contain the same counties, cities, or states as the nonattainment area for another pollutant on the same row. The abbreviations listed in the "State(s)" column reflect all states identified in row. However, some states on a row may be nonattainment for some pollutants and not for others in the general area. A multi-state area with states that have not all been redesignated to maintenance is counted as a nonattainment area until all of the states in the area are redesignated, with the whole area population displayed.

# Puerto Rico Nonattainment/Maintenance Status for Each County by Year for All Criteria Pollutants

Data is current as of June 30, 2025

Listed by County, NAAQS, Area. The 8-hour Ozone (1997) standard was revoked on April 6, 2015 and the 1-hour Ozone (1979) standard was revoked on June 15, 2005.

\* The 1997 Primary Annual PM-2.5 NAAQS (level of 15 µg/m<sup>3</sup>) is revoked in attainment and maintenance areas for that NAAQS. For additional information see the PM-2.5 NAAQS SIP Requirements Final Rule, effective October 24, 2016. (81 FR 58009)

**Change the State:**

PUERTO RICO

Important Notes

[Download National Dataset: dbf](#) | [xls](#) | [Data dictionary \(PDF\)](#)

County	NAAQS	Area Name	Nonattainment in Year	Redesignation to Maintenance	Classification	Whole or/ Part County	Population (2010)	State/ County FIPS Codes
<b>PUERTO RICO</b>								
Arecibo Municipio	Lead (2008)	Arecibo, PR	111213141516171819202122232425	//		Part	32,185	72/013
Bayamon Municipio	Sulfur Dioxide (2010)	San Juan, PR	1819202122232425	//		Part	22,921	72/021
Catano Municipio	Sulfur Dioxide (2010)	San Juan, PR	1819202122232425	//		Whole	28,140	72/033
Guaynabo Municipio	PM-10 (1987)	Mun. of Guaynabo, PR	929394959697989900010203040506070809	02/11/2010	Moderate	Part	90,470	72/061
Guaynabo Municipio	Sulfur Dioxide (2010)	San Juan, PR	1819202122232425	//		Part	23,802	72/061
Salinas Municipio	Sulfur Dioxide (2010)	Guayama-Salinas, PR	1819202122232425	//		Part	23,401	72/123
San Juan Municipio	Sulfur Dioxide (2010)	San Juan, PR	1819202122232425	//		Part	147,963	72/127
Toa Baja Municipio	Sulfur Dioxide (2010)	San Juan, PR	1819202122232425	//		Part	52,441	72/137

Important Notes

# Status of Puerto Rico Designated Areas

## Puerto Rico Areas by NAAQS

**NOTE:** As of 03/12/2021, these reports are no longer being updated. For the latest information, see the [SIP Status Tools](#).

**Jump to Puerto Rico section for:** [CO \(1971\)](#) [Lead \(1978\)](#) [Lead \(2008\)](#) [NO<sub>2</sub> \(1971\)](#) [Ozone-1Hr \(1979\)](#) [Ozone-8Hr \(1997\)](#) [Ozone-8Hr \(2008\)](#) [Ozone-8Hr \(2015\)](#) [PM-10 \(1987\)](#) [PM-2.5 \(1997\)](#) [PM-2.5 \(2006\)](#) [PM-2.5 \(2012\)](#) [SO<sub>2</sub> \(1971\)](#) [SO<sub>2</sub> \(2010\)](#)

No designated areas for this pollutant.

Puerto Rico Ozone-8Hr (1997) Areas    [Return to map](#) [Top of page](#)

No designated areas for this pollutant.

Puerto Rico Ozone-8Hr (2008) Areas    [Return to map](#) [Top of page](#)

No designated areas for this pollutant.

Puerto Rico Ozone-8Hr (2015) Areas    [Return to map](#) [Top of page](#)

No designated areas for this pollutant.

Puerto Rico PM-10 (1987) Areas [Return to map](#) Top of page

Click on the Area name to view SIP Required Elements						Average Estimate d Exceedances (est. exc.) (entire area)		Clean Air Determination Citation Effective Date		Redesignation Citation Effective Date
Area	Status	Designation Date	Classification	2010 Population (state portion)	Meets NAAQS Basis	Meets NAAQS	SIP Requirements Original/Approved	Click to view FR notice	Redesignation Request Date	Click to view FR notice
Guaynabo County	Maintenance	11/15/1990	Moderate	90,470	2017-2019	Inufficient Data	3 / 3		03/31/2009	02/11/2010 <a href="#">75 FR 1543</a>

**Puerto Rico PM-2.5 (1997) Areas** [Return to map](#) Top of page

No designated areas for this pollutant.

**Puerto Rico PM-2.5 (2006) Areas** [Return to map](#) Top of page

No designated areas for this pollutant.

Puerto Rico PM-2.5 (2012) Areas [Return to map](#) Top of page

No designated areas for this pollutant.

### Puerto Rico SO2 (1971) Areas [Return to map](#) [Top of page](#)

No designated areas for this pollutant.

### Puerto Rico SO2 (2010) Areas [Return to map](#) [Top of page](#)

<a href="#">Click on the Area name to view SIP Required Elements</a>	<a href="#">Area</a>	<a href="#">Status</a>	<a href="#">Designation Date</a>	<a href="#">Classification</a>	<a href="#">2010 Population (state portion)</a>	<a href="#">Meets NAAQS Basis</a>	<a href="#">3 Year 1-Hour Design Value (ppb) (entire area)</a>	<a href="#">Meets NAAQS</a>	<a href="#">SIP Requirements Original/Approved</a>	<a href="#">Clean Air Determination Citation Effective Date</a> <a href="#">Click to view FR notice</a>	<a href="#">Redesignation Request Date</a>	<a href="#">Redesignation Citation Effective Date</a> <a href="#">Click to view FR notice</a>
<a href="#">Guayama-Salinas</a>	Nonattainment	04/09/2018		23,401	2017-2019		No Data	6 / 0				
<a href="#">San Juan</a>	Nonattainment	04/09/2018		275,267	2017-2019		No Data	6 / 0				

We have made our best effort to ensure that the data contained in these reports is accurate. We note that there may be brief delays in updating the reports as we receive new state submissions and we take rulemaking action on plans. In order to assist us in providing accurate information, we request that you contact us by clicking on the "Contact Us" link near the top of this page with any comments regarding or corrections to the posted information, including concerns about whether the entries reflect the most recent status.

Current and historical design value data can be found on the [EPA Air Quality Design Values website](#) and the [EPA Green Book](#) contains comprehensive nonattainment area, designation status, and historical information.

The level of the 1-hour NAAQS for sulfur dioxide is 75 parts per billion (ppb) calculated as the 3-year average of the 99th percentile of the annual distribution of daily maximum 1-hour average concentrations.

**Appendix 5:** RADON Memo to file and supporting documentations



DEPARTMENT OF

# HOUSING

GOVERNMENT OF PUERTO RICO



## Memorandum to File

**Date:** July 1, 2025

**From:** Patricia Carmenatty Santiago  
Environmental Specialist  
Behar Ybarra & Associates LLC  
CDBG-DR Program  
Electrical Power Reliability and Resilience Program (ER2)  
Puerto Rico Department of Housing

**Application Number:** PR-ESP-00125

**Project:** Fundación Banco de Ojos del Leonismo Puertorriqueño

### **Re: Justification for the Infeasibility and Impracticability of Radon Testing**

After reviewing Application Number PR-ESP-00125 under the Electrical Power Reliability and Resilience Program (ER2), administered by the Puerto Rico Department of Housing (**PRDOH**), to complete the property's contamination analysis in accordance with 24 C.F.R. § 50.3(i) and 24 C.F.R. § 58.5(i), we have determined that testing the property's radon levels is infeasible and impracticable.

Per the U.S. Department of Housing and Urban Development's (**HUD**) CPD Notice 23-103, the recommended best practices and alternative options for radon testing are infeasible and impracticable in this case due to the following reasons:

- As required by the CPD Notice 23-103, the scientific data reviewed in lieu of testing must consist of a minimum of ten documented test results over the previous ten years. If there are less than ten documented results over this period, it is understood that there is a lack of scientific data. The latest report

for radon testing in Puerto Rico was prepared in 1995 by the U.S. Department of the Interior in Cooperation with the U.S. Environmental Protection Agency. No other completed studies and reports on radon testing are available in Puerto Rico.

- There is no available science-based or state-generated information for Puerto Rico for the last ten years that can be used to determine whether the project site is in a high-risk area. The Department of Health and Human Services, Centers for Disease Control and Prevention (**CDC**), National Environmental Public Health Tracking, and Radon Testing map do not include Puerto Rico data.
- There are only two (2) licensed professionals in Puerto Rico who can conduct radon testing using the American National Standards Institute/American Association of Radon Scientists and Technologists (**ANSI/AARST**) testing standards, which makes it difficult, time-consuming, and highly expensive to coordinate and secure a site visit for the contamination evaluation.
- Do-it-yourself (**DIY**) radon test kits are known to be unreliable in assuring and controlling the quality of the test results; they are not readily available in Puerto Rico, and the cost and time required for purchasing and sending them for analysis are unreasonable when weighed against the results' reliability and the need for prompt results.
- Local authorities in Puerto Rico do not have the specialized radon monitoring equipment or trained staff needed to conduct the radon testing analysis and ensure proper quality control and quality assurance practices are adhered to. We also do not have a radiation laboratory certified for radon testing.
- Local authorities in Puerto Rico do not have the specialized radon monitoring equipment or trained staff needed to conduct the radon testing analysis and ensure proper quality control and quality assurance practices are adhered to. We also do not have a radiation laboratory certified for radon testing.

CDBG-DR Program  
Electrical Power Reliability and Resilience Program (ER2)  
Memorandum to File  
Infeasibility and Impracticability of Radon Testing  
Page 3 of 3

As part of the evaluation for this determination, PRDOH sent information requests to six (6) local agencies at the state and federal levels. We received responses from the following agencies:

- United States Geological Survey;
- Centers for Disease Control and Prevention;
- Puerto Rico Department of Health; and
- United States Environmental Protection Agency.

The agencies mentioned above confirmed the lack of scientific data on Radon testing for Puerto Rico and the technical difficulties that we face to comply with HUD's Radon testing requirement. For the above-mentioned reasons, Radon testing is infeasible and impracticable for this property, and no further consideration of Radon is needed for the environmental review.



August 20, 2024

Mrs. Carmen R. Guerrero Pérez  
Director  
Caribbean Environmental Protection Division  
City View Plaza II – Suite 7000  
#48 Rd. 165 km 1.2  
Guaynabo, PR 00968-8069

Via email: [guerrero.carmen@epa.gov](mailto:guerrero.carmen@epa.gov)

**RE: Request for Information regarding available data on radon testing and levels within Puerto Rico**

The Puerto Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerto Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

This Notice emphasizes the importance of radon testing and mitigation in ensuring safe living environments, particularly in HUD-assisted properties. PRDOH, as the grantee of the Community Development Block Grant for Disaster Recovery and Mitigation (CDBG-DR/MIT), is responsible for ensuring compliance with environmental requirements under CDBG-DR/MIT programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels, testing practices, and any mitigation efforts within the Islands of Puerto Rico.

Specifically, we are seeking for possible availability of the following information:

**Radon testing data** – Results from radon testing conducted within your agency's purview, including details on location, testing methods, and recorded radon levels.

Barbosa Ave. #606, Building Juan C. Cordero Dávila, Rio Piedras, PR 00988 | PO Box 21365 San Juan, PR 00928-1365  
Tel: (787) 274-2527 | [silvia.cabello@epa.gov](mailto:silvia.cabello@epa.gov)

CDBG-DR/MIT Program  
Request for Information in relation with HUD CDP-23-103 for Puerto Rico  
Page 2 / 2

**Reports and assessments** – Any reports, studies, or assessments your agency has produced or commissioned that address radon testing or mitigation.

**Policies and guidelines** – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or mitigation.

**Historical data** – if available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strategies are practical and compliant with federal requirements. If some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely.

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative.

Sincerely,

William O. Rodriguez Rodriguez, Esq.  
Secretary

Cc:  
Mr. Oleg Povetka, [Oleg@epa.gov](mailto:Oleg@epa.gov)  
Mr. Matthew Laurita, [laurita.matthew@epa.gov](mailto:laurita.matthew@epa.gov)

CDBG-DR/MIT Program  
Request for Information in relation with HUD CDP-23-103 for Puerto Rico  
Page 2 / 2

**Reports and assessments** – Any reports, studies, or assessments your agency has produced or commissioned that address radon testing or mitigation.

**Policies and guidelines** – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or mitigation.

**Historical data** – if available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strategies are practical and compliant with federal requirements. If some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely.

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative.

Sincerely,

William O. Rodriguez Rodriguez, Esq.  
Secretary

Cc:  
Dr. Carlos Marín, [carlos.marin3@upr.edu](mailto:carlos.marin3@upr.edu)



August 20, 2024

Dr. Silvina Cancelos  
Professor  
College of Engineering  
University of Puerto Rico – Mayagüez Campus  
259 Norte Blvd. Alfonso Valdés Cobán  
Mayagüez, Puerto Rico

Via email: [silvina.cancelos@upr.edu](mailto:silvina.cancelos@upr.edu)

**RE: Request for Information regarding available data on radon testing and levels within Puerto Rico**

The Puerto Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerto Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

This Notice emphasizes the importance of radon testing and mitigation in ensuring safe living environments, particularly in HUD-assisted properties. PRDOH, as the grantee of the Community Development Block Grant for Disaster Recovery and Mitigation (CDBG-DR/MIT), is responsible for ensuring compliance with environmental requirements under CDBG-DR/MIT programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels, testing practices, and any mitigation efforts within the Islands of Puerto Rico.

Specifically, we are seeking for possible availability of the following information:

**Radon testing data** – Results from radon testing conducted within your agency's purview, including details on location, testing methods, and recorded radon levels.

Barbosa Ave. #606, Building Juan C. Cordero Dávila, Rio Piedras, PR 00988 | PO Box 21365 San Juan, PR 00928-1365  
Tel: (787) 274-2527 | [silvia.cabello@epa.gov](mailto:silvia.cabello@epa.gov)



August 20, 2024

Dr. Jessica Irizarry  
Director  
Office of Island Affairs  
U.S. Centers for Disease Control and Prevention  
1324 Cll Canada, San Juan, 00920  
Guaynabo, PR 00968-8069

Via email: [OIA@cdc.gov](mailto:OIA@cdc.gov)

**RE: Request for Information regarding available data on radon testing and levels within Puerto Rico**

The Puerto Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerto Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

This Notice emphasizes the importance of radon testing and mitigation in ensuring safe living environments, particularly in HUD-assisted properties. PRDOH, as the grantee of the Community Development Block Grant for Disaster Recovery and Mitigation (CDBG-DR/MIT), is responsible for ensuring compliance with environmental requirements under CDBG-DR/MIT programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels, testing practices, and any mitigation efforts within the islands of Puerto Rico.

Specifically, we are seeking for possible availability of the following information:

**Radon testing data** – Results from radon testing conducted within your agency's purview, including details on location, testing methods, and recorded radon levels.

Barbosa Ave. #606 , Building Juan C. Cordero Dávila, Rio Piedras, PR 00981 | PO Box 21365 San Juan, PR 00928-1365  
Tel (787) 274-2527 | [www.vivendapr.gov](http://www.vivendapr.gov)

CDBG-DR/MIT Program  
Request for Information in relation with HUD CDP-23-103 for Puerto Rico  
Page 2 / 2

**Reports and assessments** – Any reports, studies, or assessments your agency has produced or commissioned that address radon testing or mitigation.

**Policies and guidelines** – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or mitigation.

**Historical data** – If available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strategies are practical and compliant with federal requirements. If some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely.

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative.

Sincerely,

William O. Rodriguez Rodriguez, Esq.  
Secretary



August 20, 2024

Mrs. Anaís Rodríguez  
Secretary  
Puerto Rico Department of Natural Resources  
Carretera 8838, km. 6.3, Sector El Cinco,  
Río Piedras San Juan, PR 00926

Via email: [anais.rodriguez@dma.pr.gov](mailto:anais.rodriguez@dma.pr.gov)

**RE: Request for Information regarding available data on radon testing and levels within Puerto Rico**

The Puerto Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerto Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

This Notice emphasizes the importance of radon testing and mitigation in ensuring safe living environments, particularly in HUD-assisted properties. PRDOH, as the grantee of the Community Development Block Grant for Disaster Recovery and Mitigation (CDBG-DR/MIT), is responsible for ensuring compliance with environmental requirements under CDBG-DR/MIT programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels, testing practices, and any mitigation efforts within the islands of Puerto Rico.

Specifically, we are seeking for possible availability of the following information:

**Radon testing data** – Results from radon testing conducted within your agency's purview, including details on location, testing methods, and recorded radon levels.

**Reports and assessments** – Any reports, studies, or assessments your agency has produced or commissioned that address radon testing or mitigation.

Barbosa Ave. #606 , Building Juan C. Cordero Dávila, Rio Piedras, PR 00981 | PO Box 21365 San Juan, PR 00928-1365  
Tel (787) 274-2527 | [www.vivendapr.gov](http://www.vivendapr.gov)

CDBG-DR/MIT Program  
Request for Information in relation with HUD CDP-23-103 for Puerto Rico  
Page 2 / 2

**Policies and guidelines** – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or mitigation.

**Historical data** – If available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strategies are practical and compliant with federal requirements. If some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely.

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative.

Sincerely,

Luis Márquez, [secretariajaire@dma.pr.gov](mailto:secretariajaire@dma.pr.gov)  
Eng. Amarilys Rosario, [alro@dma.pr.gov](mailto:alro@dma.pr.gov)  
Mrs. Elié Ortega, [eortega@dma.pr.gov](mailto:eortega@dma.pr.gov)



August 20, 2024

Dr. Carlos R. Mellado López  
Secretary  
Puerto Rico Department of Health  
PO Box 70184  
San Juan, PR 00936-8184

Via email: [drcarlos.mellado@salud.pr.gov](mailto:drcarlos.mellado@salud.pr.gov)

**RE: Request for information regarding available data on radon testing and levels within Puerto Rico**

The Puerto Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerto Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

This Notice emphasizes the importance of radon testing and mitigation in ensuring safe living environments, particularly in HUD-assisted properties. PRDOH, as the grantee of the Community Development Block Grant for Disaster Recovery and Mitigation (CDBG-DR/MIT), is responsible for ensuring compliance with environmental requirements under CDBG-DR/MIT programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels, testing practices, and any mitigation efforts within the Islands of Puerto Rico.

Specifically, we are seeking for possible availability of the following information:

**Radon testing data** – Results from radon testing conducted within your agency's purview, including details on location, testing methods, and recorded radon levels.

**Reports and assessments** – Any reports, studies, or assessments your agency has produced or commissioned that address radon testing or mitigation.

Barbosa Ave. #606, Building Juan C. Cordero Dávila, Rio Piedras, PR 00918 | PO Box 21365 San Juan, PR 00928-1365  
Tel (787) 274-2527 | [www.salud.pr.gov](http://www.salud.pr.gov)

CDBG-DR/MIT Program  
Request for information in relation with HUD CDP-23-103 for Puerto Rico  
Page 2 / 2

**Policies and guidelines** – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or mitigation.

**Historical data** – If available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strategies are practical and compliant with federal requirements. If some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely.

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative.

Sincerely,

William O. Rodriguez Rodriguez, Esq.  
Secretary

Cc: Mr. Raúl Hernández Díaz, [rfernandez2@salud.pr.gov](mailto:rfernandez2@salud.pr.gov)



August 20, 2024

Mrs. Holly Weyers  
Regional Director, Southeast – Puerto Rico  
US Geological Survey  
3916 Sunset Ridge Road  
Raleigh, NC 27607

Via email: [haweyers@usgs.gov](mailto:haweyers@usgs.gov)

**RE: Request for information regarding available data on radon testing and levels within Puerto Rico**

The Puerto Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerto Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

This Notice emphasizes the importance of radon testing and mitigation in ensuring safe living environments, particularly in HUD-assisted properties. PRDOH, as the grantee of the Community Development Block Grant for Disaster Recovery and Mitigation (CDBG-DR/MIT), is responsible for ensuring compliance with environmental requirements under CDBG-DR/MIT programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels, testing practices, and any mitigation efforts within the Islands of Puerto Rico.

Specifically, we are seeking for possible availability of the following information:

**Radon testing data** – Results from radon testing conducted within your agency's purview, including details on location, testing methods, and recorded radon levels.

**Reports and assessments** – Any reports, studies, or assessments your agency has produced or commissioned that address radon testing or mitigation.

Barbosa Ave. #606, Building Juan C. Cordero Dávila, Rio Piedras, PR 00918 | PO Box 21365 San Juan, PR 00928-1365  
Tel (787) 274-2527 | [www.usgs.pr.gov](http://www.usgs.pr.gov)

CDBG-DR/MIT Program  
Request for information in relation with HUD CDP-23-103 for Puerto Rico  
Page 2 / 2

**Policies and guidelines** – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or mitigation.

**Historical data** – If available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strategies are practical and compliant with federal requirements. If some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely.

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative.

Sincerely,

William O. Rodriguez Rodriguez, Esq.  
Secretary

Cc: Mr. R. Randall Schumann, [rschumann@usgs.gov](mailto:rschumann@usgs.gov)

**From:** Charp, Paul (CDC/NCEH/DEHSP) <pac4@cdc.gov>  
**Sent:** Tuesday, September 3, 2024 6:36 AM  
**To:** Miranda, Sandra (CDC/PHIC/DPS); Iriaray, Jessica (CDC/PHIC/DPS); Rzeszotarski, Peter (CDC/NCEH/DEHSP); Vinson, D. Aaron (CDC/NCEH/DEHSP)  
**Cc:** Kostak, Liana (CDC/PHIC/DPS); Vazquez, Germaine (CDC/NCEH/DEHSP)  
**Subject:** RE: REHi: Puerto Rico Request for Information- Randon testing and levels

Good morning, Sandra and others,

In response to the request from Mr. William Rodriguez of the Department of Housing, Government of Puerto Rico, I have reviewed all the available data within the CDC National Environmental Public Health Tracking Network system for data related to radon in Puerto Rico. In addition to the tracking data available on the internet, I also reached out to Mr. Aaron Vinson of the NCEH Tracking Branch.

I was not able to find any data in the CDC systems and this was confirmed by Mr. Vinson. We also reached out to the US Environmental Protection Agency who indicated they had no radon data in their systems. Please relay this information to Mr. Rodriguez in your response to his requests.

If you have any additional questions, please contact me.

Thank you and best regards,

Paul A. Charp, Ph.D., Fellow, HPS  
Senior Health Physicist  
Emerging Environmental Hazards and Health Effects Branch (EEHHEB)  
Division of Environmental Health Science and Practice (DEHSP)  
National Center for Environmental Health (NCEH)  
Centers for Disease Control and Prevention (CDC)  
pcharp@cdc.gov  
770-488-0723 office  
404.388.0614 Cell



**From:** Schumann, R. Randall <rschumann@usgs.gov>  
**Sent:** Wednesday, August 21, 2024 4:39 PM  
**To:** Melanie Medina Smaine <mmedina@vivienda.pr.gov>; Weyers, Holly S <hsweyers@usgs.gov>  
**Cc:** Elaine Dume Mejia <Edume@vivienda.pr.gov>; Luz S Colon Ortiz <Lcolon@vivienda.pr.gov>; Aldo A. Rivera-Vazquez <aarivera@vivienda.pr.gov>  
**Subject:** RE: Request for Information- Radon testing and levels

Dear Ms. Medina Smaine,

In the early 1990s the U.S. Geological Survey (USGS) conducted geologic assessments of radon potential for all 50 states and the territories of Guam and Puerto Rico, in collaboration with the U.S. EPA. I conducted the geologic radon potential assessment for Puerto Rico. The PDF file of the report is too large to attach to this message but it can be obtained at <https://pubs.usgs.gov/of/1993/0292k/report.pdf>. The USGS did not conduct indoor radon testing and we did not conduct field studies associated with this assessment; it was based on existing data. Mr. David Saldana of the Puerto Rico Department of Health kindly provided us with data for 610 homes that were tested for indoor radon by his agency between 1993 and 1995, which are summarized in the report. I am not aware of any other radon-related geologic studies conducted in the Commonwealth of Puerto Rico by the U.S. Geological Survey.

Best regards,

R. Randall Schumann  
Scientist Emeritus  
U.S. Geological Survey  
Geosciences and Environmental Change Science Center  
Denver, Colorado, USA  
[rschumann@usgs.gov](mailto:rschumann@usgs.gov)  
<https://www.usgs.gov/staff-profiles/r-randall-schumann>

----

**From:** Raul Hernandez Doble <rfernandez2@salud.pr.gov>  
**Sent:** Wednesday, August 21, 2024 2:13:31 PM  
**To:** Melanie Medina Smaine <mmedina@vivienda.pr.gov>; Dr. Carlos Mellado <drcarlos.mellado@salud.pr.gov>  
**Cc:** Elaine Dume Mejia <Edume@vivienda.pr.gov>; Luz S Colon Ortiz <Lcolon@vivienda.pr.gov>; Aldo A. Rivera-Vazquez <aarivera@vivienda.pr.gov>; Mayra Toro Tirado <mtoro@salud.pr.gov>  
**Subject:** RE: [EXTERNAL]Request for Information- Randon testing and levels

Good afternoon. Ms. Medina

I regret to inform that we do not have any recent information on radon testing, since we do not have a certified radiation laboratory certified for radon testing. There are companies that sell test kits available online that can be done and mailed to a testing laboratory. There are also lists of radon contractors and these companies that process radon testing cartridges with instructions, on the Environmental Protection Agency Indoor air Quality web page. The last radon study in Puerto Rico done by the PR Department of Health was done on the year 1993.

Raul Hernandez Doble  
Director, Seccion Salud Radiologica  
Division de Salud Ambiental  
Secretaria Auxiliar para la Vigilancia y la Proteccion de la Salud Publica  
[rfernandez2@salud.gov.pr](mailto:rfernandez2@salud.gov.pr)  
Phone: (787)765-2929 ext. 3210

---

**From:** Reyes, Brenda <Reyes.Brenda@epa.gov>  
**Sent:** Wednesday, September 18, 2024 11:48 AM  
**To:** Cesar O Rodriguez Santos <cesarodriguez@drna.pr.gov>; Maritza Rosa Olivares <maritzarosaolivares@drna.pr.gov>; Silvina Cancelos Mancini <silvina.cancelos@upr.edu>; Melanie Medina Smaine <mmedina@vivienda.pr.gov>  
**Cc:** Elaine Dume Mejia <Edume@vivienda.pr.gov>; Luz S Colon Ortiz <Lcolon@vivienda.pr.gov>; Aldo A. Rivera-Vazquez <aarivera@vivienda.pr.gov>; Povetko, Oleg (he/him/his) <Povetko.Oleg@epa.gov>  
**Subject:** RE: Request for Information- Randon testing and levels

Saludos.

La EPA esta trabajando una respuesta a su petición. Se sometió borrador a la directora y el subdirector para su aprobación y firma.

Brenda Reyes Tomassini  
Public Affairs  
U.S. EPA  
Region 2  
Caribbean Environmental Protection Division  
(787) 977-5869/(787) 977-5865  
Mobile: 202-834-1290

---

**From:** Silvina Cancelos Mancini <[silvina.cancelos@upr.edu](mailto:silvina.cancelos@upr.edu)>  
**Sent:** Friday, September 6, 2024 15:04  
**To:** Melanie Medina Smaine <[mmedina@vivienda.pr.gov](mailto:mmedina@vivienda.pr.gov)>  
**Cc:** Elaine Dume Mejia <[Edume@vivienda.pr.gov](mailto:Edume@vivienda.pr.gov)>; Luz S Colon Ortiz <[Lcolon@vivienda.pr.gov](mailto:Lcolon@vivienda.pr.gov)>; Aldo A. Rivera-Vazquez <[aarivera@vivienda.pr.gov](mailto:aarivera@vivienda.pr.gov)>; Maritza Rosa Olivares <[maritzarosaolivares@drna.pr.gov](mailto:maritzarosaolivares@drna.pr.gov)>; Reyes, Brenda <[Reyes.Brenda@epa.gov](mailto:Reyes.Brenda@epa.gov)>; Povetko, Oleg <[Povetko.Oleg@epa.gov](mailto:Povetko.Oleg@epa.gov)>  
**Subject:** Re: Request for Information- Randon testing and levels

Estimada Melanie Medina  
Quería dejarle saber que recibimos su correo el 21 de agosto al igual que el de Maritza Rosa el pasado 4 de septiembre. Ya las personas involucradas de EPA, junto conmigo y el Dr. Marín estamos al tanto del asunto y estamos trabajando para poder enviarles la información.

Atentamente

Silvina Cancelos  
Professor  
Associate Director  
Mechanical Engineering Department  
University of Puerto Rico - Mayaguez  
Call BOX 9000 Mayaguez PR 00680  
Tel: 787-832-4040 ext 5956  
email: [silvina.cancelos@upr.edu](mailto:silvina.cancelos@upr.edu)



Bubble Dynamics Lab  
University of Puerto Rico - Mayaguez



EPA REGION 2  
CARIBBEAN ENVIRONMENTAL PROTECTION DIVISION

September 23, 2024

**VIA EMAIL**

William O. Rodriguez, Esq.  
Secretary  
Puerto Rico Department of Housing  
Barbossa Ave. 606 Building Juan C. Cordero  
San Juan, PR 00917  
Email: W.Rodriguez@vivienda.pr.gov

**RE: EPA Response to August 20, 2024 request for information of data on radon testing and levels in Puerto Rico**

Dear Honorable Secretary Rodriguez:

This communication is in response to your letter of August 20, 2024 addressed to the Puerto Rico Department of Natural and Environmental Resources (DNER) and referred to the U.S. Environmental Protection Agency (EPA) regarding available data on radon testing and levels within Puerto Rico.

EPA's National Radon Action Plan 2021–2025 sets a goal for the nation to find, fix and prevent high indoor radon levels in 8 million buildings by 2025 and prevent 3,500 lung cancer deaths per year. Under this Plan, leaders from across multiple sectors are working together to plan, guide, and sustain nationwide action to prevent exposure to radon.

Due to the lack of data in Puerto Rico, EPA undertook an investigation in collaboration with the University of Puerto Rico-Mayaguez (UPRM) Campus, Departments of Civil Engineering, and Surveying and Mechanical Engineering, to find out if radon presented a problem in Puerto Rico. Up until 2021, the only data we had for Puerto Rico was a 1993-1995 mail-in radon screening study referred to by the U.S. Geological Survey report (USGS, 1995) in which the USGS concluded that several areas of Puerto Rico have the geologic potential to generate indoor radon levels exceeding the EPA Action Level of 4 pCi/L (picocuries per liter), perhaps locally reaching very high levels above 50 pCi/L, if a house construction and

ventilation allow for soil-gas radon to enter and concentrate within the structure.<sup>1</sup> According to the USGS report, most of these areas are located in the northwest part of the island. Please note that the actual 1993-1995 study documentation is not available to the EPA.

Typical radon testing technology used in mainland United States (charcoal canisters or electric-powered devices) are impractical in Puerto Rico because of high humidity and power outages. The recovery and rebuilding of communities following the aftermath of 2017 Hurricanes Irma and Maria presented an opportunity to develop radon prevention and mitigation strategies in 2019. Initially, EPA sampled indoor radon air in over 170 single-family residences in the municipalities of San Sebastian, Lares, Ciales, Arecibo, Morovis, Camuy, and Hatillo and later expanded the project to other municipalities such as Rincon, Aguada, Aguadilla, Isabela, Quebradillas, Barceloneta and Vega Baja. The quality assurance protocols were anchored in American National Standards Institute/American Association of Radon Scientists and Technologists (ANSI/AARST) standards of practice (ANSI/AARS, 2019). The sampling was designed in two stages: scoping and confirmatory sampling. The scoping sampling was conducted using Corentium Home (CH) electronic monitors and F-PPerm systems. Locations measuring above the EPA Action Level of 4 pCi/L with CH were measured at the second stage of the sampling using RAD7 and Corentium Pro Continuous Radon Monitors (CRMs). Nationally certified radon sampling professionals led by one such professional from the UPRM conducted confirmatory sampling in the second stage. Also, during the study, the nationally certified radon mitigation professionals inspected several homes with elevated indoor radon levels.

Mapping radon in Puerto Rico proved to be a complicated endeavor given the COVID-19 pandemic in 2020. EPA and UPRM continue to work on the project, however, results have not been finalized, and no scientific report has been published yet. Unfortunately, EPA cannot share preliminary data at this time because it contains privileged information. Nevertheless, preliminary data from the study does show homes with levels over 4 pCi/L (EPA Action Level) that might need mitigation to protect the health of their inhabitants.

Although many states have developed laws and regulations governing radon disclosure, certification, and mitigation, Puerto Rico lacks legislation or mandatory radon testing provisions for new construction, remodeling, selling or buying homes. Given this loophole and aiming to answer your request, the EPA can provide information on Best Management Practices for sampling indoor radon in Puerto Rico.

<sup>1</sup> Reference: USGS. Geologic Radon Potential of Guam and Puerto Rico, Report 93-292-K. Washington, DC: USGS. Retrieved 9/11/2024, from <https://pubs.usgs.gov/of/1993/0292k/report.pdf>.

2

CITY VIEW PLAZA II BUILDING, 7<sup>TH</sup> FLOOR  
ROUTE 165 GUAYNABO, PR 00968

If you have any questions or need any additional information, please contact me at 787-977-5865 or [guerrero.carmen@epa.gov](mailto:guerrero.carmen@epa.gov) or have your staff contact Reyes, Brenda at [reyes.brenda@epa.gov](mailto:reyes.brenda@epa.gov) or (787) 977-5869.

Sincerely,  
**CARMEN  
GUERRERO  
PEREZ**  
Carmen R. Guerrero Pérez  
Director

Digitally signed by  
CARMEN GUERRERO PEREZ  
Date: 2024.09.23 09:41:39  
-04'00'

CC: Roberto Mendez, Esq (Acting Secretary, PR Department of Natural and Env. Resources)  
Melany Medina: [mmedina@vivienda.pr.gov](mailto:mmedina@vivienda.pr.gov)  
Elaine Dume Mejia: [edume@vivienda.pr.gov](mailto:edume@vivienda.pr.gov)  
Luz S Colon Ortiz: [lcolon@vivienda.pr.gov](mailto:lcolon@vivienda.pr.gov)  
Aldo A. Rivera-Vazquez: [aarivera@vivienda.pr.gov](mailto:aarivera@vivienda.pr.gov)  
Cesar O. Rodriguez: [cesarrodiguez@drna.pr.gov](mailto:cesarrodiguez@drna.pr.gov)  
Marita Rosa Olivares: [maritarosaolivares@drna.pr.gov](mailto:maritarosaolivares@drna.pr.gov)

## ECHO Reports



# Detailed Facility Report

## Facility Summary

**ONE HOUR VISTA HERMOSA DRY CLEANERS INC**

**1400 AVENIDA SAN PATRICIO #3, SAN JUAN, PR 00921**

**FRS (Facility Registry Service) ID:** 110001662059

**EPA Region:** 02

**Latitude:** 18.39245

**Longitude:** -66.08965

**Locational Data Source:** FRS

**Industries:** Personal and Laundry Services

**Indian Country:** N

## Enforcement and Compliance Summary

Statute	CAA
Compliance Monitoring Activities (5 years)	--
Date of Last Compliance Monitoring Activity	09/29/2010
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	--
Formal Enforcement Actions (5 years)	--
Penalties from Formal Enforcement Actions (5 years)	--
EPA Cases (5 years)	--
Penalties from EPA Cases (5 years)	--
Statute	RCRA
Compliance Monitoring Activities (5 years)	--
Date of Last Compliance Monitoring Activity	09/12/2012
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	--
Formal Enforcement Actions (5 years)	--
Penalties from Formal Enforcement Actions (5 years)	--
EPA Cases (5 years)	--
Penalties from EPA Cases (5 years)	--

## Regulatory Information

**Clean Air Act (CAA):** Operating Minor (PR0000007212700020)

**Clean Water Act (CWA):** No Information

## Other Regulatory Reports

**Air Emissions Inventory (EIS):** No Information

**Greenhouse Gas Emissions (eGGRT):** No Information

**Resource Conservation and Recovery Act (RCRA): Active SQG, (PRR000021295)**

### Toxic Releases (TRI): No Information

**Safe Drinking Water Act (SDWA):** No Information

**Compliance and Emissions Data Reporting Interface (CEDRI):** No Information

[Go To Enforcement/Compliance Details](#)

Known Data Problems <<https://epa.gov/resources/echo-data/known-data-problems>>

## Facility/System Characteristics

## **Facility/System Characteristics**

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110001662059					N	18.39245	-66.08965
ICIS-Air	CAA	PR0000007212700020	Minor Emissions	Operating	CAAMACT, CAASIP		N	18.39245	-66.08965
RCRAInfo	RCRA	PRR000021295	SQG	Active (H)			N	18.399231	-66.09724

## **Facility Address**

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110001662059	ONE HOUR VISTA HERMOSA DRY CLEANERS INC	1400 AVENIDA SAN PATRICIO #3, SAN JUAN, PR 00921	San Juan Municipio
ICIS-Air	CAA	PR0000007212700020	ONE HOUR VISTA HERMOSA DRY CLEANERS, INC	1400 SAN PATRICIO AVE. #3 ST., RIO PIEDRAS, PR 00921	San Juan Municipio
RCRAInfo	RCRA	PRR000021295	VISTA HERMOSA DRY CLEANER	1400 SAN PATRICIO AVE URB LA RIVIER, SAN JUAN, PR 00921	San Juan Municipio

## **Facility SIC (Standard Industrial Classification) Codes**

## **Facility NAICS (North American Industry Classification System) Codes**

System	Identifier	SIC Code	SIC Description	System	Identifier	NAICS Code	NAICS Description
ICIS-Air	PR0000007212700020	7216	Drycleaning Plants, Except Rug	ICIS-Air	PR0000007212700020	812320	Drycleaning and Laundry Services (except Coin-Operated)

## **Facility Tribe Information**

Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)
------------------	------------	---------------	---------------------------

No data records returned

## Enforcement and Compliance

## Compliance Monitoring History

Last 5 Years

Statute	Source ID	System	Activity Type	Compliance Monitoring Type	Lead Agency	Date	Finding (if applicable)
---------	-----------	--------	---------------	----------------------------	-------------	------	-------------------------

No data records returned

*Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy*

<<https://www.epa.gov/compliance/compliance-monitoring-programs>> activities or because they are not counted as inspections within EPA's Annual Results

[<https://www.epa.gov/compliance/compliance-monitoring-program>](https://www.epa.gov/compliance/compliance-monitoring-program)

## Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
CAA	PR0000007212700020	No	08/02/2025	0	08/01/2025
RCRA	PRR000021295	No	08/02/2025	0	08/01/2025

## **Three-Year Compliance History by Quarter**

## Informal Enforcement Actions

Last 5 Years

Statute	System	Source ID	Type of Action	Lead Agency	Date
---------	--------	-----------	----------------	-------------	------

No data records returned

Entries in *italics* are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

## Formal Enforcement Actions

Last 5 Years

Statute	System	Law/Section	Source ID	Type of Action	Case No.	Lead Agency	Case Name	Issued/Filed Date	Settlements/Actions	Settlement/Action Date	Federal Penalty Assessed	State/Local Penalty Assessed	Penalty Amount Collected	SEP Value	Comp Action Cost
---------	--------	-------------	-----------	----------------	----------	-------------	-----------	-------------------	---------------------	------------------------	--------------------------	------------------------------	--------------------------	-----------	------------------

No data records returned

## Environmental Conditions

### Watersheds

12-Digit WBD (Watershed Boundary Dataset) HUC (RAD (Reach Address Database))	WBD (Watershed Boundary Dataset) Subwatershed Name (RAD (Reach Address Database))	State Water Body Name (ICIS (Integrated Compliance Information System))	Beach Closures Within Last Year	Beach Closures Within Last Two Years	Pollutants Potentially Related to Impairment	Watershed with ESA (Endangered Species Act)-listed Aquatic Species?
--	---	---	---------------------------------	--------------------------------------	--	---

No data records returned

## Assessed Waters From Latest State Submission (ATTAINS)

State	Report Cycle	Assessment Unit ID	Assessment Unit Name	Water Condition	Cause Groups Impaired	Drinking Water Use	Ecological Use	Fish Consumption Use	Recreation Use	Other Use
-------	--------------	--------------------	----------------------	-----------------	-----------------------	--------------------	----------------	----------------------	----------------	-----------

No data records returned

## Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)
Ozone	No	--	No	--
Lead	No	--	No	--
Particulate Matter	No	--	No	--
Carbon Monoxide	No	--	No	--
Sulfur Dioxide	Yes	Sulfur Dioxide (2010)	No	--

## Pollutants

### Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID	Year	Air Emissions	Surface Water Discharges	Off-Site Transfers to POTWs (Publicly Owned Treatment Works)	Underground Injections	Disposal to Land	Total On-Site Releases	Total Off-Site Transfers
-----------------	------	---------------	--------------------------	--	------------------------	------------------	------------------------	--------------------------

No data records returned

## Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name

No data records returned

## Community

### Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary <<https://epa.gov/help/reports/dfr-data-dictionary#demographic>>.

General Statistics (ACS (American Community Survey))		Age Breakdown (ACS (American Community Survey)) - Persons (%)	
Total Persons	32,344	Children 5 years and younger	1,152 (4%)
Population Density	10,362/sq.mi.	Minors 17 years and younger	6,089 (19%)
Housing Units in Area	16,453	Adults 18 years and older	26,250 (81%)

<b>General Statistics (ACS (American Community Survey))</b>	
Percent People of Color	100%
Households in Area	13,550
Households on Public Assistance	436
Persons With Low Income	21,454
Percent With Low Income	68%
<b>Geography</b>	
Radius of Selected Area	1 mi.
Center Latitude	18.39245
Center Longitude	-66.08965
Total Area	3.121 sq.mi.
Land Area	100%
Water Area	0%
<b>Income Breakdown (ACS (American Community Survey)) - Households (%)</b>	
Less than \$15,000	4,810 (35.49%)
\$15,000 - \$25,000	2,346 (17.31%)
\$25,000 - \$50,000	3,045 (22.47%)
\$50,000 - \$75,000	1,516 (11.18%)
Greater than \$75,000	1,837 (13.55%)
<b>Age Breakdown (ACS (American Community Survey)) - Persons (%)</b>	
Seniors 65 years and older	7,068 (22%)
<b>Race Breakdown (ACS (American Community Survey)) - Persons (%)</b>	
White	13,022 (40%)
African-American	4,770 (15%)
Hispanic-Origin	32,132 (99%)
Asian	11 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	65 (0%)
Other/Multiracial	6,383 (20%)
<b>Education Level (Persons 25 &amp; older) (ACS (American Community Survey)) - Persons (%)</b>	
Less than 9th Grade	2,273 (9.82%)
9th through 12th Grade	1,635 (7.07%)
High School Diploma	4,969 (21.47%)
Some College/2-year	3,281 (14.18%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	7,904 (34.16%)



# Detailed Facility Report

## Facility Summary

### AUTORIDAD DE TRANSPORTE INTEGRADO

24 RD 21, GUAYNABO, PR 00966

FRS (Facility Registry Service) ID: 110071679686

EPA Region: 02

Latitude: 18.389114

Longitude: -66.102121

Locational Data Source: RCRAINFO

Industries: Transit and Ground Passenger Transportation

Indian Country: N

## Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	--
Date of Last Compliance Monitoring Activity	--
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	--
Formal Enforcement Actions (5 years)	--
Penalties from Formal Enforcement Actions (5 years)	--
EPA Cases (5 years)	--
Penalties from EPA Cases (5 years)	--

## Regulatory Information

Clean Air Act (CAA): No Information

Clean Water Act (CWA): No Information

Resource Conservation and Recovery Act (RCRA): Active SQG, (PRR000028746)

Safe Drinking Water Act (SDWA): No Information

## Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Toxic Releases (TRI): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Go To Enforcement/Compliance Details

Known Data Problems <<https://epa.gov/resources/echo-data/known-data-problems>>

## Facility/System Characteristics

### Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110071679686					N	18.389114	-66.102121
RCRAInfo	RCRA	PRR000028746	SQG	Active (H)			N	18.389114	-66.102121

## Facility Address

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110071679686	AUTORIDAD DE TRANSPORTE INTEGRADO	24 RD 21, GUAYNABO, PR 00966	Guaynabo Municipio

System	Statute	Identifier	Facility Name	Facility Address	Facility County
RCRAInfo	RCRA	PRR000028746	AUTORIDAD DE TRANSPORTE INTEGRADO	24 RD 21, GUAYNABO, PR 00966	Guaynabo Municipio

# Facility SIC (Standard Industrial Classification) Codes

System	Identifier	SIC Code	SIC Description
No data records returned			

## **Facility NAICS (North American Industry Classification System) Codes**

System	Identifier	NAICS Code	NAICS Description
RCRInfo	PRR000028746	485999	All Other Transit and Ground Passenger Transportation

## **Facility Tribe Information**

Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)
No data records returned			

#### Enforcement and Compliance

## Compliance Monitoring History

*Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy <<https://www.epa.gov/compliance/compliance-monitoring-programs>> activities or because they are not counted as inspections within EPA's Annual Results <<https://www.epa.gov/enforcement/enforcement-data-and-results>>.*

## Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000028746	No	08/02/2025	0	08/01/2025

## Three-Year Compliance History by Quarter

## **Informal Enforcement Actions**

Statute	System	Source ID	Type of Action	Lead Agency	Date
No data records returned					

*Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.*

## Formal Enforcement Actions

Statute	System	Law/ Section	Source ID	Type of Action	Case No.	Lead Agency	Case Name	Issued/ Filed Date	Settlements/ Actions	Settlement/ Action Date	Federal Penalty Assessed	State/ Local Penalty Assessed	Penalty Amount Collected	SEP Value	Comp Action Cost
---------	--------	--------------	-----------	----------------	----------	-------------	-----------	--------------------	----------------------	-------------------------	--------------------------	-------------------------------	--------------------------	-----------	------------------

No data records returned

## Environmental Conditions

## Watersheds

12-Digit WBD (Watershed Boundary Dataset) HUC (RAD (Reach Address Database))	WBD (Watershed Boundary Dataset) Subwatershed Name (RAD (Reach Address Database))	State Water Body Name (ICIS (Integrated Compliance Information System))	Beach Closures Within Last Year	Beach Closures Within Last Two Years	Pollutants Potentially Related to Impairment	Watershed with ESA (Endangered Species Act)-listed Aquatic Species?
--	--	---	---------------------------------	--------------------------------------	--	---

No data records returned

## Assessed Waters From Latest State Submission (ATTAINS)

State	Report Cycle	Assessment Unit ID	Assessment Unit Name	Water Condition	Cause Groups Impaired	Drinking Water Use	Ecological Use	Fish Consumption Use	Recreation Use	Other Use
-------	--------------	--------------------	----------------------	-----------------	-----------------------	--------------------	----------------	----------------------	----------------	-----------

No data records returned

## Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)
No data records returned				

### Pollutants

## Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID	Year	Air Emissions	Surface Water Discharges	Off-Site Transfers to POTWs (Publicly Owned Treatment Works)	Underground Injections	Disposal to Land	Total On-Site Releases	Total Off-Site Transfers
-----------------	------	---------------	--------------------------	--	------------------------	------------------	------------------------	--------------------------

No data records returned

## Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name
No data records returned

### Community

## Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary <<https://epa.gov/help/reports/dfr-data-dictionary#demographic>>.

General Statistics (ACS (American Community Survey))		Age Breakdown (ACS (American Community Survey)) - Persons (%)	
Total Persons	30,811	Children 5 years and younger	1,177 (4%)
Population Density	9,871/sq.mi.	Minors 17 years and younger	6,273 (20%)
Housing Units in Area	15,367	Adults 18 years and older	24,540 (80%)
Percent People of Color	99%	Seniors 65 years and older	6,562 (21%)
Households in Area	12,993	Race Breakdown (ACS (American Community Survey)) - Persons (%)	
Households on Public Assistance	430	White	13,343 (43%)
Persons With Low Income	18,395	African-American	3,293 (11%)
Percent With Low Income	60%	Hispanic-Origin	30,467 (99%)
Geography		Asian	3 (0%)
Radius of Selected Area	1 mi.	Hawaiian/Pacific Islander	0 (0%)
Center Latitude	18.389114	American Indian	28 (0%)
Center Longitude	-66.102121	Other/Multiracial	5,455 (18%)
Total Area	3.121 sq.mi.	Education Level (Persons 25 & older) (ACS (American Community Survey)) - Persons (%)	
Land Area	100%	Less than 9th Grade	1,506 (6.94%)
Water Area	0%	9th through 12th Grade	1,112 (5.12%)
Income Breakdown (ACS (American Community Survey)) - Households (%)		High School Diploma	4,196 (19.34%)
Less than \$15,000	4,200 (32.32%)	Some College/2-year	2,746 (12.65%)
\$15,000 - \$25,000	1,979 (15.23%)	B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	9,530 (43.92%)
\$25,000 - \$50,000	2,679 (20.62%)		
\$50,000 - \$75,000	1,676 (12.9%)		
Greater than \$75,000	2,461 (18.94%)		



# Detailed Facility Report

## Facility Summary

### ALAMEDA TOWERS I & II

1782 CARR. 21, SAN JUAN, PR 00921

FRS (Facility Registry Service) ID: 110071866198

EPA Region: 02

Latitude: 18.3886

Longitude: -66.0997

Locational Data Source: NPDES

Industries: --

Indian Country: N

## Enforcement and Compliance Summary

Statute	CWA
Compliance Monitoring Activities (5 years)	--
Date of Last Compliance Monitoring Activity	--
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	--
Formal Enforcement Actions (5 years)	--
Penalties from Formal Enforcement Actions (5 years)	--
EPA Cases (5 years)	--
Penalties from EPA Cases (5 years)	--

## Regulatory Information

Clean Air Act (CAA): No Information

Clean Water Act (CWA): Non-Major, Permit Effective (PRR1000KM), Non-Major, Permit Effective (PRR1000KS)

Resource Conservation and Recovery Act (RCRA): No Information

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems <<https://epa.gov/resources/echo-data/known-data-problems>>

## Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Toxic Releases (TRI): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

## Facility/System Characteristics

### Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110071866198					N	18.3886	-66.0997
ICIS-NPDES	CWA	PRR1000KM	Non-Major: General Permit Covered Facility	Effective	Construction Stormwater	02/16/2027	N	18.3886	-66.0997
ICIS-NPDES	CWA	PRR1000KS	Non-Major: General Permit Covered Facility	Effective	Construction Stormwater	02/16/2027	N	18.3889	-66.0997

## Facility Address

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110071866198	ALAMEDA TOWERS I & II	1782 CARR. 21, SAN JUAN, PR 00921	
ICIS-NPDES	CWA	PRR1000KM	ALAMEDA TOWERS I Y II	1782 CARR. 21, PR 00921, SAN JUAN, PR 00921	
ICIS-NPDES	CWA	PRR1000KS	ALAMEDA TOWERS I & II	1782 CARR. 21, SAN JUAN, PR 00921	

## Facility SIC (Standard Industrial Classification) Codes

System	Identifier	SIC Code	SIC Description	System	Identifier	NAICS Code	NAICS Description
--------	------------	----------	-----------------	--------	------------	------------	-------------------

No data records returned

## Facility NAICS (North American Industry Classification System) Codes

No data records returned

## Facility Industrial Effluent Guidelines

Identifier	Effluent Guideline (40 CFR Part)	Effluent Guideline Description	Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)
------------	----------------------------------	--------------------------------	------------------	------------	---------------	---------------------------

No data records returned

No data records returned

## Enforcement and Compliance

### Compliance Monitoring History

Last 5 Years

Statute	Source ID	System	Activity Type	Compliance Monitoring Type	Lead Agency	Date	Finding (if applicable)
---------	-----------	--------	---------------	----------------------------	-------------	------	-------------------------

No data records returned

*Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy*

<<https://www.epa.gov/compliance/compliance-monitoring-programs>> activities or because they are not counted as inspections within EPA's Annual Results

<<https://www.epa.gov/enforcement/enforcement-data-and-results>>.

## Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
CWA	PRR1000KM	No	03/31/2025	0	08/01/2025
CWA	PRR1000KS	No	03/31/2025	0	08/01/2025

## Three-Year Compliance History by Quarter

Statute	Program/Pollutant/Violation Type	QTR 1	QTR 2	QTR 3	QTR 4	QTR 5	QTR 6	QTR 7	QTR 8	QTR 9	QTR 10	QTR 11
CWA (Source ID: PRR1000KM)	04/01-06/30/22 07/01-09/30/22 10/01-12/31/22 01/01-03/31/23 04/01-06/30/23 07/01-09/30/23 10/01-12/31/23 01/01-03/31/24 04/01-06/30/24 07/01-09/30/24 10/01-12/31/24											
	Facility-Level Status	No Violation Identified										
	Quarterly Noncompliance Report History											
CWA (Source ID: PRR1000KS)	04/01-06/30/22 07/01-09/30/22 10/01-12/31/22 01/01-03/31/23 04/01-06/30/23 07/01-09/30/23 10/01-12/31/23 01/01-03/31/24 04/01-06/30/24 07/01-09/30/24 10/01-12/31/24											
	Facility-Level Status	No Violation Identified										
	Quarterly Noncompliance Report History											

## Informal Enforcement Actions

Last 5 Years

Statute	System	Source ID	Type of Action	Lead Agency	Date
---------	--------	-----------	----------------	-------------	------

No data records returned

*Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.*

## Formal Enforcement Actions

Last 5 Years

Statute	System	Law/Section	Source ID	Type of Action	Case No.	Lead Agency	Case Name	Issued/Filed Date	Settlements/Actions	Settlement/Action Date	Federal Penalty Assessed	State/Local Penalty Assessed	Penalty Amount Collected	SEP Value	Comp Action Cost
---------	--------	-------------	-----------	----------------	----------	-------------	-----------	-------------------	---------------------	------------------------	--------------------------	------------------------------	--------------------------	-----------	------------------

No data records returned

## Environmental Conditions

### Watersheds

12-Digit WBD (Watershed Boundary Dataset) HUC (RAD (Reach Address Database))	WBD (Watershed Boundary Dataset) Subwatershed Name (RAD (Reach Address Database))	State Water Body Name (ICIS (Integrated Compliance Information System))	Beach Closures Within Last Year	Beach Closures Within Last Two Years	Pollutants Potentially Related to Impairment	Watershed with ESA (Endangered Species Act)-listed Aquatic Species?
210100050502	Rio Puerto Nuevo at mouth	UNNAMED CREEK SOUTH OF SITE	No	No	--	Yes

### Assessed Waters From Latest State Submission (ATTAINS)

State	Report Cycle	Assessment Unit ID	Assessment Unit Name	Water Condition	Cause Groups Impaired	Drinking Water Use	Ecological Use	Fish Consumption Use	Recreation Use	Other Use
PR	2024	PREE13A2	SAN JUAN BAY ESTUARY	Impaired - 303(d) Listed - With Restoration Plan	MERCURY   METALS (OTHER THAN MERCURY)   NUTRIENTS   OIL AND GREASE   ORGANIC ENRICHMENT/OXYGEN DEPLETION   OTHER CAUSE   PATHOGENS   TEMPERATURE   TURBIDITY	Not Supporting	Not Supporting	--	Not Supporting	--

### Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)
No data records returned				

### Pollutants

### Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID	Year	Air Emissions	Surface Water Discharges	Off-Site Transfers to POTWs (Publicly Owned Treatment Works)	Underground Injections	Disposal to Land	Total On-Site Releases	Total Off-Site Transfers
No data records returned								

No data records returned

### Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name	
No data records returned	
<b>CWA (Clean Water Act) Discharge Monitoring Report (DMR) Pollutant Loadings</b>	
DMR and TRI Multi-Year Loading Report	

NPDES ID	Description
No data records returned	

### Community

### Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary <<https://epa.gov/help/reports/dfr-data-dictionary#demographic>>.

General Statistics (ACS (American Community Survey))		Age Breakdown (ACS (American Community Survey)) - Persons (%)	
Total Persons	31,644	Children 5 years and younger	1,303 (4%)
Population Density	10,138/sq.mi.	Minors 17 years and younger	6,743 (21%)
Housing Units in Area	15,840	Adults 18 years and older	24,903 (79%)
Percent People of Color	99%	Seniors 65 years and older	6,494 (21%)
Households in Area	13,339		
Households on Public Assistance	465		
Persons With Low Income	19,873		
Percent With Low Income	63%		
Geography		Race Breakdown (ACS (American Community Survey)) - Persons (%)	
Radius of Selected Area	1 mi.	White	13,507 (43%)
Center Latitude	18.3886	African-American	3,725 (12%)
Center Longitude	-66.0997	Hispanic-Origin	31,287 (99%)
Total Area	3.121 sq.mi.	Asian	3 (0%)
		Hawaiian/Pacific Islander	0 (0%)
		American Indian	27 (0%)
		Other/Multiracial	5,730 (18%)

<b>Geography</b>	
Land Area	100%
Water Area	0%
<b>Income Breakdown (ACS (American Community Survey)) - Households (%)</b>	
Less than \$15,000	4,583 (34.36%)
\$15,000 - \$25,000	2,064 (15.47%)
\$25,000 - \$50,000	2,712 (20.33%)
\$50,000 - \$75,000	1,689 (12.66%)
Greater than \$75,000	2,292 (17.18%)

<b>Education Level (Persons 25 &amp; older) (ACS (American Community Survey)) - Persons (%)</b>	
Less than 9th Grade	1,651 (7.49%)
9th through 12th Grade	1,255 (5.69%)
High School Diploma	4,479 (20.31%)
Some College/2-year	2,819 (12.79%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	9,089 (41.22%)



# Detailed Facility Report

## Facility Summary

### 5 SENSES SOLUTIONS LLC

**1795 AVENIDA PAZ GRANELA URB SANTIAGO IGLESIAS,  
SAN JUAN, PR 00921**

**FRS (Facility Registry Service) ID:** 110070912614

**EPA Region:** 02

**Latitude:** 18.386345

**Longitude:** -66.098502

**Locational Data Source:** RCRAINFO

**Industries:** Waste Management and Remediation Services

**Indian Country:** N

## Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	--
Date of Last Compliance Monitoring Activity	--
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	--
Formal Enforcement Actions (5 years)	--
Penalties from Formal Enforcement Actions (5 years)	--
EPA Cases (5 years)	--
Penalties from EPA Cases (5 years)	--

## Regulatory Information

**Clean Air Act (CAA):** No Information

**Clean Water Act (CWA):** No Information

**Resource Conservation and Recovery Act (RCRA):** Active Transporter, (PRR000026807)

**Safe Drinking Water Act (SDWA):** No Information

Go To Enforcement/Compliance Details

Known Data Problems <<https://epa.gov/resources/echo-data/known-data-problems>>

## Other Regulatory Reports

**Air Emissions Inventory (EIS):** No Information

**Greenhouse Gas Emissions (eGGRT):** No Information

**Toxic Releases (TRI):** No Information

**Compliance and Emissions Data Reporting Interface (CEDRI):** No Information

## Facility/System Characteristics

### Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110070912614					N	18.386345	-66.098502
RCRAInfo	RCRA	PRR000026807	Transporter	Active (H)			N	18.386345	-66.098502

## Facility Address

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110070912614	5 SENSES SOLUTIONS LLC	1795 AVENIDA PAZ GRANELA URB SANTIAGO IGLESIAS, SAN JUAN, PR 00921	San Juan Municipio
RCRAInfo	RCRA	PRR000026807	5 SENSES SOLUTIONS LLC	1795 AVENIDA PAZ GRANELA URB SANTIAGO IGLESIAS, SAN JUAN, PR 00921-3626	San Juan Municipio

## Facility SIC (Standard Industrial Classification) Codes

System	Identifier	SIC Code	SIC Description
No data records returned			

## Facility NAICS (North American Industry Classification System) Codes

System	Identifier	NAICS Code	NAICS Description
RCRAInfo	PRR000026807	56221	Waste Treatment and Disposal

## Facility Tribe Information

Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)
No data records returned			

## Enforcement and Compliance

### Compliance Monitoring History

Last 5 Years

Statute	Source ID	System	Activity Type	Compliance Monitoring Type	Lead Agency	Date	Finding (if applicable)
No data records returned							

*Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy*

<<https://www.epa.gov/compliance/compliance-monitoring-programs>> activities or because they are not counted as inspections within EPA's Annual Results

<<https://www.epa.gov/enforcement/enforcement-data-and-results>>.

### Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000026807	No	05/31/2025	0	05/30/2025

### Three-Year Compliance History by Quarter

Statute	Program/Pollutant/Violation Type	QTR 1	QTR 2	QTR 3	QTR 4	QTR 5	QTR 6	QTR 7	QTR 8	QTR 9	QTR 10	QTR 11
RCRA (Source ID: PRR000026807)	07/01-09/30/22 10/01-12/31/22 01/01-03/31/23 04/01-06/30/23 07/01-09/30/23 10/01-12/31/23 01/01-03/31/24 04/01-06/30/24 07/01-09/30/24 10/01-12/31/24 01/01-03/31/25											
	Facility-Level Status	No Violation Identified										
	Violation	Agency										

### Informal Enforcement Actions

Last 5 Years

Statute	System	Source ID	Type of Action	Lead Agency	Date
No data records returned					

*Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.*

### Formal Enforcement Actions

Last 5 Years

Statute	System	Law/Section	Source ID	Type of Action	Case No.	Lead Agency	Case Name	Issued/ Filed Date	Settlements/ Actions	Settlement/ Action Date	Federal Penalty Assessed	State/ Local Penalty Assessed	Penalty Amount Collected	SEP Value	Comp Action Cost
No data records returned															

## Environmental Conditions

### Watersheds

12-Digit WBD (Watershed Boundary Dataset) HUC (RAD (Reach Address Database))	WBD (Watershed Boundary Dataset) Subwatershed Name (RAD (Reach Address Database))	State Water Body Name (ICIS (Integrated Compliance Information System))	Beach Closures Within Last Year	Beach Closures Within Last Two Years	Pollutants Potentially Related to Impairment	Watershed with ESA (Endangered Species Act)-listed Aquatic Species?
No data records returned						

### Assessed Waters From Latest State Submission (ATTAINS)

State	Report Cycle	Assessment Unit ID	Assessment Unit Name	Water Condition	Cause Groups Impaired	Drinking Water Use	Ecological Use	Fish Consumption Use	Recreation Use	Other Use
No data records returned										

No data records returned

## Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)
No data records returned				

Pollutants

## Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID	Year	Air Emissions	Surface Water Discharges	Off-Site Transfers to POTWs (Publicly Owned Treatment Works)	Underground Injections	Disposal to Land	Total On-Site Releases	Total Off-Site Transfers
-----------------	------	---------------	--------------------------	--	------------------------	------------------	------------------------	--------------------------

No data records returned

## Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name
No data records returned

Community

## Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary <<https://epa.gov/help/reports/dfr-data-dictionary#demographic>>.

General Statistics (ACS (American Community Survey))		Age Breakdown (ACS (American Community Survey)) - Persons (%)	
Total Persons	32,225	Children 5 years and younger	1,321 (4%)
Population Density	10,324/sq.mi.	Minors 17 years and younger	6,857 (21%)
Housing Units in Area	15,796	Adults 18 years and older	25,367 (79%)
Percent People of Color	99%	Seniors 65 years and older	6,598 (20%)
Households in Area	13,307		
Households on Public Assistance	462		
Persons With Low Income	20,416		
Percent With Low Income	64%		
Geography		Race Breakdown (ACS (American Community Survey)) - Persons (%)	
Radius of Selected Area	1 mi.	White	13,512 (42%)
Center Latitude	18.386345	African-American	3,779 (12%)
Center Longitude	-66.098502	Hispanic-Origin	31,852 (99%)
Total Area	--	Asian	0 (0%)
Land Area	100%	Hawaiian/Pacific Islander	0 (0%)
Water Area	0%	American Indian	27 (0%)
		Other/Multiracial	6,052 (19%)
Income Breakdown (ACS (American Community Survey)) - Households (%)		Education Level (Persons 25 & older) (ACS (American Community Survey)) - Persons (%)	
Less than \$15,000	4,606 (34.63%)	Less than 9th Grade	1,774 (7.87%)
\$15,000 - \$25,000	2,047 (15.39%)	9th through 12th Grade	1,282 (5.69%)
\$25,000 - \$50,000	2,750 (20.68%)	High School Diploma	4,681 (20.76%)
\$50,000 - \$75,000	1,653 (12.43%)	Some College/2-year	2,993 (13.27%)
Greater than \$75,000	2,244 (16.87%)	B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	9,013 (39.97%)



# Detailed Facility Report

## Facility Summary

**ESSO STANDARD OIL CO - PR CO-011**

**PAZ GRANELA 1421, RIO PIEDRAS, PR 00921**

**FRS (Facility Registry Service) ID:** 110004895999

**EPA Region:** 02

**Latitude:** 18.38363

**Longitude:** -66.100293

**Locational Data Source:** RCRAINFO

**Industries:** --

**Indian Country:** N

## Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	--
Date of Last Compliance Monitoring Activity	--
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	--
Formal Enforcement Actions (5 years)	--
Penalties from Formal Enforcement Actions (5 years)	--
EPA Cases (5 years)	--
Penalties from EPA Cases (5 years)	--

## Regulatory Information

**Clean Air Act (CAA):** No Information

**Clean Water Act (CWA):** No Information

**Resource Conservation and Recovery Act (RCRA):** Inactive Other, (PRR000013516), Active VSQG, (PRR000003285)

**Safe Drinking Water Act (SDWA):** No Information

Go To Enforcement/Compliance Details

Known Data Problems <<https://epa.gov/resources/echo-data/known-data-problems>>

## Other Regulatory Reports

**Air Emissions Inventory (EIS):** No Information

**Greenhouse Gas Emissions (eGGRT):** No Information

**Toxic Releases (TRI):** No Information

**Compliance and Emissions Data Reporting Interface (CEDRI):** No Information

## Facility/System Characteristics

### Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110004895999					N	18.38363	-66.100293
RCRAInfo	RCRA	PRR000013516	Other	Inactive ( )			N		
RCRAInfo	RCRA	PRR000003285	VSQG	Active (H)			N	18.38363	-66.100293

## Facility Address

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110004895999	ESSO STANDARD OIL CO - PR CO-011	PAZ GRANELA 1421, RIO PIEDRAS, PR 00921	San Juan Municipio
RCRAInfo	RCRA	PRR000013516	ESSO STANDARD OIL CO PR CO-011	1421 PAZ GRANELA URB SANTIAGO, RIO PIEDRAS, PR 00928	San Juan Municipio
RCRAInfo	RCRA	PRR000003285	ESSO STANDARD OIL CO - PR CO-011	PAZ GRANELA 1421, RIO PIEDRAS, PR 00921-4152	San Juan Municipio

## Facility SIC (Standard Industrial Classification) Codes

System	Identifier	SIC Code	SIC Description
No data records returned			

## Facility NAICS (North American Industry Classification System) Codes

System	Identifier	NAICS Code	NAICS Description
No data records returned			

## Facility Tribe Information

Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)
No data records returned			

## Enforcement and Compliance

### Compliance Monitoring History

Last 5 Years

Statute	Source ID	System	Activity Type	Compliance Monitoring Type	Lead Agency	Date	Finding (if applicable)
No data records returned							

*Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy <https://www.epa.gov/compliance/compliance-monitoring-programs> activities or because they are not counted as inspections within EPA's Annual Results <https://www.epa.gov/enforcement/enforcement-data-and-results>.*

## Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000013516	No	05/31/2025	0	05/30/2025
RCRA	PRR000003285	No	05/31/2025	0	05/30/2025

## Three-Year Compliance History by Quarter

Statute	Program/Pollutant/Violation Type	QTR 1	QTR 2	QTR 3	QTR 4	QTR 5	QTR 6	QTR 7	QTR 8	QTR 9	QTR 10	QTR 11
RCRA (Source ID: PRR000003285)	07/01-09/30/22 10/01-12/31/22 01/01-03/31/23 04/01-06/30/23 07/01-09/30/23 10/01-12/31/23 01/01-03/31/24 04/01-06/30/24 07/01-09/30/24 10/01-12/31/24 01/01-03/31/25	No Violation Identified										
	Facility-Level Status	No Violation Identified										
	Violation Agency											
RCRA (Source ID: PRR000013516)	07/01-09/30/22 10/01-12/31/22 01/01-03/31/23 04/01-06/30/23 07/01-09/30/23 10/01-12/31/23 01/01-03/31/24 04/01-06/30/24 07/01-09/30/24 10/01-12/31/24 01/01-03/31/25	No Violation Identified										
	Facility-Level Status	No Violation Identified										
	Violation Agency											

## Informal Enforcement Actions

Last 5 Years

Statute	System	Source ID	Type of Action	Lead Agency	Date
No data records returned					

*Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.*

## Formal Enforcement Actions

Last 5 Years

Statute	System	Law/Section	Source ID	Type of Action	Case No.	Lead Agency	Case Name	Issued/Filed Date	Settlements/Actions	Settlement/Action Date	Federal Penalty Assessed	State/Local Penalty Assessed	Penalty Amount Collected	SEP Value	Comp Action Cost
No data records returned															

## Environmental Conditions

### Watersheds

12-Digit WBD (Watershed Boundary Dataset) HUC (RAD (Reach Address Database))	WBD (Watershed Boundary Dataset) Subwatershed Name (RAD (Reach Address Database))	State Water Body Name (ICIS (Integrated Compliance Information System))	Beach Closures Within Last Year	Beach Closures Within Last Two Years	Pollutants Potentially Related to Impairment	Watershed with ESA (Endangered Species Act)-listed Aquatic Species?
--	---	---	---------------------------------	--------------------------------------	--	---

No data records returned

### Assessed Waters From Latest State Submission (ATTAINS)

State	Report Cycle	Assessment Unit ID	Assessment Unit Name	Water Condition	Cause Groups Impaired	Drinking Water Use	Ecological Use	Fish Consumption Use	Recreation Use	Other Use
-------	--------------	--------------------	----------------------	-----------------	-----------------------	--------------------	----------------	----------------------	----------------	-----------

No data records returned

### Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)
-----------	-----------------------------------	---	---------------------------------	---

No data records returned

## Pollutants

### Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID	Year	Air Emissions	Surface Water Discharges	Off-Site Transfers to POTWs (Publicly Owned Treatment Works)	Underground Injections	Disposal to Land	Total On-Site Releases	Total Off-Site Transfers
-----------------	------	---------------	--------------------------	--	------------------------	------------------	------------------------	--------------------------

No data records returned

### Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

#### Chemical Name

No data records returned

## Community

### Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary <<https://epa.gov/help/reports/dr-data-dictionary#demographic>>.

General Statistics (ACS (American Community Survey))		Age Breakdown (ACS (American Community Survey)) - Persons (%)	
Total Persons	31,735	Children 5 years and younger	1,264 (4%)
Population Density	10,169/sq.mi.	Minors 17 years and younger	6,375 (20%)
Housing Units in Area	15,269	Adults 18 years and older	25,357 (80%)
Percent People of Color	99%	Seniors 65 years and older	6,657 (21%)
Households in Area	12,921		
Households on Public Assistance	411		
Persons With Low Income	18,874		
Percent With Low Income	60%		
Geography		Race Breakdown (ACS (American Community Survey)) - Persons (%)	
Radius of Selected Area	1 mi.	White	13,616 (43%)
Center Latitude	18.38363	African-American	3,199 (10%)
Center Longitude	-66.100293	Hispanic-Origin	31,349 (99%)
Total Area	--	Asian	0 (0%)
Land Area	100%	Hawaiian/Pacific Islander	0 (0%)
Water Area	0%	American Indian	29 (0%)
		Other/Multiracial	5,974 (19%)
Income Breakdown (ACS (American Community Survey)) - Households (%)		Education Level (Persons 25 & older) (ACS (American Community Survey)) - Persons (%)	
Less than \$15,000	4,035 (31.24%)	Less than 9th Grade	1,717 (7.56%)
\$15,000 - \$25,000	1,908 (14.77%)	9th through 12th Grade	1,169 (5.15%)
\$25,000 - \$50,000	2,838 (21.97%)	High School Diploma	4,428 (19.49%)
\$50,000 - \$75,000	1,648 (12.76%)	Some College/2-year	3,133 (13.79%)
		B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	9,639 (42.44%)

Income Breakdown (ACS (American Community Survey)) - Households (%)	
Greater than \$75,000	2,487 (19.26%)

---



# Detailed Facility Report

## Facility Summary

**PR PUBLIC HOUSING ADMIN RES VISTA HERMOS**

**AVE SAN PATRICIO 101, RIO PIEDRAS, PR 00921**

**FRS (Facility Registry Service) ID:** 110004893651

**EPA Region:** 02

**Latitude:** 18.39348

**Longitude:** -66.09062

**Locational Data Source:** RCRAINFO

**Industries:** --

**Indian Country:** N

## Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	--
Date of Last Compliance Monitoring Activity	--
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	--
Formal Enforcement Actions (5 years)	--
Penalties from Formal Enforcement Actions (5 years)	--
EPA Cases (5 years)	--
Penalties from EPA Cases (5 years)	--

## Regulatory Information

**Clean Air Act (CAA):** No Information

**Clean Water Act (CWA):** No Information

**Resource Conservation and Recovery Act (RCRA):** Inactive Other, (PRR000007948)

**Safe Drinking Water Act (SDWA):** No Information

Go To Enforcement/Compliance Details

Known Data Problems <<https://epa.gov/resources/echo-data/known-data-problems>>

## Other Regulatory Reports

**Air Emissions Inventory (EIS):** No Information

**Greenhouse Gas Emissions (eGGRT):** No Information

**Toxic Releases (TRI):** No Information

**Compliance and Emissions Data Reporting Interface (CEDRI):** No Information

## Facility/System Characteristics

### Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110004893651					N	18.39348	-66.09062
RCRAInfo	RCRA	PRR000007948	Other	Inactive ()			N	18.39348	-66.09062

## Facility Address

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110004893651	PR PUBLIC HOUSING ADMIN RES VISTA HERMOS	AVE SAN PATRICIO 101, RIO PIEDRAS, PR 00921	San Juan Municipio
RCRAInfo	RCRA	PRR000007948	PR PUBLIC HOUSING ADMIN RES VISTA HERMOS	AVE SAN PATRICIO 101, RIO PIEDRAS, PR 00921	San Juan Municipio

## Facility SIC (Standard Industrial Classification) Codes

System	Identifier	SIC Code	SIC Description	System	Identifier	NAICS Code	NAICS Description
No data records returned							

## Facility NAICS (North American Industry Classification System) Codes

System	Identifier	SIC Code	SIC Description	System	Identifier	NAICS Code	NAICS Description
No data records returned							
No data records returned							

## Facility Tribe Information

Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)
No data records returned			

## Enforcement and Compliance

### Compliance Monitoring History

Statute	Source ID	System	Activity Type	Compliance Monitoring Type	Lead Agency	Date	Finding (if applicable)
No data records returned							

*Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy*

<<https://www.epa.gov/compliance/compliance-monitoring-programs>> activities or because they are not counted as inspections within EPA's Annual Results <<https://www.epa.gov/enforcement/enforcement-data-and-results>>.

### Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000007948	No	05/31/2025	0	05/30/2025

### Three-Year Compliance History by Quarter

Statute	Program/Pollutant/Violation Type	QTR 1	QTR 2	QTR 3	QTR 4	QTR 5	QTR 6	QTR 7	QTR 8	QTR 9	QTR 10	QTR 11
RCRA (Source ID: PRR000007948)	07/01-09/30/22	10/01-12/31/22	01/01-03/31/23	04/01-06/30/23	07/01-09/30/23	10/01-12/31/23	01/01-03/31/24	04/01-06/30/24	07/01-09/30/24	10/01-12/31/24	01/01-03/31/25	
	Facility-Level Status	No Violation Identified										
	Violation	Agency										

### Informal Enforcement Actions

Statute	System	Source ID	Type of Action	Lead Agency	Date
No data records returned					

*Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.*

### Formal Enforcement Actions

Statute	System	Law/Section	Source ID	Type of Action	Case No.	Lead Agency	Case Name	Issued/ Filed Date	Settlements/ Actions	Settlement/ Action Date	Federal Penalty Assessed	State/ Local Penalty Assessed	Penalty Amount Collected	SEP Value	Comp Action Cost
No data records returned															

## Environmental Conditions

### Watersheds

12-Digit WBD (Watershed Boundary Dataset) HUC (RAD (Reach Address Database))	WBD (Watershed Boundary Dataset) Subwatershed Name (RAD (Reach Address Database))	State Water Body Name (ICIS (Integrated Compliance Information System))	Beach Closures Within Last Year	Beach Closures Within Last Two Years	Pollutants Potentially Related to Impairment	Watershed with ESA (Endangered Species Act)-listed Aquatic Species?
No data records returned						

## Assessed Waters From Latest State Submission (ATTAINS)

[State](#) [Report Cycle](#) [Assessment Unit ID](#) [Assessment Unit Name](#) [Water Condition](#) [Cause Groups Impaired](#) [Drinking Water Use](#) [Ecological Use](#) [Fish Consumption Use](#) [Recreation Use](#) [Other Use](#)

No data records returned

### Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)
Ozone	No	--	No	--
Lead	No	--	No	--
Particulate Matter	No	--	No	--
Carbon Monoxide	No	--	No	--
Sulfur Dioxide	Yes	Sulfur Dioxide (2010)	No	--

### Pollutants

## Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

[TRI Facility ID](#) [Year](#) [Air Emissions](#) [Surface Water Discharges](#) [Off-Site Transfers to POTWs \(Publicly Owned Treatment Works\)](#) [Underground Injections](#) [Disposal to Land](#) [Total On-Site Releases](#) [Total Off-Site Transfers](#)

No data records returned

### Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

#### Chemical Name

No data records returned

### Community

## Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary <<https://epa.gov/help/reports/dfr-data-dictionary#demographic>>.

General Statistics (ACS (American Community Survey))		Age Breakdown (ACS (American Community Survey)) - Persons (%)	
Total Persons	32,975	Children 5 years and younger	1,150 (3%)
Population Density	10,564/sq.mi.	Minors 17 years and younger	6,182 (19%)
Housing Units in Area	16,898	Adults 18 years and older	26,792 (81%)
Percent People of Color	100%	Seniors 65 years and older	7,176 (22%)
Households in Area	13,893		
Households on Public Assistance	453		
Persons With Low Income	21,816		
Percent With Low Income	68%		
Geography		Race Breakdown (ACS (American Community Survey)) - Persons (%)	
Radius of Selected Area	1 mi.	White	13,282 (40%)
Center Latitude	18.39348	African-American	4,876 (15%)
Center Longitude	-66.09062	Hispanic-Origin	32,753 (99%)
Total Area	--	Asian	14 (0%)
Land Area	100%	Hawaiian/Pacific Islander	0 (0%)
Water Area	0%	American Indian	65 (0%)
		Other/Multiracial	6,565 (20%)
Income Breakdown (ACS (American Community Survey)) - Households (%)		Education Level (Persons 25 & older) (ACS (American Community Survey)) - Persons (%)	
Less than \$15,000	4,851 (34.91%)	Less than 9th Grade	2,318 (9.82%)
\$15,000 - \$25,000	2,375 (17.09%)	9th through 12th Grade	1,625 (6.88%)
\$25,000 - \$50,000	3,172 (22.83%)	High School Diploma	5,011 (21.23%)
\$50,000 - \$75,000	1,574 (11.33%)	Some College/2-year	3,330 (14.11%)
Greater than \$75,000	1,922 (13.83%)	B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	8,196 (34.72%)



# Detailed Facility Report

## Facility Summary

**TOTAL PETROLEUM PUERTO RICO CORP-SERVICE  
STATION 304141**

**AVE SAN IGNACIO 1385 ALTAMESA, RIO PIEDRAS, PR  
00925**

**FRS (Facility Registry Service) ID:** 110042424089

**EPA Region:** 02

**Latitude:** 18.384389

**Longitude:** -66.092671

**Locational Data Source:** RCRAINFO

**Industries:** Gasoline Stations

**Indian Country:** N

## Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	--
Date of Last Compliance Monitoring Activity	--
<b>Compliance Status</b>	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	--
Formal Enforcement Actions (5 years)	--
Penalties from Formal Enforcement Actions (5 years)	--
EPA Cases (5 years)	--
Penalties from EPA Cases (5 years)	--

## Regulatory Information

**Clean Air Act (CAA):** No Information

**Clean Water Act (CWA):** No Information

**Resource Conservation and Recovery Act (RCRA):** Active VSQG, (PRR000023267)

**Safe Drinking Water Act (SDWA):** No Information

Go To Enforcement/Compliance Details

Known Data Problems <<https://epa.gov/resources/echo-data/known-data-problems>>

## Other Regulatory Reports

**Air Emissions Inventory (EIS):** No Information

**Greenhouse Gas Emissions (eGGRT):** No Information

**Toxic Releases (TRI):** No Information

**Compliance and Emissions Data Reporting Interface (CEDRI):** No Information

## Facility/System Characteristics

### Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110042424089					N	18.384389	-66.092671
RCRAInfo	RCRA	PRR000023267	VSQG	Active (H)			N	18.384389	-66.092671

## Facility Address

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110042424089	TOTAL PETROLEUM PUERTO RICO CORP-SERVICE STATION 304141	AVE SAN IGNACIO 1385 ALTAMESA, RIO PIEDRAS, PR 00925	San Juan Municipio
RCRAInfo	RCRA	PRR000023267	TOTAL PETROLEUM PUERTO RICO CORP-SERVICE STATION 304141	AVE SAN IGNACIO 1385 ALTAMESA, RIO PIEDRAS, PR 00925	San Juan Municipio

## Facility SIC (Standard Industrial Classification) Codes

System	Identifier	SIC Code	SIC Description
No data records returned			

## Facility NAICS (North American Industry Classification System) Codes

System	Identifier	NAICS Code	NAICS Description
RCRAInfo	PRR000023267	44711	Gasoline Stations with Convenience Stores
RCRAInfo	PRR000023267	44719	Other Gasoline Stations

## Facility Tribe Information

Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)
No data records returned			

## Enforcement and Compliance

### Compliance Monitoring History

Last 5 Years

Statute	Source ID	System	Activity Type	Compliance Monitoring Type	Lead Agency	Date	Finding (if applicable)
No data records returned							

Entries in *italics* are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy

<<https://www.epa.gov/compliance/compliance-monitoring-programs>> activities or because they are not counted as inspections within EPA's Annual Results

<<https://www.epa.gov/enforcement/enforcement-data-and-results>>.

### Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000023267	No	05/31/2025	0	05/30/2025

### Three-Year Compliance History by Quarter

Statute	Program/Pollutant/Violation Type	QTR 1	QTR 2	QTR 3	QTR 4	QTR 5	QTR 6	QTR 7	QTR 8	QTR 9	QTR 10	QTR 11
RCRA (Source ID: PRR000023267)	07/01-09/30/22 10/01-12/31/22 01/01-03/31/23 04/01-06/30/23 07/01-09/30/23 10/01-12/31/23 01/01-03/31/24 04/01-06/30/24 07/01-09/30/24 10/01-12/31/24 01/01-03/31/25											
	Facility-Level Status	No Violation Identified										
	Violation	Agency										

### Informal Enforcement Actions

Last 5 Years

Statute	System	Source ID	Type of Action	Lead Agency	Date
No data records returned					

Entries in *italics* are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

### Formal Enforcement Actions

Last 5 Years

Statute	System	Law/Section	Source ID	Type of Action	Case No.	Lead Agency	Case Name	Issued/ Filed Date	Settlements/ Actions	Settlement/ Action Date	Federal Penalty Assessed	State/ Local Penalty Assessed	Penalty Amount Collected	SEP Value	Comp Action Cost
No data records returned															

## Environmental Conditions

### Watersheds

12-Digit WBD (Watershed Boundary Dataset) HUC (RAD (Reach Address Database))	WBD (Watershed Boundary Dataset) Subwatershed Name (RAD (Reach Address Database))	State Water Body Name (ICIS (Integrated Compliance Information System))	Beach Closures Within Last Year	Beach Closures Within Last Two Years	Pollutants Potentially Related to Impairment	Watershed with ESA (Endangered Species Act)-listed Aquatic Species?
No data records returned						

## Assessed Waters From Latest State Submission (ATTAINS)

[State](#) [Report Cycle](#) [Assessment Unit ID](#) [Assessment Unit Name](#) [Water Condition](#) [Cause Groups Impaired](#) [Drinking Water Use](#) [Ecological Use](#) [Fish Consumption Use](#) [Recreation Use](#) [Other Use](#)

No data records returned

## Air Quality Nonattainment Areas

[Pollutant](#) [Within Nonattainment Status Area?](#) [Nonattainment Status Applicable Standard\(s\)](#) [Within Maintenance Status Area?](#) [Maintenance Status Applicable Standard\(s\)](#)

No data records returned

### Pollutants

## Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

[TRI Facility ID](#) [Year](#) [Air Emissions](#) [Surface Water Discharges](#) [Off-Site Transfers to POTWs \(Publicly Owned Treatment Works\)](#) [Underground Injections](#) [Disposal to Land](#) [Total On-Site Releases](#) [Total Off-Site Transfers](#)

No data records returned

## Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name

No data records returned

### Community

## Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary <<https://epa.gov/help/reports/dfr-data-dictionary#demographic>>.

General Statistics (ACS (American Community Survey))		Age Breakdown (ACS (American Community Survey)) - Persons (%)	
Total Persons	29,876	Children 5 years and younger	1,215 (4%)
Population Density	9,571/sq.mi.	Minors 17 years and younger	6,153 (21%)
Housing Units in Area	14,707	Adults 18 years and older	23,723 (79%)
Percent People of Color	99%	Seniors 65 years and older	6,361 (21%)
Households in Area	12,378		
Households on Public Assistance	400		
Persons With Low Income	18,510		
Percent With Low Income	63%		
Geography		Race Breakdown (ACS (American Community Survey)) - Persons (%)	
Radius of Selected Area	1 mi.	White	12,713 (43%)
Center Latitude	18.384389	African-American	3,694 (12%)
Center Longitude	-66.092671	Hispanic-Origin	29,402 (98%)
Total Area	--	Asian	0 (0%)
Land Area	100%	Hawaiian/Pacific Islander	0 (0%)
Water Area	0%	American Indian	13 (0%)
		Other/Multiracial	5,276 (18%)
Income Breakdown (ACS (American Community Survey)) - Households (%)		Education Level (Persons 25 & older) (ACS (American Community Survey)) - Persons (%)	
Less than \$15,000	4,247 (34.31%)	Less than 9th Grade	1,622 (7.68%)
\$15,000 - \$25,000	1,920 (15.51%)	9th through 12th Grade	1,273 (6.03%)
\$25,000 - \$50,000	2,571 (20.77%)	High School Diploma	4,305 (20.38%)
\$50,000 - \$75,000	1,387 (11.2%)	Some College/2-year	2,734 (12.94%)
Greater than \$75,000	2,254 (18.21%)	B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	8,513 (40.3%)

**Appendix \*:** USFWS “No Effect” Memo and supporting documentations

Date: April 23, 2025

Applicant ID: PR-ESP-00125

Street Address: V3-22 AVE SAN ALFONSO, San Juan PR, 00921

Municipality: San Juan

RE: No Effect Determination for PR-ESP-00125

### Executive Summary

Section 7 of the Endangered Species Act (ESA) mandates that federal agencies ensure the actions that they authorize, fund, or carry out shall not jeopardize the continued existence of federally listed plants and animals or result in the adverse modification or destruction of designated critical habitat. Where their actions may affect resources protected by the ESA, agencies must consult with the Fish and Wildlife Service and/or the National Marine Fisheries Service ("FWS" and "NMFS" or "the Services").

This memo serves to document that the proposed project, PR-ESP-00125, located at V3-22 AVE SAN ALFONSO, San Juan PR, 00921 (Parcel ID# 086-055-450-23-802) was reviewed in accordance with Section 7 of the Endangered Species Act of 1973 (16 USC 1536) as well as the Fish and Wildlife Coordination Act (47 Stat. 401, as amended; 16 U.S.C. 661 et seq.) by a qualified Biologist, resulting in a 'No Effect' determination.

The CDBG-DR Energy Electrical Power Reliability and Resilience (ER2) Program's objective is to enhance electric system reliability, affordability, and resiliency through the development and interconnection of projects that qualify as electric system enhancements or improvements.

### Project Description

The subject property is a commercial building located in San Juan, PR. The project scope includes the installation of a photovoltaic (solar) panel system and appurtenant storage system (batteries) on the existing commercial building's roof and will be built at Latitude: 18.389325, Longitude: -66.094980 (see Site Map at Appendix A, Figure 1). All improvements will be limited to the roof, floors, and walls of existing commercial buildings. The Field Observation Form and Environmental Screening Checklist depicting and clarifying the extent and location of project activities are included in Appendix B.

As indicated by the Official Species List obtained from the Information for Planning and Consultation (IPaC) system (Appendix C) and USFWS Critical Habitat data (Appendix A, Figure 2), the proposed project lies within the ranges of the following federally listed species and critical habitats:

Species	Status
Puerto Rican Boa ( <i>Chilabothrus inornatus</i> )	Endangered

Critical Habitat
None.

## Existing Conditions:

The project area where the activities will be taking place consists of approximately 0.07-acres of land located at V3-22 AVE SAN ALFONSO, San Juan PR, 00921. According to the U.S. Geological Survey National Land Cover Database (NLCD) (Appendix A, Figure 4) the majority of the project area consists of a high intensity developed land. According to historic imagery on Google Earth, the parcel has been developed and includes a structure circa 1955. A topographic map is included (see Appendix A, Figure 3). The project is located in Zone X on the FEMA Flood map and ABFE map, panel number 72000C0365J dated 11/18/2009 (see Flood Map Appendix A, Figure 5 and ABFE map Appendix A, Figure 6). A Preliminary FIRM has not been developed for this area. There is a mapped NWI riverine, an Unnamed creek approximately 338 feet to the east of the proposed project location. The project activities will not occur within a natural or manmade wetlands and no direct or indirect impacts are anticipated as a result of the project activities (see wetlands map Appendix A, Figure 7).

## Effect Determination:

Based on a review of site photos and other information gathered during a site visit on March 7, 2025, none of the species listed above were observed in the vicinity of the proposed project activities and no critical habitat was identified within the proposed project area. Having carefully analyzed the project site and the information available, including the IPaC species list and available Dkey(s), critical habitat data, nature of the project, previous site disturbance, and scope of project activities, the following effect determinations have been made:

Species	Effect Determination	Conservation Measures to be Implemented (if needed)
Puerto Rican Boa ( <i>Chilabothrus inornatus</i> )	No Effect	None required

## SPECIES ANALYSIS

### Puerto Rican Boa (*Chilabothrus inornatus*)

Considered to be a habitat generalist, the Puerto Rican Boa tolerates a wide variety terrestrial and arboreal habitat, including rocky areas, haystack hill, trees and branches, rotting stumps, caves, plantations, various types of forested areas such as karst and mangrove forests, forested urban and rural areas, and along streams and road edges. The IPaC Determination Key (Dkey) for the Puerto Rican Boa, dated March 18, 2025, was used to evaluate the potential impacts to federally listed species from this project. Based on the Dkey responses, it was determined that the proposed project will have 'No Effect' on the Puerto Rican Boa (Appendix C).

If a Puerto Rican Boa is found in the project activity site, work shall cease until the Boa moves off on its own. If the Boa does not move off, the Construction Manager shall contact the Puerto Rico Department of Natural and Environmental Resources and ask them to relocate the Boa.



---

Patricia Carmenatty / Senior Biologist

---

4/23/2025

Date


## **Appendix A:** Figures

Figure 1

# Location: Aerial Map


Electrical Power Reliability and Resilience Program (ER2)

Fundación Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



## Legend:

- PR-ESP-00125



### Service Layer Credits:

Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community  
 Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

### Source:


Centro de Recaudación de Ingresos Municipales (CRIM)  
<https://catastro.crimpr.net/cdrpc/>

Figure 2

# Threatened and Endangered Species Map


Electrical Power Reliability and Resilience Program (ER2)

Fundación Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



### Legend:

- PR-ESP-00125
- Critical Habitat



### Service Layer Credits:

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Source:  
 NOAA Office of Response and Restoration  
<https://response.restoration.noaa.gov/>

Figure 3

Fundación Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980


# Location: Topographic Map

Electrical Power Reliability and Resilience Program (ER2)



## Legend:

- PR-ESP-00125
- Elev\_Contour



Service Layer Credits:  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

Source:  
 Centro de Recaudación de Ingresos Municipales (CRIM)  
<https://catastro.crimpr.net/cdpprc/>


Quadrangle: San Juan

Figure 4

# Land Cover Map


Electrical Power Reliability and Resilience Program (ER2)

Fundación Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980



## Legend:

- PR-ESP-00125
- Developed Open Space
- Grassland
- High Intensity Developed
- Low Intensity Developed
- Medium Intensity Developed
- Mixed Forest



Service Layer Credits:  
 Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Source:  
 Multi-Resolution Land Characteristics (MRLC) Consortium  
<https://www.mrlc.gov/viewer/>

Figure 5

# Flood Insurance Rate Map

Electrical Power Reliability and Resilience Program (ER2)


Fundación Banco de Ojos del Leonismo Puertorriqueño  
V3-22 Ave. San Alfonso,  
San Juan PR 00921  
Catastro: 086-055-450-23-802  
Lat: 18.389325, Lon: -66.094980



### Legend:

- PR-ESP-00125
- FIRM Panel
- Floodway
- 0.2% Annual Chance Flood Hazard
- Zone D Area of Undetermined Flood Hazard

- Zone A
- Zone AE
- Zone AH
- Zone AO
- Zone VE
- Zone X



Service Layer Credits:  
Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Source:  
Federal Emergency Management Agency (FEMA)  
<https://msc.fema.gov/portal/home>

Figure 6

# Advisory Base Flood Elevation Map

Electrical Power Reliability and Resilience Program (ER2)


Fundación Banco de Ojos del Leonismo Puertorriqueño  
V3-22 Ave. San Alfonso,  
San Juan PR 00921  
Catastro: 086-055-450-23-802  
Lat: 18.389325, Lon: -66.094980



### **Legend:**

- Legend:

  - PR-ESP-00125
  - Area Potential Effect (Building Footprint)
  - CRIM-Parcel
  - Advisory Base Flood Elevations (ABFE)
  - 0.2 % Annual Chance Flood
  - 1 % Annual Chance Flood
  - Zone A
  - Zone AE
  - Zone AO
  - Zone VE
  - Zone X - Area of Minimal Flood Hazard
  - 0.2 % Annual Chance Flood
  - Floodway



#### Service Layer Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

| Source:

Federal Emergency Management Agency (FEMA),  
<https://gis-r2-fema.hub.arcgis.com/>


Junta de Planificación de Puerto Rico (JP), <https://maps.jp.pr.gov/>  
Mapas de Niveles de Inundación Base Recomendados

Figure 7

# Wetlands Map

Electrical Power Reliability and Resilience Program (ER2)

Fundación Banco de Ojos del Leonismo Puertorriqueño  
 V3-22 Ave. San Alfonso,  
 San Juan PR 00921  
 Catastro: 086-055-450-23-802  
 Lat: 18.389325, Lon: -66.094980




### Legend:

- PR-ESP-00125

### National Wetlands Inventory

Estuarine and Marine Deepwater	Freshwater Pond
Estuarine and Marine Wetland	Lake
Freshwater Emergent Wetland	Riverine
Freshwater Forested/Shrub Wetland	



### Service Layer Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community  
 Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

### Source:


U.S. Fish and Wildlife Service - National Wetlands Inventory  
<https://www.fws.gov/program/national-wetlands-inventory>

**Appendix B:** Field Observation Form and  
Environmental Screening Checklist



## Environmental Field Assessment Form - PR-ESP-00125

APPLICANT/LOCATION INFORMATION		
Applicant ID:	PR-ESP-00125	
Applicant Name:	Fundación Banco de Ojos del Leonismo Puertorriqueño	
Parcel ID:	086-055-450-23-802	
Coordinates:	18.389325, -66.094980	
Street Address:	V3-22 AVE SAN ALFONSO	
Municipio:	San Juan	
Zip Code:	00921	
Site Inspector:	Egon Gonzalez	
Date of Visit:	March 7, 2025	
Time of Visit:	10:23	
Year Built:	Circa 1965	
Building Information		
Question	Answer	Notes
1. Location verified:	Yes	18.389325, -66.094980
2. Is the building correct on GIS?	Yes	Building is correct on GIS
3. Building Type:	Commercial	
4. # of Stories:	2	
5. Building Foundation:	Concrete Slab	
6. Is the building in use?	Yes	Building is in use
7. Does the building have a detached garage / carport present?	No	
8. Is the electricity connected?	Yes	Electricity is connected
9. Is the water connected?	Yes	Water is connected
10. Are there signs of poor housekeeping on site? (mounds of rubble, garbage, storm debris, solid waste, petroleum products, paint, pesticides, cleaning fluids, vehicle batteries, abandoned vehicles, pits, pools, ponds of hazardous substances, electrical equipment etc.)	No	
11. Is a septic system present? If Yes report apparent condition.	No	
12. Are there any obvious signs of animals, birds nesting or burrows near the site?	No	



Parcel Conditions		
Question	Answer	Notes
1) Are there any 55-gallon drums visible on site? If yes, are they leaking?	No	
2) Are there any (or signs of any) underground storage tanks on the property?	No	
3) Are there signs of AST on the parcel or adjacent parcel? If yes, list approximate size and contents, if known.	Yes	400gal Water cistern located in roof. Roof is currently inaccessible. 200gal Diesel tank located on right side of structure
4) Is there any stained soil or pavement on the parcel?		
5) Are there any potentially hazardous trees that could fall?		
6) Are there any groundwater monitoring wells on the site or adjacent parcel?	No	
7) Is there distressed vegetation on the parcel?		
8) Are any additional environmental or non-environmental site hazards observed?		
9) Is there any permanent standing water, such as a pond or stream, located on the site(do not include ponding from recent rain / weather events)?	No	
10) Does the subject property have water frontage?	No	
11) Is the applicant aware of any significant historical event or persons associated with the structure, or of it being located in a historic district/ area?	No	
12) Is a historic marker present?	No	
13) Based on the above finding, does additional information need to be obtained from the applicant to determine whether an environmental hazard is present?	No	

### Building Environmental Conditions

Question	Answer	Notes
1. Is there any visible evidence of asbestos, chipping, and flaking or peeling paint, or hazardous materials present in or on the structure?	No	
2. Is there any visible indication of mold?	No	
3. Are there any pungent, foul or noxious odors?	No	

### Additional Needs Analysis

Question	Answer	Notes
Based on the above findings, does additional information need to be obtained from the applicant to determine whether an environmental hazard is present?	No	

I verify that I have physically visited this property and that the findings outlined above are accurate.



Inspector Signature

Egon Gonzalez

March 7, 2025



**Front of Structure**

Photo Direction: West

Comments:



**Facing Away from Front**

Photo Direction: East

Comments:





Side #1 of Structure

Photo Direction: West

Comments:



Facing Away From Side #1

Photo Direction: Southwest

Comments:





**Back of Structure**

Photo Direction: East

Comments:



**Facing Away from Back**

Photo Direction: West

Comments:






**Side #2 of Structure**

Photo Direction: West

Comments:



**Facing Away from Side #2**

Photo Direction: Northwest

Comments:





**Streetscape #1**

Photo Direction: North

Comments:



**Streetscape #2**

Photo Direction: South

Comments:



**Address**

Photo Direction: West

Comments:



**Architectural Details 1**

Photo Direction:

Photo Description: Electricity is connected

**Architectural Details 2**

Photo Direction:

Photo Description: Water is connected



### Architectural Details 3

Photo Direction:

Photo Description: 200gal Diesel tank for generator located on left side of structure



### Architectural Details 4

Photo Direction:

Photo Description: General interior view



#### Architectural Details 5

Photo Direction:

Photo Description: General interior view



#### Architectural Details 6

Photo Direction:

Photo Description: Additional back of structure view



**Architectural Details 7**

Photo Direction:

Photo Description: Additional right side of structure view

**Architectural Details 8**

Photo Direction:

Photo Description: Additional left side view



**Architectural Details 9**

Photo Direction:

Photo Description: Additional right side view



**Architectural Details 10**

Photo Direction:

Photo Description:

**Appendix C:** Information for Planning and  
Consultation (IPaC) system



# United States Department of the Interior



FISH AND WILDLIFE SERVICE  
Caribbean Ecological Services Field Office  
Post Office Box 491  
Boqueron, PR 00622-0491  
Phone: (939) 320-3135 Fax: (787) 851-7440  
Email Address: [CARIBBEAN\\_ES@FWS.GOV](mailto:CARIBBEAN_ES@FWS.GOV)

In Reply Refer To:

03/18/2025 18:23:09 UTC

Project Code: 2025-0070667

Project Name: PR-ESP-00125

Subject: List of threatened and endangered species that may occur in your proposed project location or may be affected by your proposed project

To Whom It May Concern:

**\*THE FOLLOWING SPECIES LIST IS NOT A SECTION 7 CONSULTATION. PLEASE CONTACT OUR OFFICE TO COMPLETE THE CONSULTATION PROCESS\***

The purpose of the Endangered Species Act (Act) is to provide a means whereby threatened, and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 et seq.), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect those species and/or their designated critical habitat.

Federal agencies are required to "request of the Secretary of Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action". The enclosed species list provides information to assist with the U.S. Fish and Wildlife Service (Service) consultation process under section 7 of the Act. However, **the enclosed species list does not complete the required consultation process**. The species list identifies threatened, endangered, proposed and candidate species, as well as proposed and designated critical habitats, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. A discussion between the Federal agency and the Service should include what types of listed species may occur in the proposed action area and what effect the proposed action may have on those species. This process initiates informal consultation.

Once a species list is obtained for the proposed project, an effect determination for endangered and threatened species should be made. The applicant could make an effect determination by using available keys on IPaC for specific species. For species with no determination keys, the applicant should request concurrence from the Service by sending a project package

to [caribbean\\_es@fws.gov](mailto:caribbean_es@fws.gov). To obtain guidance for completing this process and the minimum requirements for project packages, please visit:

<https://www.fws.gov/sites/default/files/documents/consultation-under-section-7-of-the-endangered-species-act-with-the-caribbean-ecological%20Services-field-office-template-letter.pdf>

When a federal agency, after discussions with the Service, determines that the proposed action is not likely to adversely affect any listed species, or adversely modify any designated critical habitat, and the Service concurs, the informal consultation is complete, and the proposed project moves ahead. If the proposed action is suspected to affect a listed species or modify designated critical habitat, the Federal agency may then prepare a Biological Assessment (B.A.) to assist in its determination of the project's effects on species and their habitat. However, a B.A. is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2) (c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a B.A. where the agency provides the Service with an evaluation on the likely effects of the action to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a B.A. are described at 50 CFR 402.12.

If a federal agency determines, based on its B.A. or biological evaluation, that listed species and/or designated critical habitat may be affected by the proposed project, the agency is required to further consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species, and proposed critical habitat be addressed within the consultation process. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

<https://www.fws.gov/sites/default/files/documents/endangered-species-consultation-handbook.pdf>

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species.

This list is provided pursuant to Section 7 of the Endangered Species Act and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action". Please use this list to determine whether your project requires consultation and to make your effects determination. For more guidance, use the Guideline for Consultation under Section 7 of the Endangered Species Act with the Caribbean Ecological Services Field Office by clicking [here](#).

This species list is provided by:

Caribbean Ecological Services Field Office

[caribbean\\_es@fws.gov](mailto:caribbean_es@fws.gov)

Post Office Box 491

Boqueron, PR 00622-0491

(786) 244-0081

Attachment(s):

- Official Species List
- USFWS National Wildlife Refuges and Fish Hatcheries
- Bald & Golden Eagles
- Migratory Birds
- Wetlands

## OFFICIAL SPECIES LIST

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

**Caribbean Ecological Services Field Office**

Post Office Box 491

Boqueron, PR 00622-0491

(939) 320-3135

## PROJECT SUMMARY

Project Code: 2025-0070667


Project Name: PR-ESP-00125

Project Type: Power Gen - Solar

Project Description: Fundación Banco de Ojos del Leonismo Puertorriqueño / Commercial

Project Location:

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@18.38932754999997,-66.09500142439956,14z>



Counties: San Juan County, Puerto Rico

## ENDANGERED SPECIES ACT SPECIES

There is a total of 1 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries<sup>1</sup>, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

- 
1. [NOAA Fisheries](#), also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

## REPTILES

NAME	STATUS
Puerto Rican Boa <i>Chilabothrus inornatus</i> No critical habitat has been designated for this species. Species profile: <a href="https://ecos.fws.gov/ecp/species/6628">https://ecos.fws.gov/ecp/species/6628</a> General project design guidelines: <a href="https://ipac.ecosphere.fws.gov/project/CDIGZNH6GJDAXPTDY35EQVHMJI/documents/generated/7159.pdf">https://ipac.ecosphere.fws.gov/project/CDIGZNH6GJDAXPTDY35EQVHMJI/documents/generated/7159.pdf</a>	Endangered

## CRITICAL HABITATS

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

YOU ARE STILL REQUIRED TO DETERMINE IF YOUR PROJECT(S) MAY HAVE EFFECTS ON ALL ABOVE LISTED SPECIES.

## USFWS NATIONAL WILDLIFE REFUGE LANDS AND FISH HATCHERIES

Any activity proposed on lands managed by the [National Wildlife Refuge](#) system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

THERE ARE NO REFUGE LANDS OR FISH HATCHERIES WITHIN YOUR PROJECT AREA.

## BALD & GOLDEN EAGLES

Bald and Golden Eagles are protected under the Bald and Golden Eagle Protection Act <sup>2</sup> and the Migratory Bird Treaty Act (MBTA) <sup>1</sup>. Any person or organization who plans or conducts activities that may result in impacts to Bald or Golden Eagles, or their habitats, should follow appropriate regulations and consider implementing appropriate avoidance and minimization measures, as described in the various links on this page.

- 
1. The [Bald and Golden Eagle Protection Act](#) of 1940.
  2. The [Migratory Birds Treaty Act](#) of 1918.
  3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

Bald and Golden Eagles are protected under the Bald and Golden Eagle Protection Act and the Migratory Bird Treaty Act (MBTA). Any person or organization who plans or conducts activities that may result in impacts to Bald or Golden Eagles, or their nests, should follow appropriate regulations and implement required avoidance and minimization measures, as described in the various links on this page.

The data in this location indicates that no eagles have been observed in this area. This does not mean eagles are not present in your project area, especially if the area is difficult to survey. Please review the 'Steps to Take When No Results Are Returned' section of the Supplemental Information on Migratory Birds and Eagles document to determine if your project is in a poorly surveyed area. If it is, you may need to rely on other resources to determine if eagles may be present (e.g. your local FWS field office, state surveys, your own surveys).

Any person or organization who plans or conducts activities that may result in impacts to bald or golden eagles, or their habitats, should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the "Supplemental Information on Migratory Birds and Eagles".

## MIGRATORY BIRDS

The Migratory Bird Treaty Act (MBTA) <sup>1</sup> prohibits the take (including killing, capturing, selling, trading, and transport) of protected migratory bird species without prior authorization by the Department of Interior U.S. Fish and Wildlife Service (Service). The incidental take of migratory birds is the injury or death of birds that results from, but is not the purpose, of an activity. The Service interprets the MBTA to prohibit incidental take.

- 
1. The [Migratory Birds Treaty Act](#) of 1918.
  2. The [Bald and Golden Eagle Protection Act](#) of 1940.
  3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

THERE ARE NO FWS MIGRATORY BIRDS OF CONCERN WITHIN THE VICINITY OF YOUR PROJECT AREA.

## WETLANDS

Impacts to [NWI wetlands](#) and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local [U.S. Army Corps of Engineers District](#).

Please note that the NWI data being shown may be out of date. We are currently working to update our NWI data set. We recommend you verify these results with a site visit to determine the actual extent of wetlands on site.

THERE ARE NO WETLANDS WITHIN YOUR PROJECT AREA.

## IPAC USER CONTACT INFORMATION

Agency: Private Entity  
Name: Patricia Carmenatty  
Address: Perseo St. 554 Cond. Iberia Suite J-3  
City: San Juan  
State: PR  
Zip: 00920  
Email: patricia.carmenatty@byaea.com  
Phone: 7877830290



# United States Department of the Interior



FISH AND WILDLIFE SERVICE  
Caribbean Ecological Services Field Office  
Post Office Box 491  
Boqueron, PR 00622-0491  
Phone: (939) 320-3135 Fax: (787) 851-7440  
Email Address: [CARIBBEAN\\_ES@FWS.GOV](mailto:CARIBBEAN_ES@FWS.GOV)

In Reply Refer To:  
Project code: 2025-0070667  
Project Name: PR-ESP-00125


03/18/2025 18:28:51 UTC

Subject: Technical Assistance letter for the project named 'PR-ESP-00125' for specified threatened and endangered species, that may occur in your proposed project location, pursuant to the IPaC determination key titled Caribbean Determination Key (DKey).

Dear Applicant:

Thank you for using the assisted evaluation keys in IPaC. This letter is provided pursuant to the Service's authority under the Endangered Species Act of 1973, as amended (ESA) (87 Stat. 884; 16 U.S.C. 1531et seq.). On March 18, 2025, Patricia Carmenatty used the Caribbean DKey; dated January 03, 2025, in the U.S. Fish and Wildlife Service's online [IPaC application](#) to evaluate potential impacts to federally listed species, from a project named 'PR-ESP-00125'. The project is located in San Juan County, Puerto Rico (shown below).

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@18.38932754999999,-66.09500142439956,14z>



The following description was provided for the project 'PR-ESP-00125':

## Fundación Banco de Ojos del Leonismo Puertorriqueño / Commercial

Based on your answers and the assistance of the Service's Caribbean DKey, you determined the proposed Action will have "No Effect" on the following species:

Species	Listing Status	Determination
Puerto Rican Boa ( <i>Chilabothrus inornatus</i> )	Endangered	No effect

Thank you for informing the Service of your "No Effect" determination(s) for this project. No further consultation/coordination for this project is required for these species. However, be aware that reinitiation of consultation may be necessary if later modifications are made to the project so that it no longer meets the criteria or outcome described above, or if new information reveals effects of the action that could affect listed species or critical habitat in a manner or to an extent not previously considered, or if a new species is listed.

This letter serves as documentation of your consideration of the federally listed species as required under section 7 of the ESA. However, effects to the other federally listed species or critical habitat as listed below from the "IPaC print-out for the project" (see below) should be considered as part of your ESA review for the project.

The Service will notify you within 30 calendar days if we determine that this proposed Action does not meet the criteria for a "No Effect" (NE) determination for Federally listed species in the Caribbean. If we do not notify you within that timeframe, you may proceed with the Action under the terms of the NE concurrence provided here. This verification period allows the Caribbean Ecological Services Field Office to apply local knowledge to evaluate the Action, as we may identify a small subset of actions having unanticipated impacts. In such instances, the Caribbean Ecological Services Field Office may request additional information to verify the effects determination reached through the DKey.

**Note:** Projects located within the range of the Puerto Rican boa or the Virgin Islands tree boa might encounter these species during project activities. **This letter does not provide take to handle or move these species.** If relocation of the species is needed, please contact either the Puerto Rico Department of Natural Resources (DNER) at 787-724-5700, 787-230-5550, or 787-771-1124 for projects in Puerto Rico, or the Virgin Islands Department of Planning and Natural Resources, Division of Fish and Wildlife (DFW) at 340-775-6762 for projects in the Virgin Islands. Otherwise, contact the Caribbean Ecological Services Field Office ([caribbean\\_es@fws.gov](mailto:caribbean_es@fws.gov)) to determine whether the consultation needs to be reinitiated.

If the proposed project is located within species range where a DKey has not been developed for those species, please follow the established guidance for initiating section 7 consultation Caribbean Ecological Services Field Office.

We appreciate your interest in protecting endangered species and their habitats. It is the Service's mission to work with others to conserve, protect, and enhance fish, wildlife, and plants and their habitats for the continuing benefit of our people. If you have any questions or require additional information, please contact our office at [Caribbean\\_es@fws.gov](mailto:Caribbean_es@fws.gov).

## Action Description

You provided to IPaC the following name and description for the subject Action.

### 1. Name


PR-ESP-00125

## 2. Description

The following description was provided for the project 'PR-ESP-00125':

Fundación Banco de Ojos del Leonismo Puertorriqueño / Commercial

The approximate location of the project can be viewed in Google Maps: <https://www.google.com/maps/@18.38932754999997,-66.09500142439956,14z>



## QUALIFICATION INTERVIEW

1. Is the proposed project an EPA Multi-Sector General Permit (MSGP) renewal for an existing project? ([MSGP Fact Sheet](#))

No

2. Is the proposed project within an urban developed area? (i.e., cities, downtowns, shopping malls etc.)

**Note:** Urban and developed areas has one or more of the following characteristics: Presence of existing buildings, residential areas, and commercial establishments. Well-established infrastructure including roads, utilities, and urban facilities. High population density. Established neighborhoods and urban amenities ("urbanizaciones"). Developed landscape with paved surfaces, parking lots, and industrial areas. Signs of human activity and urbanization, such as shopping centers and recreational facilities. Location within the boundaries of a city or town ("casco urbano"). High concentration of built-up structures and limited open spaces. Aerial imagery might be requested to the applicant. .

Yes

3. [Hidden Semantic] Does the proposed project intersect the Puerto Rican boa area of influence?

**Automatically answered**

Yes

## IPAC USER CONTACT INFORMATION

Agency: Private Entity  
Name: Patricia Carmenatty  
Address: Perseo St. 554 Cond. Iberia Suite J-3  
City: San Juan  
State: PR  
Zip: 00920  
Email: patricia.carmenatty@byaea.com  
Phone: 7877830290

## **Appendix D: USFWS Species Analysis**



## U.S. FISH AND WILDLIFE SERVICE CARIBBEAN ECOLOGICAL SERVICES FIELD OFFICE

### Conservation Measures for the Puerto Rican boa (*Chilabothrus inornatus*)

Section 7 (a)(1) of the Endangered Species Act (ESA) charges Federal agencies to aid in the conservation of listed species, and section 7 (a)(2) requires the agencies, through consultation with the U.S. Fish and Wildlife Service (Service), to ensure their activities are not likely to jeopardize the continued existence of listed species or adversely modify designated critical habitats. Section 7 applies to the management of Federal lands as well as Federal actions that may affect federally listed species, such as Federal approval of private activities through the issuance of Federal funding, permits, licenses, or other actions. Any person that injures, captures, or kills a Puerto Rico boa is subject to penalties under the ESA. If Federal funds or permits are needed, the funding or permitting agency should initiate Section 7 consultation with the Service. To initiate a consultation under the Section 7 of the ESA, you must submit a project package with the established minimum requirements. These conservation measures should be incorporated into the project plans to minimize possible impacts to the species.

The endangered Puerto Rican (PR) boa (*Chilabothrus inornatus*, formerly *Epicrates inornatus*) is the largest endemic snake species that inhabits Puerto Rico. The PR boa is non-venomous and does not pose any life threatening danger to humans, but some individuals may try to bite if disturbed or during capture or handling. Its body color ranges from tan to dark brown with irregular diffuse marking on the dorsum, but some individuals lack marking and are uniformly dark. Juveniles may have a reddish color with more pronounced markings. In general, as they mature, their body color tends to darken.



Adult PR boa – *Chilabothrus inornatus*  
Photo: Puerto Rico by JP Zegarra

The PR boa was federally listed in 1970. Currently, the species has an island-wide distribution and occurs in a wide variety of habitat types, ranging from wet montane to subtropical dry forest and can be found from mature forest to areas with different degrees of human disturbance such as roadsides or houses, especially if near their habitat in rural areas. The PR boa is considered mostly nocturnal, remaining less active, concealed or basking under the sun during the day.

The Service has developed the following conservation measures with the purpose of assisting others to avoid or minimize adverse effects to the PR boa and its habitat. These recommendations may be incorporated into new project plans and under certain circumstances into existing projects. Depending on the project, additional conservation measures can be implemented besides the ones presented in this document.

#### Conservation Measures:

1. Inform all project personnel about the potential presence of the PR boa in areas where the proposed work will be conducted. A pre-construction meeting should be conducted to inform all project personnel about the need to avoid harming the species as well as penalties for harassing or harming PR boas. An educational poster or sign with photo or illustration of the species should be displayed at the project site.
2. Prior to any construction activity, including removal of vegetation and earth movements, the boundaries of the project and areas to be excluded and protected should be clearly marked in the project plan and in the field in order to avoid further habitat degradation into forested and conservation areas.
3. Once areas are clearly marked, and prior to the use of heavy machinery and any construction activity (including removal of vegetation and earth movement), a biologist or project personnel with experience on this species should survey the areas to be cleared to verify the presence of any PR boa within the work area.
4. If a PR boa is found within any of the working or construction areas, activities should stop at that area and information recorded (see #5). **Do not capture the boa.** If boas need to be moved out of harm's way, designated personnel shall immediately contact the Puerto Rico Department of Natural and Environmental Resources (PRDNER) Rangers for safe capture and relocation of the animal (PRDNER phone #: (787) 724-5700, (787) 230-5550, (787) 771-1124). **If immediate relocation is not an option, project-related activities at that area must stop until the boa moves out of harm's way on its own.** Activities at other work sites, where no boas have been found after surveying the area, may continue.
5. For all boa sightings (dead or alive), record the time and date of the sighting and the specific location where it was found. PR boa data should also include a photo of the animal (dead or alive), site GPS coordinates, the time and date, and comments on how the animal was detected and its behavior.

6. If a PR boa is captured by PRDNER personnel, record the name of that person and information on where the PR boa will be taken. This information should be reported to the Service.
7. Measures should be taken to avoid and minimize PR boa casualties by heavy machinery or motor vehicles being used on site. Any heavy machinery left on site (staging) or near potential PR boa habitat (within 50 meters of potential boa habitat), needs to be thoroughly inspected each morning before work starts to ensure that no boas have sheltered within engine compartments or other areas of the equipment. If PR boas are found within vehicles or equipment, do not capture the animal, and let it move on its own or call PRDNER Rangers for safe capture and relocation of the animal (see #4). If not possible, the animal should be left alone until it leaves the vehicle on its own.
8. PR boas may seek shelter in debris piles. Measures should be taken to avoid and minimize boa casualties associated with sheltering in debris piles as a result of project activities. Debris piles should be placed far away from forested areas. Prior to moving, disposing or shredding, debris piles should be carefully inspected for the presence of boas. If debris piles will be left on site, we recommend they be placed in areas that will not be disturbed in the future.
9. If a dead PR boa is found, immediately cease all work in that area and record the information accordingly (see #5). If the PR boa was accidentally killed as part of the project actions, please include information on what conservation measures had been implemented and what actions will be taken to avoid further killings. A dead boa report should be sent by email (see contacts below) to the Service within 48 hours of the event.
10. Projects must comply with all state laws and regulations. Please contact the PRDNER for further guidance.

If you have any questions regarding the above conservation measures, please contact the Service:

- José Cruz-Burgos, Endangered Species Program Coordinator
  - Email: [jose\\_cruz-burgos@fws.gov](mailto:jose_cruz-burgos@fws.gov)
  - Office phone (305) 304-1386
- Jan Zegarra, Fish and Wildlife Biologist
  - Email: [jan\\_zegarra@fws.gov](mailto:jan_zegarra@fws.gov)
  - Office phone (786) 933-1451

**Appendix 7: SECTION 106 CONSULTATION  
PACKAGE**



OFICINA ESTATAL DE

# CONSERVACIÓN HISTÓRICA

GOBIERNO DE PUERTO RICO

Executive Director | Carlos A. Rubio Cancela | carubio@prshpo.pr.gov

Tuesday, June 17, 2025

## Kristin Sanders

Historic Preservation Manager

269 Avenida Ponce de León, San Juan, PR, 00917

SHPO-CF-06-04-25-01 PRDOH CDBG-DR\_ESP Program\_20250604\_17  
Improvements\_NHPA

Dear Ms. Sanders,

Our Office has received and reviewed the above referenced project in accordance with 54 U.S.C. 306108 (commonly known as Section 106 of the National Historic Preservation Act) and 36 CFR Part 800: Protection of Historic Properties.

Our records support your finding of "no historic properties affected" within the following properties' Area of Potential Effects (APE):

Aguadilla PR-ESP-00208 Bo. Caimital Abajo Carr 2 Km 121.6

Aibonito PR-ESP-00132 Carretera 14 Km 46.7 Bo. Asomante

Bayamón PR-ESP-00154 Ave. Santa Juanita AK6 Urb. Santa Juanita

Bayamón PR-ESP-00217 MARGINAL A-3 URB FOREST HILLS BAY

Bayamón PR-ESP-00230 URB MIRAFLORES 3-9 CALLE 2

Bayamón PR-ESP-00362 REPARTO TERESITA AL-2 CALLE 23

Caguas PR-ESP-00128 Ave Gautier Benitez B-13 Urb Villa Carmen

Lajas PR-ESP-00119 Carr 303 Km 3.2 Bo. Olivares

Lajas PR-ESP-00212 CARR 102 KM 17.2 INT SECTOR PALMER #8

Manatí PR-ESP-00139 1 D2 Villa Maria

Moca PR-ESP-00229 CARR 125 KM 3.5

San Juan PR-ESP-00125 V3-22 AVE SAN ALFONSO

San Juan PR-ESP-00200 Urb Monte Carlos 1265 Ave Monte Carlos

San Juan PR-ESP-00257 773 AVE SAN PATRICIO

San Juan PR-ESP-00264 CALLE 15 1265 EXT SAN AGUSTIN

San Juan PR-ESP-00356 1727 Avenida Jesus T. Pinero

Villalba PR-ESP-00149 CARR. 149 ESQUINA BORINQUEN #44

If you have any questions regarding our comments, please do not hesitate to contact our Office.



OFICINA ESTATAL DE  
CONSERVACIÓN HISTÓRICA  
OFICINA DEL GOBERNADOR

STATE HISTORIC  
PRESERVATION OFFICE  
OFFICE OF THE GOVERNOR

Sincerely,



Carlos A. Rubio Cancela

State Historic Preservation Officer  
CARC/GMO/ SG



SHPO  
OFICINA ESTRAL DE  
CONSERVACIÓN HISTÓRICA  
OFICINA DEL GOBERNADOR

STATE HISTORIC  
PRESERVATION OFFICE  
OFFICE OF THE GOVERNOR

June 4, 2025

Carlos A. Rubio Cancela  
Director Ejecutivo  
Oficina Estatal de Conservación Histórica  
Cuartel de Ballajá (Tercer Piso)  
San Juan, PR 00902-3935

**PUERTO RICO DISASTER RECOVERY, CDBG-DR PROGRAM: ENERGY POWER RELIABILITY AND RESILIENCE/DDEC ENERGY SUPPORT PROGRAM (ESP)**

**SECTION 106 NHPA EFFECT DETERMINATION SUBMITTAL – SEVENTEEN (17) NON-HISTORIC CASE(S) – *NO HISTORIC PROPERTIES Affected***

Dear Architect Rubio Cancela,

In accordance with Section 106 of the National Historic Preservation Act and its implementing regulations, 36 CFR Part 800, HORNE is providing information for your review and requesting your concurrence regarding the above-referenced projects on behalf of the Puerto Rico Department of Housing (PRDOH) and the Energy Power Reliability and Resilience/DDEC Energy Support Program (ESP). On February 9, 2018, an allocation of Community Development Block Grant - Disaster Recovery (CDBG-DR) funds was approved by the United States Department of Housing and Urban Development (HUD) under the Federal Register Volume 83, No. 28, 83 FR 5844, to assist the Commonwealth of Puerto Rico in meeting unmet needs in the wake of Hurricanes Irma and Maria. On August 14, 2018, an additional \$8.22 billion recovery allocation was allocated to Puerto Rico under the Federal Register Volume 83, No. 157, 83 FR 40314. With these funding allocations, the Puerto Rico Department of Housing (Housing) aims to lead a comprehensive and transparent recovery for the benefit of Puerto Rico residents.

The purpose of the ESP is to benefit Puerto Rican communities by funding projects that enhance electric system reliability, affordability, and resiliency. The Program's design will be carried out through the development and interconnection of microgrids and distributed energy resources, including renewable energy generation, combined heat and power (CHP) systems, photovoltaic systems (PVS), and battery storage systems (BSS), among other eligible project types.

On behalf of PRDOH, we are submitting the following seventeen (17) cases for Section 106 consultation as it cannot be cleared with Programmatic Agreement allowances. These cases consist of the installation of PV systems with battery backup systems. The prepared excel file presents all information for these properties for your review including the ESP Case ID, locational data, photographs, a link to the google map, key dates and supporting imagery, and the PRDOH Eligibility and Effect Determinations.

MUNICIPALITY	CASE ID	ADDRESS
Aguadilla	PR-ESP-00208	Bo. Caimital Abajo Carr 2 Km 121.6
Aibonito	PR-ESP-00132	Carretera 14 Km 46.7 Bo. Asomante
Bayamón	PR-ESP-00154	Ave. Santa Juanita AK6 Urb. Santa Juanita
Bayamón	PR-ESP-00217	MARGINAL A-3 URB FOREST HILLS BAY
Bayamón	PR-ESP-00230	URB MIRAFLORES 3-9 CALLE 2
Bayamón	PR-ESP-00362	REPARTO TERESITA AL-2 CALLE 23
Caguas	PR-ESP-00128	Ave Gautier Benitez B-13 Urb Villa Carmen
Lajas	PR-ESP-00119	Carr 303 Km 3.2 Bo. Olivares
Lajas	PR-ESP-00212	CARR 102 KM 17.2 INT SECTOR PALMER #8
Manatí	PR-ESP-00139	1 D2 Villa Maria
Moca	PR-ESP-00229	CARR 125 KM 3.5
San Juan	PR-ESP-00125	V3-22 AVE SAN ALFONSO
San Juan	PR-ESP-00200	Urb Monte Carlos 1265 Ave Monte Carlos
San Juan	PR-ESP-00257	773 AVE SAN PATRICIO
San Juan	PR-ESP-00264	CALLE 15 1265 EXT SAN AGUSTIN
San Juan	PR-ESP-00356	1727 Avenida Jesus T. Pinero
Villalba	PR-ESP-00149	CARR. 149 ESQUINA BORINQUEN #44

The properties are not individually eligible, listed in the National Register of Historic Places (NRHP) or located within or adjacent to an eligible or listed Historic District. A recommendation of "No Historic Properties Affected", pursuant to 36 CFR 800.4(d)(1), has been made for these proposed projects.

We look forward to your review and concurrence. Please contact me with any questions or concerns by email at [kristin.sanders@horne.com](mailto:kristin.sanders@horne.com) or phone at 225-276-2109.

Kindest regards,




**Kristin P. Sanders**



Historic Preservation Manager

Enclosures

Puerto Rico Department of Housing CDBG-DR Energy Power Reliability and Resilience/DDEC Energy Support Program (ESP) Improvements to Non-Historic Properties: Properties 45 Years or Greater, Not Individually Eligible or Listed in the National Register of Historic Places (NRHP), and Neither Adjacent to Nor Located Within an Eligible or Listed NRHP Historic District Proposed Undertakings consist of the Installation of Photovoltaic Systems (PVS) and a Battery Storage Systems (BSS) on the Roof of the Subject Building Submission Date: June 4, 2025 - 17 Cases																					
Case ID	Street Address	Municipality	Parcel ID	Latitude	Longitude	Acreage	Estimate of Funding	Property Information								National Register Eligibility	SFPO Determination	SFPO Concurrence (SFPO US Only)	Determination of Effect		
								Photo (Current Aerial Imagery and up to 3 Photos Front, Right, Left)								Link to Google Map	Verified by Google Earth Pro, Aerial Photo and USGS Maps	Eligibility Determination	SFPO Concurrence (SFPO US Only)	PADON Effect Determination	SFPO Concurrence (SFPO US Only)
PR-ESP-00208	Bs. Colindales Abajo Carr. 2 Km 0.6	Aguadilla	024-062-002-09-901	18.4643	-67.73348	0.23	\$10,000					<a href="https://maps.google.com/maps?ll=18.4643,-67.73348&amp;t=h&amp;z=15&amp;hl=en&amp;q=Bs.+Colindales+Abajo+Carr.+2+Km+0.6">https://maps.google.com/maps?ll=18.4643,-67.73348&amp;t=h&amp;z=15&amp;hl=en&amp;q=Bs.+Colindales+Abajo+Carr.+2+Km+0.6</a>	Circa 1970	Structure is present in 1970 aerial imagery but a different structure is present on 1958 imagery.	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00212	Camelera 14 Km 45.7 Bv. Asomante	Albonito	207-075-179-01-001	18.129888	-65.285385	0.3	\$10,000					<a href="https://maps.google.com/maps?ll=18.129888,-65.285385&amp;t=h&amp;z=15&amp;hl=en&amp;q=Camelera+14+Km+45.7+Bv.+Asomante">https://maps.google.com/maps?ll=18.129888,-65.285385&amp;t=h&amp;z=15&amp;hl=en&amp;q=Camelera+14+Km+45.7+Bv.+Asomante</a>	Circa 1982	Structure is present in 1988 aerial imagery but absent on 1958 aerial imagery.	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00214	Ave. Santa Juana KM 0.5 Urb. Santa Juana	Bayamon	113-014-522-09-001	18.367247	-66.163003	0.09	\$19,534					<a href="https://maps.google.com/maps?ll=18.367247,-66.163003&amp;t=h&amp;z=15&amp;hl=en&amp;q=Ave.+Santa+Juana+KM+0.5+Urb.+Santa+Juana">https://maps.google.com/maps?ll=18.367247,-66.163003&amp;t=h&amp;z=15&amp;hl=en&amp;q=Ave.+Santa+Juana+KM+0.5+Urb.+Santa+Juana</a>	Circa 1982	Structure is present in 1982 aerial imagery. (earliest available).	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00217	MARIGOLD A-1 SUB FOREST HILLS BAY	Bayamon	003-054-239-25-000	18.389542	-66.165985	0.2	\$48,287					<a href="https://maps.google.com/maps?ll=18.389542,-66.165985&amp;t=h&amp;z=15&amp;hl=en&amp;q=MARIGOLD+A-1+SUB+FOREST+HILLS+BAY">https://maps.google.com/maps?ll=18.389542,-66.165985&amp;t=h&amp;z=15&amp;hl=en&amp;q=MARIGOLD+A-1+SUB+FOREST+HILLS+BAY</a>	Circa 1985	Structure is present in 1982 aerial imagery but absent from 1930 municipality imagery.	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00230	URB MIRARI CRES 3-G CALLE 2	Bayamon	084-069-365-09-001	18.37671	-66.196987	0.06	\$25,883					<a href="https://maps.google.com/maps?ll=18.37671,-66.196987&amp;t=h&amp;z=15&amp;hl=en&amp;q=URB+MIRARI+CRES+3-G+CALLE+2">https://maps.google.com/maps?ll=18.37671,-66.196987&amp;t=h&amp;z=15&amp;hl=en&amp;q=URB+MIRARI+CRES+3-G+CALLE+2</a>	Circa 1985	Structure is present in 1987 aerial imagery but absent from 1982 aerial imagery.	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00262	REPASO TERESITA AL-2 CALLE 23	Bayamon	081-061-201-04-001	18.414018	-66.182469	0.21	\$10,000					<a href="https://maps.google.com/maps?ll=18.414018,-66.182469&amp;t=h&amp;z=15&amp;hl=en&amp;q=REPASO+TERESITA+AL-2+CALLE+23">https://maps.google.com/maps?ll=18.414018,-66.182469&amp;t=h&amp;z=15&amp;hl=en&amp;q=REPASO+TERESITA+AL-2+CALLE+23</a>	Circa 1972	Structure is present in 1977 aerial imagery but no structure is present on 1957 aerial imagery.	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00268	Ave Goulart Benitez B-12 Urb Villa Carmen	Cogua	201-033-045-12-001	18.215547	-66.04297	0.07	\$10,478					<a href="https://maps.google.com/maps?ll=18.215547,-66.04297&amp;t=h&amp;z=15&amp;hl=en&amp;q=Ave+Goulart+Benitez+B-12+Urb+Villa+Carmen">https://maps.google.com/maps?ll=18.215547,-66.04297&amp;t=h&amp;z=15&amp;hl=en&amp;q=Ave+Goulart+Benitez+B-12+Urb+Villa+Carmen</a>	Circa 1980	Structure is present in 1982 aerial imagery. (earliest imagery available).	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00279	Carr. 30 Km 3.2 Bv. Chivato	Lopera	188-001-000-01-002	18.002324	-67.058464	4.15	\$40,173					<a href="https://maps.google.com/maps?ll=18.002324,-67.058464&amp;t=h&amp;z=15&amp;hl=en&amp;q=Carr.+30+Km+3.2+Bv.+Chivato">https://maps.google.com/maps?ll=18.002324,-67.058464&amp;t=h&amp;z=15&amp;hl=en&amp;q=Carr.+30+Km+3.2+Bv.+Chivato</a>	Circa 1970	Structure is present in 1975 aerial imagery. (earliest imagery available).	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00212	CARR 82 KM 17.2 INT SECTOR PALMER #6	Lopera	188-051-000-12-001	18.043257	-67.058622	0.18	\$10,000					<a href="https://maps.google.com/maps?ll=18.043257,-67.058622&amp;t=h&amp;z=15&amp;hl=en&amp;q=CARR+82+KM+17.2+INT+SECTOR+PALMER+%236">https://maps.google.com/maps?ll=18.043257,-67.058622&amp;t=h&amp;z=15&amp;hl=en&amp;q=CARR+82+KM+17.2+INT+SECTOR+PALMER+%236</a>	Circa 1970	Structure is present in 1975 aerial imagery not on 1941-42 aerials.	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00239	102 Villa Maria	Manatí	056-012-029-02-001	18.43047	-66.489995	0.1	\$10,000					<a href="https://maps.google.com/maps?ll=18.43047,-66.489995&amp;t=h&amp;z=15&amp;hl=en&amp;q=102+Villa+Maria">https://maps.google.com/maps?ll=18.43047,-66.489995&amp;t=h&amp;z=15&amp;hl=en&amp;q=102+Villa+Maria</a>	Circa 1980	Structure is present in 1987 aerial imagery. (earliest available imagery).	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00229	CARR 12 KM 3.5	Moca	070-044-023-02-000	18.390018	-67.302544	0.33	\$30,600					<a href="https://maps.google.com/maps?ll=18.390018,-67.302544&amp;t=h&amp;z=15&amp;hl=en&amp;q=CARR+12+KM+3.5">https://maps.google.com/maps?ll=18.390018,-67.302544&amp;t=h&amp;z=15&amp;hl=en&amp;q=CARR+12+KM+3.5</a>	Circa 1985	Structure is present in 1975 aerial imagery. Not present on 1958 aerial imagery.	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00226	V-02 AVENIDA SAN JUAN	San Juan	088-035-050-20-002	18.389325	-66.09498	0.08	\$40,605					<a href="https://maps.google.com/maps?ll=18.389325,-66.09498&amp;t=h&amp;z=15&amp;hl=en&amp;q=V-02+Avenida+San+Juan">https://maps.google.com/maps?ll=18.389325,-66.09498&amp;t=h&amp;z=15&amp;hl=en&amp;q=V-02+Avenida+San+Juan</a>	Circa 1985	Structure is present in 1982 aerial imagery. (earliest available imagery).	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00200	Urb Monte Carlos 125 Ave Monte Carlos	San Juan	087-049-079-00-001	18.391794	-66.030308	0.09	\$32,509					<a href="https://maps.google.com/maps?ll=18.391794,-66.030308&amp;t=h&amp;z=15&amp;hl=en&amp;q=Urb+Monte+Carlos+125+Ave+Monte+Carlos">https://maps.google.com/maps?ll=18.391794,-66.030308&amp;t=h&amp;z=15&amp;hl=en&amp;q=Urb+Monte+Carlos+125+Ave+Monte+Carlos</a>	Circa 1985	Structure is present in 1987 aerial imagery but absent from 1982 aerial imagery.	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		
PR-ESP-00257	775 AVE SAN PATRICIO	San Juan	088-025-408-13-002	18.398043	-66.095977	0.07	\$24,941					<a href="https://maps.google.com/maps?ll=18.398043,-66.095977&amp;t=h&amp;z=15&amp;hl=en&amp;q=775+Ave+San+Patricio">https://maps.google.com/maps?ll=18.398043,-66.095977&amp;t=h&amp;z=15&amp;hl=en&amp;q=775+Ave+San+Patricio</a>	Circa 1980	Structure is present in 1982 aerial imagery. (earliest imagery available).	Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Prepared by Jorge Llamil Pollock, PhD on 5/1/2025 and approved by Elizabeth Altena, M.A./Lauren Poche, M.A. on 5/16/2025.		

PROPERTY INFORMATION																				
CASE ID	STREET ADDRESS	MUNICIPALITY	PARCEL ID	LATITUDE	LONGITUDE	ACREAGE	ESTIMATE D FUNDING	PHOTO (CURRENT AERIAL IMAGESET AND UP TO 3 PHOTOS FRONT, BACK, LEFT)				LINK TO GOOGLE MAP	KEY DATE VERIFIED BY GOOGLE EARTH PRO, AERIAL PHOTO AND USGS MAPS	NATIONAL REGISTER ELIGIBILITY ELIGIBILITY DETERMINATIO N	SHPO CONCURRENCE (SHPO USE ONLY)	FAOON EFFECT DETERMINATIO N	SHPO CONCURRENCE (SHPO USE ONLY)	PAPERS AND DATA / APPROVER AND DATA	SHPO COMMENTS	
								PHOTO	CURRENT AERIAL IMAGE	FRONT	BACK	LEFT								
PR-ESP-00264	CALLE 15 1205 EXT SAN AGUSTIN	San Juan	680-040-040-11 001 / 037-040-001 640-12-000	18.390973	-65.035318	0.24	\$10,000					<a href="https://www.google.com/maps/@26.4805,-65.0353,15z">https://www.google.com/maps/@26.4805,-65.0353,15z</a>	Circa 1960	Structure is present in 1962 aerial imagery. (Earliest available imagery.)		Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Request by Jorge Lizardo Pollock, PhD on 5/1/2025 and approved by Elizabeth Alvarado, M.A./Jesuene Poche, M.A. on 5/2/2025.
PR-ESP-00356	1727 Avenida Jesus T. Piñero	San Juan	088-024-011-00 001	18.397422	-65.059655	0.09	\$31,317					<a href="https://www.google.com/maps/@26.4905,-65.0596,15z">https://www.google.com/maps/@26.4905,-65.0596,15z</a>	Circa 1960	Structure is present in 1962 aerial imagery. (Earliest available imagery.)		Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Request by Jorge Lizardo Pollock, PhD on 5/1/2025 and approved by Elizabeth Alvarado, M.A./Jesuene Poche, M.A. on 5/2/2025.
PR-ESP-00549	CARR. 140 ESQUINA BORNQUEÑ #44	Villalba	204-081-031-00-001	18.327703	-65.694476	0.20	\$33,654					<a href="https://www.google.com/maps/@26.4805,-65.6944,15z">https://www.google.com/maps/@26.4805,-65.6944,15z</a>	Circa 1972	Structure is present in 1977 aerial imagery but absent on 1962 aerial imagery.		Ineligible	Select Eligibility	No Historic Properties Affected	Select Effect	Request by Jorge Lizardo Pollock, PhD on 5/1/2025 and approved by Elizabeth Alvarado, M.A./Jesuene Poche, M.A. on 5/2/2025.



GOVERNMENT OF PUERTO RICO  
DEPARTMENT OF HOUSING

April 30, 2024

**Arch. Carlos A. Rubio Cancela**

Executive Director  
Puerto Rico State Historic Preservation Office  
Cuartel de Ballajá, Third Floor  
San Juan, Puerto Rico 00901

**Re: Authorization to Submit Documents for Consultation**

Dear Arch. Rubio Cancela,

The U.S. Department of Housing (HUD) approved the allocations of Community Development Block Grant (CDBG-DR) funds on February 9, 2018. It also approved the allocation of Community Development Block Grant Mitigation (CDBG-MIT) funds on January 27, 2020. The purpose of these allocations is to address unsatisfied needs as a result of Hurricanes Irma and Maria in September 2017; and to carry out strategic and high-impact activities to mitigate disaster risks and reduce future losses.

To comply with the environmental requirements established by HUD, the Department of Housing of Puerto Rico (PRDOH) contracted Horne Federal LLC to provide environmental review services, among others, that will support the objectives of the agenda for both CDBG-DR and CDBG -MIT Programs.

To expedite the processes, Horne Federal LLC, is authorized to submit to the State Historic Preservation Officer, documentation of projects related to both the CDBG-DR and CDBG-MIT on behalf of PRDOH.

Cordially,

A handwritten signature in blue ink, appearing to read "Aldo A. Rivera Vázquez, PE".

**Aldo A. Rivera Vázquez, PE**  
Director  
Division of Environmental Permitting and Compliance  
Office of Disaster Recovery