

U.S. Department of Housing and Urban Development

451 Seventh Street, SW Washington, DC 20410 www.hud.gov

espanol.hud.gov

Environmental Review for Activity/Project that is Categorically Excluded Subject to Section 58.5

Pursuant to 24 CFR 58.35(a)

Project Information

Project Name: PR-ESP-00169 Farmacia Menay Inc

Responsible Entity: Puerto Rico Department of Housing

Grant Recipient: Department of Economic Development and Commerce (DEDC)

State/Local Identifier: Puerto Rico / Yauco, PR

Preparer: Patricia Carmenatty, Environmental Specialist

Behar Ybarra & Associates LLC patricia.carmenatty@byaea.com

787-783-0290

Certifying Officer Name and Title: Permit and Environmental Compliance Officers:

Aldo A. Rivera Vazquez, PE - Director, Permits and Environmental Compliance Division

Angel G. López Guzmán - Deputy Director, Permits and Environmental Compliance Division

Maria T. Torres-Bregón - Permits and Environmental Compliance Manager

Permits and Environmental Compliance Specialist: Sally Z. Acevedo-Cosme, Limary Vélez Marrero, Ivelisse Lorenzo Torres, Mónica Machuca Rios, Janette I. Cambrelen, Santa Ramírez Lebrón, Abdul Feliciano Plaza, Pedro de León Rodriguez, Javier Mercado Barrera, Priscilla Toro Rivera

Consultant (if applicable): Behar Ybarra & Associates LLC

Direct Comments to: Puerto Rico Department of Housing at

comentariosambiental@vivienda.pr.gov

Project Location: 16 Calle Baldorioty, Yauco PR, 00698

Coordinates: 18.034524, -66.849707 Parcel cadastral: 361-085-072-15-001

Description of the Proposed Project [24 CFR 50.21 & 58.32]:

The subject property is a commercial building located in Yauco, PR serving as a pharmacy. The project is located at 16 Calle Baldorioty, Yauco PR, 00698, Latitude: 18.034524, Longitude: -66.849707. A Site Map is included in Figure 1 in Appendix 1, illustrating the location of the building. The area is characterized by being urban, near family residences and commercial buildings. The nearest highway with access to the building is PR-2.

A field visit was conducted on March 6, 2025, to document existing conditions of the project site. The Field Visit Report is included in Appendix 2. The project scope includes the installation of a photovoltaic (solar) panel system on the existing commercial building's roof, and appurtenant storage system (batteries) on a lateral wall, with all improvements limited to the roof, floors, and walls of the existing structure. The proposed system includes 29 Solar Panels (480 Watts) and two Tesla Powerwall batteries. The system will be interconnected with the LUMA Energy distribution network under the Net Metering Program. The proposed project Scope of Work quote is included in Appendix 3.

Level of Environmental Review Determination:

Categorically Excluded per 24 CFR 58.35(a), and subject to laws and authorities at §58.5: 58.35(a) [3(iii)]. In the case of non-residential structures, including commercial, industrial, and public buildings: (A) The facilities and improvements are in place and will not be changed in size or capacity by more than 20 percent; and (B) The activity does not involve a change in land use, such as from non-residential to residential, commercial to industrial, or from one industrial use to another.

Funding Information

Grant Number	HUD Program	Funding Amount
B-18-DE-72-0001	Community Development Block	Energy Support Incentive
	Grant (CDBG-DR): Electrical	Program 2.0 Set-Aside -
	Power Reliability and Resilience	\$30,000,000 set aside from
	Program (ER2) (Energy Support	ER2 Total –
	Incentive Program 2.0 Set-Aside)	\$1,316,406,180.00.

Estimated Total HUD Funded Amount: \$28,891.80

Estimated Total Project Cost (HUD and non-HUD funds) [24 CFR 58.32(d)]: \$48,153.00

Privately funded by the applicant: \$19,261.20

Compliance with 24 CFR 50.4, 58.5, and 58.6 Laws and Authorities

Record below the compliance or conformance determinations for each statute, executive order, or regulation. Provide credible, traceable, and supportive source documentation for each authority. Where applicable, complete the necessary reviews or consultations and obtain or note applicable permits of approvals. Clearly note citations, dates/names/titles of contacts, and page references. Attach additional documentation as appropriate.

Compliance Factors: Statutes, Executive Orders, and Regulations listed at 24 CFR §58.5 and §58.6	Are formal compliance steps or mitigation required?	Compliance determinations
STATUTES, EXECUTIVE OI & 58.6	RDERS, AND R	EEGULATIONS LISTED AT 24 CFR 50.4
Airport Hazards 24 CFR Part 51 Subpart D	Yes No	The project site is not located within 2,500 ft of a civil airport or 15,000 ft of a military airport. The site is located 95,598 feet from the nearest civil airport, Mercedita International Airport in Ponce and 324,346 feet from the nearest military airport, Luis Muñoz Marín International Airport in San Juan. This topic is in compliance with HUD's Airport Hazard Regulations without further evaluation. Refer to Airports Map Zone, Figure 2
Coastal Barrier Resources Coastal Barrier Resources Act, as amended by the Coastal Barrier Improvement Act of 1990 [16 USC 3501]	Yes No	included in Appendix 1. This project is not located in a CBRS Unit. The project is located 28,407 feet north of the nearest Coastal Barrier Resource System, PR-59. Therefore, this project has no potential to impact on a CBRS Unit and is in compliance with the Coastal Barrier Resources Act. Refer to Coastal Barrier Resource System Map, Figure 3 included in Appendix 1.
Flood Insurance Flood Disaster Protection Act of 1973 and National Flood Insurance Reform Act of 1994 [42 USC 4001-4128 and 42 USC 5154a]	Yes No	As per FEMA's FIRM Panel 72000C1615H, effective April 19, 2005, this project is located within Zone X. The project does not require flood insurance or is excepted from flood insurance. The project is in compliance with the Flood Insurance section without further evaluation.

		Refer to Flood Insurance Rate Map, Figure 4 included in Appendix 1.
STATUTES, EXECUTIVE OF & 58.5	RDERS, AN	D REGULATIONS LISTED AT 24 CFR 50.4
Clean Air Clean Air Act, as amended, particularly section 176(c) & (d); 40 CFR Parts 6, 51, 93	Yes No	The project is not rocated in a nonattamment

Coastal Zone Management Coastal Zone Management Act, sections 307(c) & (d)	Yes No	The project is focuted 17,200 feet from the
		Refer to CZMA map, Figure 6 included in Appendix 1.
Contamination and Toxic Substances 24 CFR Part 50.3(i) & 58.5(i)(2)	Yes No	This project includes the installation of a photovoltaic (solar) panel system on the existing commercial building's roof, and appurtenant storage system (batteries) on a lateral wall. The project site was evaluated fo potential contamination by conducting a field inspection on March 6, 2025, to identify any onsite hazards including, but not limited to soil staining, above ground storage tanks signs of underground storage tanks, odors hazardous debris, potential contamination regarding lead-based paint or asbestos, etc. The site inspection did not identify any onsite hazards. In addition, a desktop review of USEPA databases, NEPAssist, and other sources was conducted to determine if the project site was located near dump sites, junk yards, landfills hazardous waste sites, or industrial sites including USEPA National Priorities Lis Sites (Superfund sites), CERCLA or state equivalent sites, RCRA Corrective Action sites with release(s) or suspected release(s) requiring clean-up action and/or furthe investigation. The desktop review finds twenty-one sites within 3,000 feet of the project area. Twelve sites are registered as RCRA facilities with no violation identified two are registered as NPDES facilities with terminated permits, one site is registered at TRI facility and seven are Brownfield: (ACRES) facilities with no clean-up activities. Therefore, the sites do not presen a risk to the health and safety of projec occupants or conflict with the intended use of the property.

The sites within 3,000 feet of the project area are:

- ESSO STANDARD OIL CO MUNOZ ESSO SVC, REGISTRY ID: 110009437779, CALLE 25 DE JULIO 19A – RCRAINFO – The site is inactive. No violations identified, 886 feet
- ESSO STANDARD OIL CO PR CO-408, REGISTRY ID: 110004892215, PR-116 CRUCE CUATRO CALLES – RCRAINFO – The site is active. No violations identified, 1,304 feet
- ESSO STANDARD OIL CO PR 2P-397, REGISTRY ID: 110012259616, 36 25 DE JULIO ST – RCRAINFO – The site is active. No violations identified, 477 feet
- ESSO STANDARD OIL CO PR CO-402, REGISTRY ID: 110022478335, PR-128 KM 0.6 LA TROCHA FIN – RCRAINFO – The site is active. No violations identified, 2,229 feet
- ESSO STANDARD OIL CO PR DO-395, REGISTRY ID: 110004895711,
 25 DE JULIO ST #21 – RCRAINFO
 The site is inactive. No violations identified, 1,108 feet
- IMPROVEMENTS TO ROAD PR-359 FROM KM. 0.0 TO KM. 2.3, REGISTRY ID: 110070545101, PR-359, KM. 0.0 TO 2.3 – NPDES – The permit is terminated. Compliance Tracking Off, 2,984 feet
- MUNICIPALITY OF YAUCO, REGISTRY ID: 110044243850, SANTIAGO BIBALDI STREET – NPDES – The site is expired. Compliance Tracking Partially Off, 292 feet
- ORAL-B LABS MANUFACTURING CORP OF PR, REGISTRY ID: 110002466581, PR-335 KM 0.4 – RCRAINFO and TRIS

- The site is inactive. No violations identified, 1,935 feet
- PR ARMY NATIONAL GUARD, REGISTRY ID: 110007813553, PR-127 KM 0.7 – RCRAINFO – The site is inactive. No violations identified, 835 feet
- PREPA YAUCO TECHNICAL OPERATIONS OFFICE, REGISTRY ID: 110004891467, 49 MATIENZO CINTRO ST INT PR-116 – RCRAINFO – The site is active. No violations identified, 888 feet
- SHELL CO PR LTD SS 1627 GARAJE SAN JOSE, REGISTRY ID: 110004893036, 68 25 DE JULIO ST – RCRAINFO – The site is inactive. No violations identified, 992 feet
- SHELL CO PR LTD SS 804347 YAUCO, REGISTRY ID: 110007819272, PR-376 KM 0.19 – RCRAINFO – The site is inactive. No violations identified, 2,718 feet
- TEXACO PR INC JUAN GARCIA PACHECO, REGISTRY ID: 110009437500, 25 JULIO 9 – RCRAINFO – The site is inactive. No violations identified, 620 feet
- YAUCO SS 0493, REGISTRY ID: 110004892741, CALLE 25 DE JULIO – RCRAINFO – The site is inactive. No violations identified, 886 feet
- TROCHA STREET SERVICE STATION - REGISTRY ID: 110043425308 - LA TROCHA STREET #1 – ACRES, there are no current cleanup activities. 2,065 feet.
- MUÑOZ RIVERA BUILDING -REGISTRY ID: 110043425317 -LUIS MUÑOZ RIVERA STREET #56 - ACRES, there are no current cleanup activities. 642 feet.
- FORMER NATALI FAMILY RESIDENCE 110043425326 -

- PACHECO STREET #24. ACRES, there are no current cleanup activities. 647 feet.
- PUERTO RICO ARMY NATIONAL GUARD ARMORY BUILDING – 110071968067 - STATE ROAD PR-127 KILOMETER 1.0 NEAR THE JACANAS INDUSTRIAL PARK -ACRES, there are no current cleanup activities. 1,786 feet.
- MUÑOZ AUTO PARTS 110071968069 - CORNER OF BETANCES STREET AND SANTIAGO VIVALDI AVENUE -ACRES, there are no current cleanup activities. 288 feet.
- PRIDCO FACILITY T-12440-79 110071968071 - STATE ROAD PR-127 NEAR KILOMETER 2.0 JACANAS INDUSTRIAL PARK -ACRES, there are no current cleanup activities. 2,180 feet.
- RAMILLI THEATER 110071968072 BETANCES STREET #4 ACRES, there are no current cleanup activities. 285 feet.

Refer to the ECHO Reports and Facility Reports included in Appendix 5.

The lead-based paint review is subject to the Lead Safe Housing Rule (LSHR) under 24 CFR Part 35, the EPA's Renovation, Repair and Painting (RRP) Rule under 40 CFR Part 745 Subpart E, and Puerto Rico DNER Regulation 9098. A lead-based paint inspection and/or risk assessment is not required if the building was constructed after January 1, 1978. The subject property was built in circa 1980; therefore, it is required to perform a screen for lead-based paint prior to starting the work.

- The work must be performed by RRP Certified Renovation Firm.
- At least one RRP-Certified Renovator must be at the job site or available when work is being done.

- Workers at the job site must receive on-the-job training from the Certified Renovator.
- Lead Safe Work Practices are recommended if paint disturbance is "di minimis".
- Lead Safe Work Practices are required if paint disturbance exceeds "di minimis" but not EPA's minor repair and maintenance threshold.
- Property Risk Assessment and abatement of all lead-based paint hazards are required prior to commencing work if paint disturbance is significant.

The proposed activities are minor in scope and involve limited surface penetration (e.g., drilling to mount equipment). They do not include demolition or renovation activities that would disturb significant quantities of ACM. The systems being installed have been consistently evaluated as non-invasive and do not trigger permitting thresholds under NESHAP.

While minimal dust or particulate emissions may result from surface drilling, these emissions are expected to remain well below de minimis thresholds and do not result in the release of regulated asbestos fibers. Additionally, the program does not include new construction or land conversion.

Under Puerto Rico's air quality regulations, these activities qualify for permitting exemptions under Rule 206 of the Regulation for the Control of Atmospheric Pollution (RCAP), Regulation No. 5300, confirming compliance with the Clean Air Act and all applicable federal, state, and local air quality standards.

The Energy Support Incentive Program 2.0 – Set-Aside Program, funded through CDBG-DR, does not involve construction activities that would require a building or use permit. According to Planning Board Joint

Regulation 9473, approved on June 16, 2023, Section 9.4.1.3.a.1 states: "Photovoltaic solar installations that are installed on the roofs of structures and whose capacity is up to one megawatt do not require a construction or use permit. Nor will a building permit be required for systems up to one hundred kilowatts above ground."

As such, the proposed activities do not trigger construction permit requirements and do not involve regulated asbestos disturbance. No renovation or demolition activities that would exceed ACM thresholds are included in the program.

On January 11, 2024, HUD issued Notice CPD-23-103, Departmental Policy Addressing Radon in the Environmental Review Process, which requires the Responsible Entity (RE) to consider radon as part of the site contamination analysis for projects subject to HUD's contamination regulations at 24 CFR 58.5(i), unless the project qualifies for an exemption. According to the notice, radon must be addressed in environmental reviews for projects involving structures that are or will be occupied for at least four (4) hours per day. The eligible business activities under the Energy Support Incentive Program 2.0 – Set-Aside Program are expected to meet this occupancy threshold and thus would typically require radon consideration as part of the environmental review. However, there is currently no largescale dataset available for Puerto Rico that meets HUD's standards for determining radon hazard levels. On March 6, 2024, the Puerto Rico Department of Housing (PRDOH) formally consulted with HUD to document the absence of reliable scientific data and to explain that radon testing in Puerto Rico would be impractical and infeasible. This determination was based on prior research efforts that lacked adequate laboratory support, making it difficult to obtain accurate or consistent results.

Additionally, there is a limited number of trained radon testing professionals on the island, which presents another barrier to compliance with HUD's testing requirements. In response, on May 15, 2024, HUD requested that PRDOH consult with agencies—including Environmental Protection Agency (EPA), United States Geological Survey (USGS), University of Puerto Rico - Mayagüez Campus, and the Puerto Rico Department of Natural and Environmental Resources (DNER)—to further document the lack of scientific data, as outlined in Section III.C. of Notice CPD-23-103. On August 20, 2024, PRDOH conducted formal consultations with the above-mentioned agencies and submitted information requests to state and federal entities. Responses were received from the following: United States Geological Survey (USGS); Centers for Disease Control and Prevention (CDC); Puerto Rico Department of Health; United States Environmental Protection Agency (EPA).

All responding agencies confirmed the absence of reliable, large-scale radon data for Puerto Rico and acknowledged the technical and logistical challenges associated with radon testing on the island. Based on these consultations and findings, radon testing is deemed infeasible and impracticable for the Energy Support Incentive Program 2.0 – Set-Aside Program. Therefore, no further consideration or evaluation of radon is required as part of the environmental review, in accordance with HUD Notice CPD-23-103. Supporting documentation is provided in Appendix 5. In conclusion, after reviewing the program in the context of the site contamination analysis requirements under 24 CFR 58.5(i), PRDOH has determined that radon testing is impractical and infeasible, and no further evaluation is required for radon.

		The project is in compliance with Contamination and Toxic Substances requirements. Refer to Contamination and Toxic Substances, Figure 7 included in Appendix 1.
Endangered Species Act of 1973, particularly section 7; 50 CFR Part 402	Yes No	After reviewing data from the United States Fish and Wildlife Service (USFWS) Information and Planning Consultation (IPaC), the Puerto Rican boa (<i>Chilabothrus inornatus</i>) could be found in the project area. The scope of work includes the installation of a photovoltaic (solar) panel system on the existing commercial building's roof, and appurtenant storage system (batteries) on a lateral wall. Since the work to be carried out is limited to the roof and wall of the structure, it does not involve any type of ground disturbance or removal of vegetation. The nature of the project, scope of work, information available, a careful analysis of the IpaC, the Caribbean Dkey in the US Fish and Wildlife Service's online IPaC application, and the observations during the field visit on March 6, 2025, were used to evaluate the potential impacts to federally listed species from this project. Based on the answers provided, a consistency letter was obtained for the Puerto Rican boa which determined that the proposed actions for this project would have "No Effect" (NE) for this species.
		The nearest Critical Habitat is 9,010 feet from the project site. USFWS "No Effect" Memo was submitted on April 28, 2025, and an Agency response was received on May 2, 2025. The project is in compliance with the Endangered Species Act of 1973. If a Puerto Rican Boa is found in the project activity site, work shall cease until the Boa moves off on its own. If the Boa does not move off, the Construction Manager shall contact the Puerto Rico Department of Natural and Environmental Resources and ask them to relocate the Boa. As established by the USFWS Puerto Rican Boa

		Conservation Measures Guideline. https://ipac.ecosphere.fws.gov/guideline/desi gn/population/156/office/41430.pdf Refer to Threatened and Endangered Species Map, Figure 8 included in Appendix 1. See USFWS "No Effect" Memo and supporting documentation in Appendix 6.
Explosive and Flammable Hazards 24 CFR Part 51 Subpart C	Yes No	This project includes the installation of photovoltaic (solar) panel system and appurtenant storage system (batteries) on the existing commercial building's roof and will not result in increased densities, conversion to residential uses, or making a vacant building habitable.
		The project itself is not the development of a hazardous facility, nor will the project increase residential densities or result in land conversion. The project is in compliance with HUD Explosive and Flammable Hazards.
Farmlands Protection Farmland Protection Policy Act of 1981, particularly sections 1504(b) and 1541; 7 CFR Part 658	Yes No	This project includes the installation of a photovoltaic (solar) panel system on the existing commercial building's roof, and appurtenant storage system (batteries) on a lateral wall. This project does not include any activities that could potentially convert agricultural land to non-agricultural use. The project is in a designated area as Not Prime Farmland. The project is in compliance with the Farmland Protection Policy Act.
		Refer to Farmland Protection Map, Figure 9 included in Appendix 1.
Executive Order 11988, particularly section 2(a); 24 CFR Part 55	Yes No	PFIRMs in Puerto Rico was only developed for certain sections of the municipalities of Carolina, Canovanas, Loiza, San Juan, Trujillo Alto and Rio Grande. The proposed project is located in the municipality of Yauco. Therefore, PFIRM information is not available for the area and considered in the review.
		As per the FEMA Advisory Based Flood Elevation Maps (ABFE), the project site is located within Zone X (area of minimal flood hazard). As the project site is not located

		within the FEMA-designated Special Flood Hazard Areas for the 1 percent (100-year) or 0.2 percent (500-year) flood zones, it is not classified as being within the floodplain. The project is in compliance with the HUD Floodplain Management Regulations and the Executive Order 11988. Refer to Advisory Base Flood Elevation Map, Figure 10 and Preliminary FIRM Figure 11, included in Appendix 1.
Historic Preservation National Historic Preservation Act of 1966, particularly sections 106 and 110; 36 CFR Part 800	Yes No	This project includes the installation of a photovoltaic (solar) panel system on the existing commercial building's roof, and appurtenant storage system (batteries) on a lateral wall. The State Historic Preservation Office reviewed the proposed project location in accordance with 54 U.S.C. 306108 (commonly known as Section 106 of the National Historic Preservation Act) and 36 CFR Part 800: Protection of Historic Properties. Documentation with photographs and maps was subsequently submitted to SHPO (attached Appendix 7). The property is located within the Yauco Traditional Urban Center and was built circa 1980. In response from PR SHPO dated September 19, 2025, SHPO concurred with a finding of "No Adverse Effect" upon historic properties, conditioned that, when installed, the PVS/BSS shall remain not visible or will be minimally visible from the street to be consistent with the related Secretary of the Interior's Standards, Guidelines, and Technical Briefs. Therefore, this activity is in compliance with the National Historic Preservation Act. Refer to Historic Preservation Map, Figure 12
Noise Abatement and Control		included in Appendix 1.
Noise Control Act of 1972, as amended by the Quiet Communities Act of 1978; 24 CFR Part 51 Subpart B	Yes No □ ⊠	This project includes the installation of a photovoltaic (solar) panel system on the existing commercial building's roof, and appurtenant storage system (batteries) on a lateral wall. The project does not include new construction for residential use or

		rehabilitation of an existing residential property. The site is urban developed and there will be no impact to or from the surrounding area from a noise perspective. This topic is in compliance with Noise abatement and Control without further evaluation. Refer to Noise Abatement and Control Map, Figure 13 included in Appendix 1.
Sole Source Aquifers Safe Drinking Water Act of 1974, as amended, particularly section 1424(e); 40 CFR Part 149	Yes No	According to the USEPA's Source Water Protection, Sole Source Aquifer Protection Program, there are no sole source aquifers in Puerto Rico. Therefore, the proposed project site is not located within a sole source aquifer, nor will it directly or indirectly impact one. Therefore, the project is in compliance with the Safe Drinking Water Act of 1974, as amended, particularly section 1424(e); 40 C.F.R. Part 149 without further evaluation. Refer to Sole Source Aquifer Map, Figure 14 included in Appendix 1.
Wetlands Protection Executive Order 11990, particularly sections 2 and 5	Yes No	The project does not involve new constructions and/or activities that may have a direct or indirect adverse impact on any on site wetlands, there are no wetlands within or in the vicinity of the project area. The closest wetland is located 1,285 feet from the Project Site. The project does not have the potential to impact wetlands. The project is in compliance with E.O. 11990. Refer to Wetlands Map, Figure 15 included in Appendix 1.
Wild and Scenic Rivers Wild and Scenic Rivers Act of 1968, particularly section 7(b) and (c)	Yes No	This project is not within proximity of the NWSRS river. The project is located 376,975 feet from the nearest Wild and Scenic River (De la Mina River). The project is in compliance with the Wild and Scenic Rivers Act. Refer to Wild and Scenic Rivers Map, Figure 16 included in Appendix 1.

Field Inspection: March 6, 2025, by Egon Gonzalez and Patricia Carmenatty.

Summary of Findings and Conclusions: The proposed activity has been found to not have any adverse effects on the environment nor is there a requirement for further consultation with any agency. There is no environmental review topics addressed that result in the need for formal compliance steps or the requirement for mitigation.

Mitigation Measures and Conditions

Summarize below all mitigation measures adopted by the Responsible Entity to reduce, avoid, or eliminate adverse environmental impacts and to avoid non-compliance or non-conformance with the above-listed authorities and factors. These measures/conditions must be incorporated into project contracts, development agreements, and other relevant documents. The staff responsible for implementing and monitoring mitigation measures should be clearly identified in the mitigation plan.

Law, Authority, or Factor	Mitigation Measure
Contamination and Toxic Substances 24 CFR Part 50.3(i) & 58.5(i)(2)	 The subject property was built circa 1980; therefore, it is required to perform a screen for lead-based paint prior to starting the work. The work must be performed by RRP Certified Renovation Firm. At least one RRP-Certified Renovator must be at the job site or available when work is being done. Workers at the job site must receive on-the-job training from the Certified Renovator. Lead Safe Work Practices are recommended if paint disturbance is "di minimis". Lead Safe Work Practices are required if paint disturbance exceeds "di minimis" but not EPA's minor repair and maintenance threshold. Property Risk Assessment and abatement of all lead-based paint hazards is required prior to commencing work if paint disturbance is significant.
Historic Preservation National Historic Preservation Act of 1966, particularly sections 106 and 110; 36 CFR Part 800	When installed, the PVS/BSS shall remain not visible or will be minimally visible from the street to be consistent with the related Secretary of the Interior's Standards, Guidelines, and Technical Briefs.

Deter	mination:
	This categorically excluded activity/project converts to Exempt, per 58.34(a)(12) because there are no circumstances which require compliance with any of the federal laws and authorities cited at §58.5. Funds may be committed and drawn down after certification of this part for this (now)
	EXEMPT project; OR This categorically excluded activity/project cannot convert to Exempt because there are circumstances which require compliance with one or more federal laws and authorities cited at
	§58.5. Complete consultation/mitigation protocol requirements, publish NOI/RROF and obtain "Authority to Use Grant Funds" (HUD 7015.16) per Section 58.70 and 58.71 before committing or drawing down any funds; OR
	This project is now subject to a full Environmental Assessment according to Part 58 Subpart E due to extraordinary circumstances (Section 58.35(c)).
Prepar	rer Signature: Date: 9/26/2025
Name	Title/Organization: Patricia Carmenatty Santiago Environmental Specialist, Behar Ybarra & Associates LLC
Respo	nsible Entity Agency Official Signature:
	_Date: <u>09 30 2025</u> _
Name	/Title: Santa D. Ramírez Lebrón / Permits and Environmental Compliance Specialist

This original, signed document and related supporting material must be retained on file by the Responsible Entity in an Environmental Review Record (ERR) for the activity/project (ref: 24 CFR Part 58.38) and in accordance with recordkeeping requirements for the HUD program(s).



Appendices



List of Appendices

Appendix Number	Appendix Description
1	Figures
2	Field Visit Report
3	Scope of Work Quote
4	EPA's published Summary of Nonattainment Area Population Exposure 1 Report. This is a summary of the 2010 population living in an area that is in nonattainment for at least one of the National Ambient Air Quality Standards (NAAQS). EPA's Published Status of Puerto Rico Designated Areas. This is a summary of Puerto Rico's designated areas by NAAQS and year
5	RADON - Memorandum to File and Supporting documentation, and ECHO Reports
6	USFWS "No Effect" Memo and supporting documentation
7	Section 106 Consultation Package



Appendix 1: Figures




List of Figures

Figure Number	Appendix 1 Description
1	Location: Aerial Map
2	Airports Map
3	Coastal Barrier Resource System Map
4	Flood Insurance Rate Map
5	Clean Air Map
6	Coastal Zone Management Map
7	Toxic and Hazardous Facilities Map
8	Threatened and Endangered Species Map
9	Farmland Protection Map
10	Advisory Base Flood Elevation Map
11	Preliminary Flood Insurance Rate Map
12	Historic Preservation Map
13	Noise Abatement and Control Map
14	Sole Source Aquifer
15	Wetlands Map
16	Wild and Scenic Rivers Map




Location: Aerial Map
Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707



Legend:

PR-ESP-00169





Service Layer Credits:


Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Centro de Recaudación de Ingresos Municipales (CRIM) https://catastro.crimpr.net/cdprpc/




Airports MapElectrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707









Service Layer Credits:

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community


Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Federal Aviation Administration (FAA) https://adds-faa.opendata.arcgis.com/ The Environmental Protection Agency https://www.epa.gov/nepa/nepassist




Coastal Barrier Resource System MapElectrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707









Service Layer Credits:

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community

Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


U.S. Fish and Wildlife Service (FWS)


https://www.fws.gov/program/coastal-barrier-resources-act



Flood Insurance Rate Map Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707







Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Federal Emergency Management Agency (FEMA)


https://msc.fema.gov/portal/home



Člean Air MapElectrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707








Coastal Zone Management MapElectrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707








PR-ESP-00169



Coastal Zone Management Act Boundary





Service Layer Credits:

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community

Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


NOAA Office for Coastal Management (NOAA/OCM) https://www.fisheries.noaa.gov/inport/item/53132



Toxic and Hazardous Facilities Map Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707







Service Layer Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


EPA Facility Registry Service (FRS) https://www.epa.gov/frs




Threatened and Endangered Species Map

Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707








Farmland Protection

Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707







Service Laver Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Underground Storage Tanks (USTs) https://www.epa.gov/ust





Advisory Base Flood Elevation Map

Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707







Federal Emergency Management Agency (FEMA), https://gis-r2-fema.hub.arcgis.com/


Junta de Planificacion de Puerto Rico (JP), https://maps.jp.pr.gov/


Mapas de Niveles de Inundacion Base Recomendados




Preliminary Flood Insurance Rate Map Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707









Service Laver Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

Federal Emergency Management Agency (FEMA)


https://msc.fema.gov/portal/home



Historic Preservation MapElectrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707








Noise Abatement and Control Map

Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707



Legend:



PR-ESP-00169



University




School



Hospital



Emergency Hospital





Service Layer Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

Source

U.S. Geological Survey (USGS)

https://pubs.er.usgs.gov/publication/ofr20201022



EPA Sole Source AquifersElectrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707








PR-ESP-00169



EPA Sole Source Aquifers





Service Laver Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

U.S. Environmental Protection Agency https://epa.maps.arcgis.com/apps/webappviewer/index.html ?id=9ebb047ba3ec41ada1877155fe31356b





Wetlands Map

Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707









Service Layer Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

U.S. Fish and Wildlife Service - National Weatlands Inventory https://www.fws.gov/program/national-wetlands-inventory




Figure 16

Wild and Scenic Rivers Map

Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707








PR-ESP-00169



Wild and Scenic Rivers





Service Layer Credits:

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community

Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

Source

U.S. Fish and Wildlife Service - National Weatlands Inventory https://www.fws.gov/program/national-wetlands-inventory




Appendix 2: Field Visit Report





Environmental Field Assessment Form - PR-ESP-00169

		APPLICAN	NT/LOCATION	INFORM	MATION
Applicant ID:	PR-ESP-00169			Pro-Maria	
Applicant Name:	Farmacia Menay				
Parcel ID:	361-085-072-15-001				
Coordinates:	18.034524, -66.849707			6	
Street Address:	16 CALLE BALDORIOTY			To Yakica	
Municipio:	Yauco				3 50
Zip Code:	00698				
Site Inspector:	Egon Gonzalez		PR 127		
Date of Visit:	March 6, 2025				
Time of Visit:	12:56		Kadaster	Dave	ered by
Year Built:	Circa 1930		Nadaster	row	ered by





	Building Information					
	Question	Answer	Notes			
1.	Location verified:	Yes	18.034524, -66.849707			
2.	Is the building correct on GIS?	Yes	Building is correct on GIS			
3.	Building Type:	Commercial				
4.	# of Stories:	2				
5.	Building Foundation:	Concrete Slab				
6.	Is the building in use?	Yes	Building is in use			
7.	Does the building have a detached garage / carport present?	No				
8.	Is the electricity connected?	Yes	Electricity is connected			
9.	Is the water connected?	Yes	Water is connected			
10.	Are there signs of poor housekeeping on site? (mounds of rubble, garbage, storm debris, solid waste, petroleum products, paint, pesticides, cleaning fluids, vehicle batteries, abandoned vehicles, pits, pools, ponds of hazardous substances, electrical equipment etc.)	No				
11.	Is a septic system present? If Yes report apparent condition.	No				
12.	Are there any obvious signs of animals, birds nesting or burrows near the site?	No				





Parcel Conditions				
	Question	Answer	Notes	
1)	Are there any 55-gallon drums visible on site? If yes, are they leaking?	Yes	(1) 55gal Drum contains diesel and is located at back of structure. (2) 55gal drums used as trash bin are located right side of structure.	
2)	Are there any (or signs of any) underground storage tanks on the property?	No		
3)	Are there signs of AST on the parcel or adjacent parcel? If yes, list approximate size and contents, if known.	Yes	100gal Diesel tank under generator located at back of structure. 200gal Water cistern located on right side of structure.	
4)	Is there any stained soil or pavement on the parcel?	No		
5)	Are there any potentially hazardous trees that could fall?	No		
6)	Are there any groundwater monitoring wells on the site or adjacent parcel?	No		
7)	Is there distressed vegetation on the parcel?	No		
8)	Are any additional environmental or non-environmental site hazards observed?	No		
9)	Is there any permanent standing water, such as a pond or stream, located on the site(do not include ponding from recent rain / weather events)?	No		
10)	Does the subject property have water frontage?	No		
11)	Is the applicant aware of any significant historical event or persons associated with the structure, or of it being located in a historic district/ area?	No		
12)	Is a historic marker present?	No		
13)	Based on the above finding, does additional information need to be obtained from the applicant to determine whether an environmental hazard is present?	No		





	Building Environmental Conditions					
	Question	Answer	Notes			
1.	Is there any visible evidence of asbestos, chipping, and flaking or peeling paint, or hazardous materials present in or on the structure?	No				
2.	Is there any visible indication of mold?	No				
3.	Are there any pungent, foul or noxious odors?	No				

Additional Needs Analysis				
Question	Answer	Notes		
Based on the above findings, does additional information need to be obtained from the applicant to determine whether an environmental hazard is present?	No			

I verify that I have physically visited this property and that the findings outlined above are accurate.

Inspector Signature

Egon Gonzalez

March 6, 2025





Front of Structure


Photo Direction: East

Comments:



Facing Away from Front

Photo Direction: West








Side #1 of Structure

Photo Direction: East

Comments:



Facing Away From Side #1

Photo Direction: Northeast







Back of Structure

Photo Direction: North

Comments:



Facing Away from Back

Photo Direction: South







Side #2 of Structure

Photo Direction: East

Comments:



Facing Away from Side #2

Photo Direction: East








Streetscape #1


Photo Direction: South

Comments:



Streetscape #2

Photo Direction: North







Address

Photo Direction: East







Photo Direction:

Photo Description: Electricity is connected



Architectural Details 2

Photo Direction:

Photo Description: Water is connected







Photo Direction:

Photo Description: 100gal Diesel tank for generator located at back of structure and (1) 55gal Drum used for diesel located at back of structure



Architectural Details 4

Photo Direction:

Photo Description: General interior view







Photo Direction:

Photo Description: General interior view



Architectural Details 6

Photo Direction:

Photo Description: 200gal Water cistern located at back of structure







Photo Direction:

Photo Description: Additional right side view



Architectural Details 8

Photo Direction:

Photo Description: 55gal Drum is used as garbage bin and is empty. Located on right side of structure.








Photo Direction:

Photo Description: 55gal Drum is used as garbage bin and is empty. Located on right side of structure.



Architectural Details 10

Photo Direction:

Photo Description: Additional right side view









Photo Direction:

Photo Description: Additional back of structure view



Architectural Details 12 Photo Direction: Photo Description:



Appendix 3: Quote

Propuesta para Instalación de Sistema de Energía Solar APOYO ENERGETICO 2.0





CÁLCULO DE CONSUMO ANUAL Y SISTEMA PROPUESTO

	Iniciales
--	-----------

Nombr	Nombre de cliente FARMACIA MENAY										
Dirección	16 C BA	LDORIC	TY A 1 \	AUCO F	PR 0069	8					
	ID Contrato	FM 864									
	Fecha	8/27/20)24								
			Ult	timos 12	meses	de cons	umo				
2240	2060	1940	1990	2010	1920	1850	1710	1740	1520	1650	1770
	Placa (W)	480									
	Pueblo	Yauco									
								Consun	no anual	(kWh)	22,400
	Costo por kWh (LUMA)			\$0.23							
	Tamaño de sistema según consumo (kWDC)			15.6							
	(1) Sistema propuesto (kWDC)			13.9							
	(2) Almacenamiento propuesto (kWh)			27							
	(3) Cubierta de consumo estimada			89%							
							(4) (Costo de	placas	solares	\$10,440
								(5) Cost	o de ba	teria(s)	\$26,500
					(6) I	nstalaci	on, Inge	nieria, F	Permisos	y BOS	\$11,213
	(7) Costo Total			\$48,153							
								(8) Ince	ntivo po	tencial	-\$28,892
						(9) Balanc	e aport	ado por	cliente	\$19,261
					(10) Re	torno d	e inversi	on estir	nado (er	n años)	4.2
(11) Ahorro anual estimado en factura de LUMA			\$4,595								

TIPO DE SISTEMA

Sistema fotovoltaico nuevo con sistema de almacenamiento de batería(s).

EQUIPOS

Equipo	Marca	Modelo	Cantidad
Placas	Qcells	480 W	29
Batería	Tesla	Powerwall 2	2
Inversor	Tesla	7.6 kW/AC Powerwall+	2
Transformador	Hammond	SG3L0050BE	0



Introducción

Le damos las gracias por la oportunidad que nos ha dado para presentar nuestra propuesta para el trabajo de referencia. Caribbean Solar Energy, LLC se complace en presentar esta propuesta para la instalación de un Sistema Fotovoltaico para generación de energía. Agradecemos sus esfuerzos para ayudarnos a definir y entender las necesidades de su proyecto en su casa o negocio. Caribbean Solar Energy LLC se compromete a proporcionar los recursos necesarios para ejecutar con éxito este proyecto conforme a su petición y de acuerdo con las especificaciones y acuerdos aquí presentados.

SEGUROS

Caribbean Solar Energy reconoce el riesgo inherente y las exposiciones en la prestación de servicios a los clientes y utiliza un programa de seguro integral para protegerse contra cualquier acto negligente por el que pueda volverse legalmente responsable. Nuestro programa incluye \$1,000,000 en cobertura general y \$1,000,000 en exceso de cobertura. Adicional a esto contamos con una fianza para realizar proyectos de energía renovable, según establece la Ley 146 del Estado Libre Asociado de Puerto Rico.

Fuerza de trabajo

La fuerza de trabajo de Caribbean Solar Energy está formada por profesionales de la industria con experiencia en miles de instalaciones. Nuestra fuerza de trabajo está compuesta por ingenieros con licencia, electricistas certificados, personal administrativo, personal de ventas e instaladores altamente experimentados.

Certificaciones

Caribbean Solar Energy cuenta con las prestigiosas certificaciones de Tesla, Inc como "Tesla Certified Installer", Enphase Energy como "Enphase Certified Installer", UNIRAC, Gobierno Federal de Estados Unidos (SAM), Agencia de Protección Ambiental (EPA), entre otros. Adicional, nuestro personal de diseño cuenta con certificación del Colegio de Ingenieros y Agrimensores de Puerto Rico y de Instalador de Sistemas Eléctricos Renovables del Programa de Política Pública del Gobierno de Puerto Rico. Todos nuestros componentes cumplen con las certificaciones requeridas por la Oficina de Gerencia y Permisos (OGPE) y la Autoridad De Energía Eléctrica de Puerto Rico.







Page 3 of 17



CARTERA DE INSTALACIONES











Page 4 of 17



ALCANCE DEL TRABAJO

Iniciales

Esta propuesta incluye (según aplique):

1) Diseño e ingeniería.

2) Permisos requeridos para operación e instalación.

- a) Someter solicitud para programa de medición neta ante LUMA.
- b) Certificaciones Oficina de Gerencia y Permisos (OGPE).

3) Equipos

- a) Paneles solares.
- b) Inversores de corriente.
- c) Sistemas de almacenamiento (baterías).
- d) Accesorios necesarios para operación de sistema.
- e) Anclaje estructural de aluminio y acero inoxidable ("racking").
- f) Materiales misceláneos: tuberías, cables, interruptores, etc.

4) Instalación

- a) Instalación y encendido.
- b) Pruebas y "System Commissioning".
- c) Adiestramiento sobre operación y mantenimiento.

8/6/24, 9:02

El rango espenado se lasca en 30 años de datos entravelógios endes de la obsención dada y su finalidad en propositorer un indicio de la variación que padrón habes. Encurtoral más información en este informe del MELL. The Error Report (El informe de servaces).

Antos legali II modelo PVNIsto² (el Nucleir) es proporcionale par el Laboratorio Sacional de Brençia Remosable (1981), al cost delega Allance Se Sociatorale Brençy LC (1881ane*) para el Organizamento de Brençia de III. UL. (1001), y puede utilizarse con custiquire remodelo.

Las numbers DOE/NEEL/Manue no delenuature en ninque declaración, permotión, pubblobal o de sino manera que de a entimade que potenciana o premotiona a enmitada alguna que allugir o alfice el Modelo. DOE/NEEL/Manue no lensidade resigión lique de apoya, permotente de entiglio de apoya, permotente del capacitación o accidencia enquelos del socio a hadraciónes, envisiones o numbo a hadraciónes, envisiones o numbos

UNTED REPTS INDEMNIZAR A
DORIAMELIALISMOS Y BIR DERAMSHOR
BRILACIONICOS, PUNCIONAMIOS, REINTEN
Y BEPURADOS ANTE TODO RECLAMO O
DEPINISOR, I ROLLIDOR DE REPORMANDO
RATORAMER DE AROCHOSO,
RATORAMER DE AROCHOSO,
RATORAMER DE MODERO PINA
CALIQUES PROPÓSTO.
DORIAMELIALISMOS DO REINÍA
REPORTABLIADO E EDIMENTO. CRIO DE
RESPONSABLE EN NARON CRIO COMBIGUESCO. DO CRIAGO PROPÓSTO.
LA PRINCIPAL DORIAMENTO.
DORIAMELIALISMOS PROPÓSTO.
LA PRINCIPAL DORIAMENTO.
DORIAMENTO, GUELAPOS REGLANO.
DO CRIAMENTO, GUELAPOS REGLANO.
DO CRIAMENTO, GUELAPOS REGLANO.
DO CRIAMENTO, GUE REGLANO DE RELICION
ENTRACONTRACTURE, QUE REGLA DEL UNO
DO DESEMPRISO DE REGLANO DEL UNO
DO DESEMPRISO DE REGLANO DEL UNO
DO DESEMPRISO DE REGLANO.
DO DESEMPRISO DE REGLANO.

RELECIÓN CON DESCHO UNO DESEMPRIÑO.

El singo de produción referèrso se basa en el arcibirio de 30 años de datos meteoraciónicos. Natóricos de um sión cerciano, y su finalidad es proporciones un indicio de la posible visitación interessad en la generación de un sistema PV (de bacidio diservic) fijo obisado en esa abbación.

Calculadora PVWatta

RESULTADOS

20,681 kWh/año*

Radiación solar (kWh/m²/dia)	Energia de corriente alterna (kWh.)
4.90	1,602
5.38	1,582
5.49	1,748
5.70	1,760
6.07	1,935
5.98	1,870
5.93	1,899
6.05	1,939
5.55	1,713
4.91	1,579
4.69	1,480
4.82	1,574
5.46	20,681
	4.90 5.38 5.49 5.70 6.07 5.98 5.93 6.05 5.55 4.91 4.69

Ubicación e identificación de la estación

Ubicación solicitada	18.034602, -66.849758
Fuente de datos meteorológicos	Lat., long.: 18.05, -66.86 1.3 mi
Latitud	18.05° N
Longitud	66.86° W


Especificaciones del sistema FV

Tamaño del sistema en CC	13.9 kW				
Tipo de módulo	Estándar				
Tipo de campo	Fijo (montaje en techo)				
Pérdidas del sistema	14.08%				
Inclinación del campo	5"				
Acimut del campo	180°				
Relación de tamaño de CC a CA	1.2				
Eficiencia del inversor	96%				
Tasa de cobertura del terreno	0.4				
Albedo	From weather file				
Bifacial	No (0)				
	Ene Feb Marzo Abr Mayo Jun				
Pérdida de irradiación mensual	0% 0% 0% 0% 0% 0%				
	Jul Ago Sept Oct Nov Dic				
	0% 0% 0% 0% 0% 0%				

https://pvwatts.nrel.gov/pvwatts.php

1/2





Page 7 of 17



ACUERDO DE INSTALACIÓN



Iniciales

TÉRMINOS, CONDICIONES Y DEFINICIONES

- 1. **DEFINICIONES.** "INSTALACIÓN" PARA USO EN ESTE DOCUMENTO SE REFIERE A MANO DE OBRA Y SITUAR LOS EQUIPOS PROPUESTOS EN EL SITIO. "PROPUESTA" O "CONTRATO" SE REFIERE A ESTE DOCUMENTO. "SITIO" SE REFIERE A LA PROPIEDAD DONDE SE INSTALARÁ EL SISTEMA PROPUESTO. "PROGRAMA" SE REFIERE A PROGRAMA DE APOYO ENERGETICO 2.0. "ACTIVIDADES DE INSTALACION" SE REFIERE A DISEÑO, ADQUISION DE MATERIALES O INSTALACION. "DDEC" SE REFIERE A DEPARTAMENTO DE DESARROLLO ECONOMICO Y COMERCIO DE PUERTO RICO. "CSE" SE REFIERE A CARIBBEAN SOLAR ENERGY, LLC.
- DIVULGACIÓN. ESTA PROPUESTA CONTIENE INFORMACIÓN CONFIDENCIAL, PROPIETARIA Y/O SENSIBLE A LA COMPETENCIA DE CSE POR LO TANTO; TODA LA INFORMACIÓN PROPORCIONADA EN ESTA PROPUESTA SE CONSIDERARÁ CONFIDENCIAL Y NO SE DIVULGARÁ A TERCEROS SIN EL CONSENTIMIENTO ESCRITO DE CSE.
- 3. GARANTÍAS. CSE CORREGIRÁ CUALQUIER DEFECTO DE INSTALACIÓN, SIN COSTO ALGUNO, DURANTE LOS PRIMEROS 10 AÑOS DESDE ENCENDIDO EL SISTEMA. NUESTROS MANUFACTUREROS OFRECEN LAS SIGUIENTES GARANTÍAS, EN DESEMPEÑO; PANELES SOLARES 25 AÑOS; MICRO-INVERSORES ENPHASE 25 AÑOS; SOPORTE UNIRAC O SWH 25 AÑOS; BATERÍA TESLA O ENPHASE 10 AÑOS. MANIPULACIÓN AL EQUIPO POR PERSONAL NO-AUTORIZADO INVALIDARÍA GARANTÍAS. EL CLIENTE, CON LA FIRMA DE ESTE DOCUMENTO, CERTIFICA HABER LEIDO EL(LOS) MANUAL(ES) DE TÉRMINOS Y CONDICIONES DE GARANTÍA DEL MANUFACTURERO.
- TÉRMINOS DE PAGO. (1) CSE RECIBIRÁ 50% DE LA APORTACION TOTAL CORRESPONDIENTE AL CLIENTE CON LA FIRMA DEL ACUERDO DE RESERVA DEL INCENTIVO. (2) CSE RECIBIRA EL RESTANTE 50% DE LA APORTACION TOTAL CORRESPONDIENTE AL CLIENTE UNA VEZ CULMINADA LA INSTALACIÓN. LOS PAGOS SERÁN EMITIDOS EN UN PERIODO NO MAYOR DE 7 DÍAS LABORABLES Y NO PODRÁN SER RETENIDOS BAJO NINGUN CONCEPTO. DEFICIENCIAS EN LA RED ELÉCTRICA QUE LIMITEN LA INTERACCIÓN DEL SISTEMA SOLAR CON DICHA RED NO SERÁ CAUSA PARA EXTENDER ESTE PERIODO. CSE SE RESERVA EL DERECHO DE APAGAR EL SISTEMA FOTOVOLTAICO, SIN EMITIR AVISO, SI SE EXCEDE ESTE PERIODO DE 7 DÍAS. EN CASO DE QUE CUALQUIER PAGO NO SEA EMITIDO DENTRO DE LOS TÉRMINOS ESTABLECIDOS EN ESTE CONTRATO, Y SIN MENOSCABO O MODIFICACIÓN DE OTRAS SECCIONES DE ESTE CONTRATO, EL CLIENTE ACUERDA Y SE OBLIGA A PAGAR A CSE UN CARGO POR DEMORA ADICIONAL DE DIEZ POR CIENTO (10%) DEL BALANCE ADEUDADO, MENSUALMENTE, HASTA QUE LOS PAGOS SEAN RECIBIDOS EN SU TOTALIDAD.
- EQUIPOS. EN CASO DE "BACK-ORDER" EN INVENTARIO SE PROVEERÁ EQUIVALENTE DE IGUAL O MAYOR CAPACIDAD.
- 6. TIEMPO DE INSTALACIÓN. SE ESTIMA LA INSTALACIÓN SE REALIZARÁ DENTRO DEL TERMINO QUE PROVEE EL PROGRAMA. ESTE PERIODO PUEDE VERSE AFECTADO POR EVENTOS DE LLUVIA EXTENSOS, ESCASEZ DE MATERIAL Y EVENTOS DE FUERZA MAYOR (ATMOSFÉRICOS, PANDEMIAS, TERREMOTOS, ENTRE OTROS EVENTOS IMPREDECIBLES). EL CLIENTE

- RELEVA A CSE DE EXCEDERSE EL TERMINO DEL PROGRAMA A CAUSA DE UNO DE ESTOS EVENTOS.
- 7. PRODUCCIÓN SOLAR ANUAL ESTIMADA. SU PRODUCCIÓN SOLAR PUEDE VARIAR DEPENDIENDO DEL CLIMA Y EL ACORTAMIENTO (EN CASO DE APAGONES). CSE UTILIZA LA BASE DE DATOS DEL "NATIONAL RENEWABLE ENERGY LABORATORY" PARA LA RECOMENDACIÓN DE TAMAÑO DE SISTEMA POR LO QUE CSE NO SE HACE RESPONSABLE DE LAS VARIACIONES QUE PUDIERAN SURGIR.
- 8. CANCELACIONES. EN CUALQUIERA DE LOS ESCENARIOS DE CANCELACIÓN POSTERIOR AL COMIENZO DE LAS ACTIVIDADES DE INSTALACIÓN, SE COBRARÁ UNA TARIFA PROPORCIONAL AL GASTO INCURRIDO HASTA EL MOMENTO DE LA CANCELACIÓN EL CUAL NO SERÁ MENOR DE UN 5% DEL COSTO TOTAL DEL PROYECTO. CSE SE RESERVA EL DERECHO DE RESCINDIR DE ESTE CONTRATO, EN CUALQUIER MOMENTO, PREVIO A LA INSTALACIÓN DEL SISTEMA. ESTO NOTIFICANDO AL CLIENTE CON 10 DIAS DE ANTICIPACIÓN.
- 9. MEDICIÓN NETA. MEJORAS A INFRAESTRUCTURA SOLICITADAS POR LUMA NO ESTÁN CUBIERTOS EN ESTA PROPUESTA. LA APROBACIÓN DE ESTE PROGRAMA ESTÁ BAJO LA DISCRECIÓN DE LUMA.
- 10. ALCANCE. CUALQUIER TRABAJO NO IDENTIFICADO EN ESTA PROPUESTA O COMPONENTE (EJ. MEJORAS A INFRAESTRUCTURA EXISTENTE, ETC.) SE CONSIDERARÁ FUERA DEL ALCANCE Y PUEDE REQUERIR UNA ORDEN DE TRABAJO O UNA ORDEN DE COMPRA ADICIONAL. ESTA PROPUESTA INCLUYE UNA INSTALACIÓN BÁSICA DE 25 PIES AL PUNTO DE INTERCONEXIÓN Y CON TUBERÍAS EXPUESTAS, CUALQUIER PREFERENCIA ADICIONAL REQUERIRÁ UN CAMBIO DE ORDEN. EL DÍA DE INSTALACIÓN SE REPASARÁ EL PLANO DE INSTALACIÓN Y PRESENTARAN LOS EQUIPOS EN SUS RESPECTIVAS ÁREAS PARA SU APROBACIÓN ESCRITA. UNA VEZ APROBADOS E INSTALADOS LOS EQUIPOS SI DESEA REALIZAR UN CAMBIO DE UBICACIÓN EL MISMO CONLLEVARA UN CAMBIO DE ORDEN.
- 11. SEGUROS. ESTA PROPUESTA NO INCLUYE CUBIERTA PARA DAÑOS POR EVENTOS DE FUERZA MAYOR (ATMOSFÉRICOS, FUEGOS, TERREMOTOS, ENTRE OTROS), ROBO, VANDALISMO Y/O VARIACIONES DE VOLTAJE DE LA RED ELÉCTRICA UNA VEZ CULMINADA LA INSTALACION. EL CLIENTE ASUME RESPONSABILIDAD TOTAL DE CUALQUIER DAÑO AL SISTEMA UNA VEZ CULMINADA DICHA INSTALACIÓN EN EL SITIO.
- 12. **PERMISOS DE CONSTRUCCIÓN**. SEGÚN ESTABLECE EL REGLAMENTO DE OGPE, ESTAS INSTALACIONES NO REQUIEREN PERMISO DE CONSTRUCCIÓN POR SER MENORES A 1MW Y LLEVARSE A CABO SOBRE EL TECHO DE LA RESIDENCIA O COMERCIO.
- 13. **APAGONES.** PARA FUNCIONAR EN EL EVENTO DE UN APAGÓN, DE DÍA O NOCHE, ES NECESARIO EL SISTEMA INCLUYA ALMACENAMIENTO (BATERÍAS).
- 14. **MONITOREO.** REQUIERE CONECTAR EL SISTEMA A RED WI-FI CON INTERNET ESTABLE Y DE ALTA VELOCIDAD.
- 15. VISITAS TÉCNICAS. VISITAS DE SERVICIO NO-ASOCIADAS A DEFECTOS DE INSTALACIÓN TENDRÁN TARIFA MÍNIMA, COMENZANDO DESDE \$150.
- CÓDIGOS Y REQUERIMIENTOS. LOS EQUIPOS SOLO PODRÁN SER INSTALADOS EN ÁREAS APROBADAS POR



- MANUFACTUREROS, CÓDIGOS DE ELECTRICIDAD Y LA AUTORIDAD DE ENERGÍA ELÉCTRICA DE PUERTO RICO ("AEE" O "LUMA", EN ADELANTE). EL CLIENTE RELEVA DE CUALQUIER RESPONSABILIDAD A CSE DE EL CLIENTE EXIGIR QUE NO SE CUMPLA CON ESTOS REOUISITOS.
- 17. FACILIDADES. SE PRESUME QUE SU INFRAESTRUCTURA ENERGÉTICA EXISTENTE CUMPLE CON LOS PARÁMETROS (VOLTAJES, FRECUENCIAS, ETC.) REQUERIDOS POR AEE-LUMA Y EL "NATIONAL ELECTRICAL CODE" PARA LA INTERACCIÓN DE SISTEMAS FOTOVOLTAICOS CON SU PROVEEDOR DE ENERGÍA ELÉCTRICA. CSE NO SE RESPONSABILIZA POR DAÑOS ESCONDIDOS, DISIMULADOS U OCULTOS QUE SE DESCUBRAN EN, DURANTE O DESPUÉS DE LA INSTALACIÓN; CORREGIRLOS REQUERIRÁ UNA ORDEN DE TRABAJO ADICIONAL.
- TECHO. SE PRESUME ESPACIO DE TECHO DISPONIBLE Y EN CONDICIONES ADECUADAS PARA INSTALAR EL SISTEMA SIN REALIZAR MEJORAS, MODIFICACIONES O ADICIONES. CSE SE RESERVA EL DERECHO DE CLASIFICAR LAS CONDICIONES DEL TECHO. NO SE INCLUYE IMPERMEABILIZACIÓN DE TECHOS, SIN EMBARGO, TODAS LAS PENETRACIONES GARANTIZAN LAS MEJORES PRÁCTICAS PARA NO AFECTAR NINGUNA GARANTÍA (SI CORRESPONDE) O INTEGRIDAD DEL TECHO. CSE NO SE HACE RESPONSABLE BAJO NINGUN CONCEPTO DE DAÑOS AL TECHO NO RELACIONADOS A LA INSTALACIÓN O A LOS TRABAJOS REALIZADOS POR CSE. UNA VEZ INSTALADO EL SISTEMA FOTOVOLTAICO Y HABIENDO SIDO ACEPTADO POR EL CLIENTE, CSE NO SERA RESPONSABLE POR NINGUN RECLAMO RELACIONADO A LA IMPERMEABILIZACIÓN Y/O DAÑOS DEL TECHO.
- 19. VALIDEZ Y CORRECCIONES. ESTA PROPUESTA TIENE UNA VALIDEZ DE NOVENTA DÍAS (90) DÍAS A PARTIR DE LA EMISIÓN. LAS CITAS VERBALES EXPIRAN EL MISMO DÍA EN QUE SE REALIZAN. TODOS LOS ERRORES TIPOGRÁFICOS Y ADMINISTRATIVOS ESTÁN SUJETOS A CORRECCIÓN.
- 20. **TITULARIDAD**. EL CLIENTE RECONOCE QUE EL SISTEMA PROPUESTO Y TODOS SUS COMPONENTES SON PROPIEDAD EXCLUSIVA DE CSE HASTA TANTO SE SATISFAGAN EL 100% DE LOS PAGOS ACORDADOS BAJO ESTE CONTRATO.
- 21. ACCESO. EL CLIENTE RECONOCE QUE CONCEDE ACCESO A CSE A SU PROPIEDAD (PROPIA O ARRENDADA), EN CUALQUIER MOMENTO, PARA REMOVER Y/O REPOSEER LOS EQUIPOS, DE SER INCUMPLIDOS LOS TÉRMINOS DE PAGO POR CUALQUIER RAZÓN.
- 22. FOTOGRAFÍAS. CSE ESTÁ AUTORIZADO A UTILIZAR FOTOGRAFÍAS DE LOS EQUIPOS INSTALADOS EN SU PROPIEDAD (PROPIA O ARRENDADA) PARA PROPÓSITO PUBLICITARIOS SIEMPRE Y CUANDO SE PROTEJA SU PRIVACIDAD.

 MARCAR SI NO AUTORIZA.
- 23. LLAMADAS GRABADAS. TODAS LAS LLAMADAS RECIBIDAS Y REALIZADAS DE CSE SE REALIZAN A TRAVÉS DE UNA LÍNEA GRABADA.
- 24. HONORARIOS DE ABOGADO. EN CASO DE QUE CSE RECURRA A UN ABOGADO PARA MANEJAR POR MEDIO DE LA VÍA JUDICIAL, O EXTRAJUDICIAL, CUALQUIER VIOLACIÓN DE CUALQUIER TÉRMINO O CONDICIÓN DE ESTE CONTRATO, EL CLIENTE PAGARÁ LOS HONORARIOS RESULTANTES POR UNA CANTIDAD NO MENOR DEL VEINTE POR CIENTO (20%) DE LA CANTIDAD RECLAMADA EN EL MOMENTO, O QUE ESTÉ ACUMULANDO, PERO EN NINGÚN CASO DICHA CANTIDAD SERÁ MENOR DE DOS MIL QUINIENTOS DÓLARES (\$2,500.00). ADEMÁS, SE ACUERDA QUE, SI SE

- INICIA UNA ACCIÓN JUDICIAL EN SU CONTRA POR VIOLAR LOS TÉRMINOS DE ESTE CONTRATO, ÉSTA SE SOMETERÁ A LA JURISDICCIÓN DEL TRIBUNAL QUE ESCOJA CSE.
- 25. INCENTIVOS. EL CLIENTE SE COMPROMETE A REALIZAR DE MANERA DILIGENTE Y PROACTIVA TODAS LAS GESTIONES PERTINENTES Y REQUERIDAS, DE SU PARTE, POR CUALQUIER ENTIDAD QUE LE HAYA APROBADO U OTORGADO UN INCENTIVO PARA LA ADQUISICIÓN DE SU SISTEMA Y ESTE SE HAYA CONSIDERADO COMO PARTE O TOTALIDAD DE LOS PAGOS POR EL PRESENTE CONTRATO. EL CLIENTE SE COMPROMETE A PAGAR EL 100% DE LOS COSTOS DEL PROYECTO, OBJETO DE ESTE CONTRATO, SI POR NEGLIGENCIA, OMISIÓN, PREFERENCIA O DEJADEZ DE SU PARTE EXPIRA EL PERIODO PARA RECLAMAR EL PAGO DE DICHO INCENTIVO Y EL SISTEMA HA SIDO INSTALADO. DE SER REQUERIDO POR EL CLIENTE QUE CSE O SUS REPRESENTANTES LE ASISTAN EN EL SOMETIMIENTO, LLENADO O RADICACIÓN DE CUALQUIER PROCESO, DOCUMENTO O SOLICITUD, EL CLIENTE, RELEVA A CSE Y SUS REPRESENTANTES DE CUALQUIER NEGLIGENCIA, OMISIÓN O ERROR EN TODO MOMENTO. HASTA TANTO SE EJECUTE EL ACUERDO DE RESERVA DE SUBVENCIÓN: (A) NO SE INICIARÁN NI REALIZARÁN NINGÚN TRABAJO PARA LA INSTALACIÓN DEL SISTEMA; (B) NO SE ORDENARÁN O TOMARÁN ACCIONES PARA ADQUIRIR EQUIPO O MATERIAL PARA EL SISTEMA; Y (C) NO SE INCURRIRÁ O PAGARÁ COSTOS RELACIONADOS CON EL TRABAJO O CUALQUIER OTRA RESPONSABILIDAD DE LAS FASES DE INSTALACIÓN PARA EL SISTEMA. ESTE CONTRATO QUEDARA AUTOMATICAMENTE CANCELADO, SIN PENALIDAD ALGUNA PARA LAS PARTES, SI EL DDEC NO APRUEBA EL INCENTIVO. LOS SUPLIDORES Y LOS BENEFICIARIOS NO PODRÁN MODIFICAR LAS SOLICITUDES APROBADAS Y DEBIDAMENTE NOTIFICADAS NI LOS CRITERIOS EXAMINADOS PARA EL PROCESO DE EVALUACIÓN Y APROBACIÓN, ENTIÉNDASE: LA PROPUESTA DEL SUPLIDOR, COSTO TOTAL DEL PROYECTO, CAMBIO DE UBICACIÓN O LOCAL, TAMAÑO DEL SISTEMA DE RENOVABLE, ENERGÍA TAMAÑO ALMACENAMIENTO DE BATERÍA Y, SI SOLICITÓ, LA INFRAESTRUCTURA PARA EL CARGADOR DE AUTO
- 26. ACEPTACIÓN. TAL ES EL CONTRATO QUE OTORGAN LOS COMPARECIENTES Y POR EL CUAL SE COMPROMETEN Y OBLIGAN MUTUAMENTE, HACIENDO CONSTAR QUE EL PRESENTE CONTIENE LA TOTALIDAD DE LOS ACUERDOS ENTRE LAS PARTES Y QUE CUALQUIER CAMBIO O ENMIENDA AL MISMO TENDRÁ QUE CONSTAR POR ESCRITO PARA SURTIR EFECTO Y OBLIGAR A LAS PARTES. SI ALGUNA DE LAS CLÁUSULAS DE ESTE CONTRATO FUERA DECLARADA ILEGAL O CONTRARIA A DERECHO, QUEDARÁN VIGENTES Y EN TODO VIGOR LAS CLÁUSULAS RESTANTES DEL CONTRATO.

FIRMA CLIENTE:

Wanda Ayala	
NOMBRE EN LETRA DE MOLDE	
Wood below CC	
FIRMA	
08/30/24	
FECHA	

Page 10 of 17



CARIBBEAN SOLAR ENERGY:

Roxana Rivera

NOMBRE DE REPRESENTANTE AUTORIZADO

FIRM FR569F27A244F

Page 11 of 17






Engineered in Germany



MECHANICAL SPECIFICATION

Format	87.2 in × 41.1 in × 1.38 in (including frame) (2216mm × 1.045mm × 35mm)
Weight	58.4(bs (26.5kg)
Front Cover	013in (3.2mm) thermally pre-stressed glass with anti-reflection technology
Back Cover	Composite film
Frame	Anodiged aluminum
Cell	6 x 26 monocrystalline Q.ANTUM solar half cells
Junction Box	2.09-3.98 in ×1.26-2.36 in × 0.59-0.71 in (53-101 mm × 32-60 mm × 15-18 mm), IP67, with bypass diodes
Cable	4 mm² Solar cable; (+) ≥ 27.6 in (700 mm), (-) ≥ 13.8 in (350 mm)*
Connector	Staubli MC4-Evo2, Harwha Q CELLS HQC4; IP68
	"Long cables (+) ≥571 in (1450 mm), (-) ≥571 in (1450 mm) for landscape installation are available upon request.



ELECTRICAL CHARACTERISTICS

POV	VER CLASS			475	480	485	490	495
MIN	IIMUM PERFORMANCE AT STANDA	RD TEST CONDITIO	NS, STC-(PO	WERTOLERANCE+	5W /-0W)			
	Power at MPPI	P _{MPP}	[W]	475	480	485	490	495
	Short Circuit Current ¹	l _{ac}	[A]	11.24	11.26	11.29	11.31	11.34
ā	Open Circuit Voltage ¹	Voc	[V]	53.58	53.61	53.64	53.68	53.71
Miri	Current at MPP	l _{MPP}	[A]	10.66	10.71	10.76	10.81	10.86
2	Voltage at MPP	V _{MOPP}	[V]	44.54	44.81	45.07	45.33	45.59
	Efficiency ¹	η	[%]	≥20.5	≥20.7	≥20.9	≥21.2	≥21.4
MIN	IIMUM PERFORMANCE AT NORMAL	OPERATING CONI	DITTONS, NM	OT2				
	Power at MPP	P _{MPP}	[W]	356.4	360.1	363.9	367.6	371.4
Ę	Short Circuit Current	lac	[A]	9.05	9.07	9.09	9.12	914
Ē	Open Circuit Voltage	Voc	[V]	50.53	50.56	50.59	50.62	50.65
ž	Current at MPP	I _{MPP}	[A]	8.39	8.43	8.47	8.52	8.56
	Voltage at MPP	V	[V]	42.49	42.72	42.94	43.17	43.39


 $9 Measurement to lensences P_{Matrix} = 3\% (1_{MC} V_{OC} \pm 5\% \ at STC:1000W/m^2, 25 \pm 2^{\circ}C, AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, NMOT, a pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 = ^2800W/m^2, A pactrum AM1.5 \ according to IEC 60904-3 =$

Q CELLS PERFORMANCE WARRANTY

At least 98% of nominal power during first year. Thereafter max. 0.5% diagradation per year. At least 93.5% of nominal power up to 10 years. At least 86% of nominal power up to

All data within measurement tolerances. Full warnings in accordance with the warning terms of the Q CELLS sales organisation of your respective.

PERFORMANCE AT LOW IRRADIANCE



Typical module performance under low irradiance comparison to STC conditions (25 °C, 1000W/m²)

TEMPERATURE COEFFICIENTS							
Temperature Coefficient of I _{sc}	a	[%/K]	+0.04	Temperature Coefficient of V _{oc}	β	[%/K]	-0.27
Temperature Coefficient of Page	Y	[%/K]	-0.34	Nominal Module Operating Temperature	NMOT	[°F]	109±5.4(43±3°C)

PROPERTIES FOR SYSTEM DESIGN

Maximum System Voltage V _{zvz}	[V]	1500 (EC)/1500 (UL)	PV module classification	Class II
Maximum Series Fuse Rating	[A DC]	20	Fire Rating based on ANSI/UL 61730	TYPE 1
Max. Design Load, Push / Pull ³	[lbs/ft ²]	75 (3600Pa) / 42 (2000Pa)	Permitted Module Temperature	-40°F up to +185°F
Max. Test Load, Push / Pull ³	[lbs/ft ²]	113 (5400 Pa) / 63 (3000 Pa)	on Continuous Duty	(-40°C up to +85°C)
*See Installation Manual				

QUALIFICATIONS AND CERTIFICATES

UL 61730, CE-compliant, IEC 61215:2016, IEC 61730:2016, U.S. Patent No. 9,893,215 (solar cells); Certification in process.







Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Hanwha Q CELLS America Inc.
400 Spectrum Center Drive, Suite 1400, Invine, CA 92618, USA | TEL +1 949 748 59 96 | EMAIL Inquiry@usag cell scom | WEB www.g-cellsus

Page 13 of 17





POWERWALL+

Powerwall+ is an integrated solar battery system that stores energy from solar production. Powerwall+ has two separate inverters, one for battery and one for solar, that are optimized to work together. Its integrated design and streamlined installation allow for simple connection to any home, and improved surge power capability brings whole home backup in a smaller package. Smart system controls enable owners to customize system behavior to suit their renewable energy needs.

KEY FEATURES

- Integrated battery, inverter, and system controller for a more compact install
- A suite of application modes, including self-powered, time-based control, and backup modes
- Wi-Fi, Ethernet, and LTE connectivity with easy over-the-air updates

NA 2022-02-18

1

Page 14 of 17



POWERWALL+

PHOTOVOLTAIC (PV) AND BATTERY ENERGY STORAGE SYSTEM (BESS) SPECIFICATIONS


Powerwall+ Model Number	1850000-xx-y
Solar Assembly Model Number	1538000-xx-y
Nominal Battery Energy	13.5 kWh
Nominal Grid Voltage (Input / Output)	120/240 VAC
Grid Voltage Range	211.2 - 264 VAC
Frequency	60 Hz
Phase	240 VAC: 2W+N+GND
Maximum Continuous Power On-Grid	7.6 kVA full sun / 5.8 kVA no sun¹
Maximum Continuous Power Off-Grid	9.6 kW full sun / 7 kW no sun ¹
Peak Off-Grid Power (10 s)	22 kW full sun / 10 kW no sun ¹
Maximum Continuous Current On-Grid	32 A output
Maximum Continuous Current Off-Grid	40 A output
Load Start Capability	98 - 118 A LRA ²
PV Maximum Input Voltage	600 VDC
PV DC Input Voltage Range	60 - 550 VDC
PV DC MPPT Voltage Range	60 - 480 VDC
MPPTs	4 (or 2 combined strings)
Input Connectors per MPPT	1-2-1-2
Maximum Current per MPPT (I _{mp})	13 A (26 A for combined strings)
Maximum Short Circuit Current per MPPT (I_)	15 A
Allowable DC/AC Ratio	1.7
Overcurrent Protection Device	50 A breaker
Maximum Supply Fault Current	10 kA
Output Power Factor Rating	+/- 0.9 to 1 ^s
Round Trip Efficiency	90%4
Solar Generation CEC Efficiency	97.5% at 208 V 98.0% at 240 V
Customer Interface	Tesla Mobile App
Internet Connectivity	WI-FI, Ethernet, Cellular LTE/4G) ⁶
PV AC Metering	Revenue grade (+/-0.5%)
	Integrated arc fault
Protections	circuit interrupter (AFCI), PV Rapid Shutdown

COMPLIANCE INFORMATION

PV Certifications	UL 1699B, UL 1741, UL 3741, UL 1741 SA, UL
	1998 (US), IEEE 1547, IEEE 1547.1
Battery Energy Storage	UL 1642, UL 1741, UL 1741 PCS, UL 1741 SA, UL
System Certifications	1973, UL 9540, IEEE 1547, IEEE 1547.1, UN 38.3
Grid Connection	United States
Emissions	FCC Part 15 Class B
Environmental	RoHS Directive 2011/65/EU
Selsmic	AC156, IEEE 693-2005 (high)

MECHANICAL SPECIFICATIONS

Dimensions	1596 x 755 x 160 mm (62.8 x 29.7 x 6.3 in)
Total Weight	140 kg (310 lb) ⁶
Battery Assembly	118 kg (261 lb)
Solar Assembly	22 kg (49 lb)
Mounting options	Floor or wall mount



ENVIRONMENTAL SPECIFICATIONS

Operating Temperature	-20°C to 50°C (-4°F to 122°F) ⁷
Recommended Temperature	0°C to 30°C (32°F to 86°F)
Operating Humidity (RH)	Up to 100%, condensing
Storage Conditions	-20°C to 30°C (-4°F to 86°F) Up to 95% RH, non-condensing State of Energy (SoE): 25% Initial
Maximum Elevation	3000 m (9843 ft)
Environment	Indoor and outdoor rated
Enclosure Type	Type 3R
Solar Assembly Ingress Rating	IP55 (Wiring Compartment)
Battery Assembly Ingress Rating	IP56 (Wiring Compartment) IP67 (Battery & Power Electronics)
Noise Level @ 1 m	< 40 db(A) optimal, < 50 db(A) maximum

¹Values provided for 25°C (77°F).

²Load start capability may vary.

³Power factor rating at max real power.

⁴AC to battery to AC, at beginning of life.

⁵Cellular connectivity subject to network service coverage and signal strength.

 $^6\mathrm{The}$ total weight does not include the Powerwall+ bracket, which weighs an additional 9 kg (20 lb).

 $^7\text{Performance}$ may be de-rated at operating temperatures below 10°C (50°F) or greater than 43°C (109°F).

TESLA NA 2022-02-18



TESLA.COM/ENERGY

SOLAR SHUTDOWN DEVICE

The Tesla Solar Shutdown Device is part of the PV system rapid shutdown (RSD) function in accordance with Article 690 of the applicable NEC. When paired with Powerwall+, solar array shutdown is initiated by turning the Powerwall+ Enable switch off, or by pushing the System Shutdown Switch if one is present.



ELECTRICAL SPECIFICATIONS

Nominal Input DC Current Rating (I _{MP})	12 A
Maximum Input Short Circuit Current (I_{SC})	15 A
Maximum System Voltage	600 V DC

RSD MODULE PERFORMANCE

Maximum Number of Devices per String	5
Control	Power Line Excitation
Passive State	Normally open
Maximum Power Consumption	7 W
Warranty	25 years

COMPLIANCE INFORMATION


Certifications	UL 1741 PVRSE, UL 3741, PVRSA (Photovoltaic Rapid Shutdown Array)
RSD Initiation Method	External System Shutdown Switch
Compatible Equipment	See Compatibility Table below

ENVIRONMENTAL SPECIFICATIONS

Ambient Temperature	-40°C to 50°C (-40°F to 122°F)
Storage Temperature	-30°C to 60°C (-22°F to 140°F)
Enclosure Rating	NEMA 4 / IP65

MECHANICAL SPECIFICATIONS

Electrical Connections	MC4 Connector
Housing	Plastic
Dimensions	125 mm x 150 mm x 22 mm (5 in x 6 in x 1 in)
Welght	350 g (0.77 lb)
Mounting Options	ZEP Home Run Clip M4 Screw (#10) M8 Bolt (5/16") Nall / Wood screw



UL 3741 PV HAZARD CONTROL (AND PVRSA) COMPATIBILITY

Tesia Solar Roof and Tesia/Zep ZS Arrays using the following modules are certified to UL 3741 and UL 1741 PVRSA when installed with the Powerwall+ and Solar Shutdown Devices. See the Powerwall+ Installation Manual for detailed instructions and for guidance on installing Powerwall+ and Solar Shutdown Devices with other modules.

Brand	Model	Required Solar Shutdown Devices
Tesla	Solar Roof V3	1 Solar Shutdown Device per 10 modules
Tesla	Tesia TxxxS (where xxx = 405 to 450 W, increments of 5)	1 Solar Shutdown Device per 3 modules ¹
Tesla	Tesia TxxxH (where xxx = 395 to 415 W, increments of 5)	1 Solar Shutdown Device per 3 modules
Hanwha	Q.PEAK DUO BLK-G5	1 Solar Shutdown Device per 3 modules
Hanwha	Q.PEAK DUO BLK-G6+	1 Solar Shutdown Device per 3 modules

¹Exception: Tesia solar modules installed in locations where the max Voc for three modules at low design temperatures exceeds 165 V shall be limited to two modules between MCIs.


T E S L F NA 2022-02-18 TESLA.COM/ENERGY




Page 16 of 17

SYSTEM LAYOUTS


Powerwall+ with Backup Switch for Whole Home Backup



Powerwall+ with Backup Gateway 2 for Whole Home Backup



Powerwall+ with Backup Gateway 2 for Partial Home Backup



T ≡ ⊑ L ⊼ NA 2022-02-18 TESLA.COM/ENERGY

Page 17 of 17





Appendix 4: EPA's Published Summary of Nonattainment Areas Population Exposure Report & Status of Puerto Rico Designated Areas EPA's Published Summary of Nonattainment Areas Population Exposure Report & Status of Puerto Rico Designated Areas



You are here: EPA Home > Green Book > Summary Nonattainment Area Population Exposure Report

Summary Nonattainment Area Population Exposure Report

Data is current as of June 30, 2025

Ordered by state(s)

The NO_2 nonattainment area became a maintenance area on September 22, 1998. All Carbon Monoxide areas were redesignated to maintenance areas as of September 27, 2010. The 8-hour Ozone (1997) standard was revoked on April 6, 2015 and the 1-hour Ozone (1979) standard was revoked on June 15, 2005.

Download National Dataset: dbf | xls | Data dictionary (PDF)

State(s)	General		2010 Population in 1000s (area count)								
State(s)	Area Name (see note)	8-Hour Ozone (2015)	8-Hour Ozone (2008)	PM-2.5 (2012)	PM-2.5 (2006)	PM-2.5 (1997)	PM-10 (1987)	1-10 SO ₂ (2010) (1) (1) (3(1) (1) (3(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	SO ₂ (1971)	Lead (2008)	Lead (1978)
AK	Fairbanks				87(1)						
AZ	Douglas/Paul Spur (Cochise County)						17(1)				
AZ	Hayden/Miami						26(2)	20(2)	5(1)	5(1)	
AZ	Nogales						30(1)	(-)	- (-)		
AZ	Phoenix-Mesa	3,945(1)	3,850(1)				3,853(1)				
AZ	Rillito (Pima County)						1(1)				
AZ	West Pinal				52(1)		283(1)				
AZ	Yuma	87(1)					101(1)				
CA	Amador and Calaveras Cos (Central Mountain Cos)	84(2)	46(1)				, ,				
CA	Chico	220(1)	220(1)								
CA	Imperial County	175(1)	175(1)	154(1)	154(1)						
CA	Los Angeles- South Coast Air Basin	15,704(3)	15,723(3)	15,716(1)	15,716(1)	15,716(1)				9,437(1)	
CA	Mariposa and Tuolumne Cos (Southern Mountain Cos)	74(2)	18(1)								
CA	Mono County						0(1)				
CA	Nevada County (Western Part)	82(1)	82(1)				` .				
CA	Owens Valley						7(1)				
	Plumas County			6(1)							
CA	Sacramento Metro	2,240(1)	2,241(1)		2,206(1)						
CA	San Diego	3,077(1)	3,095(1)								
CA	San Francisco- Bay Area	6,969(1)	6,973(1)		6,971(1)						

State(a)	General	2010 Population in 1000s (area count)									
State(s)	(see note)	8-Hour Ozone (2015)	8-Hour Ozone (2008)	PM-2.5 (2012)	PM-2.5 (2006)	PM-2.5 (1997)	PM-10 (1987)		SO ₂ (1971)	Lead (2008)	Lead (1978)
CA	San Joaquin Valley	3,937(2)	3,938(2)	3,842(1)	3,842(1)	3,842(1)	126(1)				
	San Luis Obispo	1(1)	2(1)								
	Searles Valley Southeast						4(1)				
CA	Desert Modified AQMA	1,292(2)	1,294(2)				495(2)				
CA	Tuscan Buttes	0(1)	0(1)								
CA	Ventura County	821(1)	823(1)								
CA	Yuba City	0(1)									
	Denver- Boulder- Greeley-Ft. Collins- Loveland	3,331(1)	3,330(1)								
СТ	Greater Connecticut	1,629(1)	1,629(1)								
DC- MD- VA	Washington	5,136(1)									
GU	Piti-Cabras							6(1)	1(1)		
	Tanguisson Power Plant								1(1)		
	Muscatine County							30(1)			
	Pocatello						1(1)				
WI	Chicago- Joliet-Napier	9,075(1)									
IN	Fort Wayne- Huntington- Auburn							21(1)			
	Salina									0(1)	
KY	Henderson- Webster Counties							7(1)			
	Louisville	876(1)									
TΛ	Evangeline Parish							0(1)			
LA	New Orleans							36(1)			
MA-	Boston- Worcester- Manchester		17(1)								
	Baltimore	2,663(1)	2,663(1)					990(1)			
МІ	Allegan County	47(1)	_,=,==(1)					(1)			
	Benton Harbor	157(1)									
МІ	Detroit-Ann Arbor							306(2)			
	Muskegon	147(1)									
MNI	Minneapolis- St. Paul	, ,								9(1)	

Stato(s)	General	2010 Population in 1000s (area count)									
State(s)	Area Name (see note)	8-Hour Ozone (2015)	8-Hour Ozone (2008)	PM-2.5 (2012)	PM-2.5 (2006)	PM-2.5 (1997)	PM-10 (1987)	SO ₂ (2010)	SO ₂ (1971)	Lead (2008)	Lead (1978)
МО	Iron, Dent, and Reynolds Counties	, , ,	Ź							0(1)	
1 1/1/1	New Madrid County							0(1)			
MO-IL	St. Louis Billings/Laurel	2,488(1)							7(1)	5(1)	3(1)
	Lame Deer						1(1)		. (-)		
	Polson (Lake County)						4(1)				
МТ	Ronan (Lake County)						3(1)				
	Las Vegas	1,892(1)									
NY	Jamestown		135(1)								
	St. Lawrence County		Ì					12(1)			
NY-NJ- CT	New York-N. New Jersey- Long Island	20,217(1)	20,217(1)								
	Canton- Massillon									6(1)	
	Cleveland- Akron-Elyria	2,780(1)									
	Klamath Falls				47(1)						
PA	Clearfield and Indiana Counties							93(1)			
PA	Lancaster		519(1)								
DΛ	Pittsburgh- New Castle		2,356(1)	1,223(1)	21(1)	21(1)		20(2)	5(1)	18(1)	
	Reading		411(1)							49(2)	
PA	Warren County							18(1)			
PA-NJ	Allentown- Bethlehem- Easton		712(1)								
PA-NJ- DE-	Philadelphia- Wilmington-	7,437(1)	7,634(2)								
	Atlantic City									22(1)	
	Arecibo Guayama- Salinas							23(1)		32(1)	
PR	San Juan							275(1)			
TN	Johnson City- Kingsport-							15(1)			
TX	Bristol Dallas-Fort	6,202(1)	6,280(1)								
	Worth	0,202(1)	0,200(1)					4(1)			
	Fairfield Houston-Sugar Land-Baytown	5,773(1)	5,892(1)					4(1)			
	Land-Baytown Howard County							0(1)			

	General			2010	Populati	on in 1000)s (area	count)			
State(s)	(see note)	8-Hour Ozone (2015)	8-Hour Ozone (2008)	PM-2.5 (2012)	PM-2.5 (2006)	PM-2.5 (1997)		SO ₂ (2010)	SO ₂ (1971)	Lead (2008)	Lead (1978)
1 1 X	Hutchinson County							15(1)			
	Mount Pleasant							0(1)			
1 I X	Navarro County							2(1)			
	San Antonio	1,715(1)									
TX	Tatum							2(1)			
	El Paso-Las Cruces	813(1)					652(2)				
	Provo	516(1)			518(1)						
	Salt Lake City	1,616(1)			1,665(1)				1,030(1)		
	Tooele County								58(1)		
	Uinta Basin	47(1)									
	Giles County							0(1)			
	Milwaukee- Racine	1,648(1)									
WI	Sheboygan	68(1)									
	Parkersburg- Marietta							4(1)			
	Upper Green River Basin		11(1)								
			20	010 Popul	ation in 1	000s (are:	a count)	by Pol	lutant		1
Total E	stimated 2010					,					
Population in Nonattainment Areas (1000's)		8-Hour Ozone (2015)	8-Hour Ozone (2008)	PM-2.5 (2012)	PM-2.5 (2006)	PM-2.5 (1997)		SO ₂ (2010)	SO ₂ (1971)	Lead (2008)	Lead (1978)
Across All Criteria Pollutants: 121,102		114,981 (46)	90,288 (34)	20,942 (5)	31,280 (11)	19,579 (3)	5,605 (20)	1,900 (28)	1,106 (7)	9,561 (11)	3 (1)

The Summary Population Exposure Report is a summary of the population living in an area that is in nonattainment for at least one of the NAAQS.

Area Name:

The "State(s) Area Name" column contains a common or general name for the nonattainment areas on the row, but may not reflect the exact name of any area on the row. This column cannot be exact since the nonattainment area for one pollutant may not contain the same counties, cities, or states as the nonattainment area for another pollutant on the same row. The abbreviations listed in the "State(s)" column reflect all states identified in row. However, some states on a row may be nonattainment for some pollutants and not for others in the general area. A multi-state area with states that have not all been redesignated to maintenance is counted as a nonattainment area until all of the states in the area are redesignated, with the whole area population displayed.

Discover.	Connect.	Ask.
		Follow.

You are here: EPA Home > Green Book > National Area and County-Level Multi-Pollutant Information > Puerto Rico Nonattainment/Maintenance Status for Each County by Year for All Criteria Pollutants

Puerto Rico Nonattainment/Maintenance Status for Each County by Year for All Criteria Pollutants

Data is current as of June 30, 2025

Listed by County, NAAQS, Area. The 8-hour Ozone (1997) standard was revoked on April 6, 2015 and the 1-hour Ozone (1979) standard was revoked on June 15, 2005.

* The 1997 Primary Annual PM-2.5 NAAQS (level of 15 μg/m³) is revoked in attainment and maintenance areas for that NAAQS. For additional information see the PM-2.5 NAAQS SIP Requirements Final Rule, effective October 24, 2016. (81 FR 58009)

Change the State:	
PUERTO RICO V	GO

Important N	Votes		Download	oad National Da	ataset: dbf :	kls D	ata dictiona	ry (PDF)
	NAAQS	Area Name	Nonattainment in Year	Redesignation to Maintenance	Classification	Whole or/ Part County	Population (2010)	State/ County FIPS Codes
PUERTO :								
Arecibo Municipio	Lead (2008)	Arecibo, PR	11 12 13 14 15 16 17 18 192021 2223 24 25	//		Part	32,185	72/013
Municipio	(2010)	San Juan, PR	1819202122232425	//		Part	22,921	72/021
Catano Municipio	Sulfur Dioxide (2010)	San Juan, PR	1819202122232425	//		Whole	28,140	72/033
Guaynabo Municipio	PM-10 (1987)	Mun. of Guaynabo, PR	929394959697989900010203040506070809	02/11/2010	Moderate	Part	90,470	72/061
	Sulfur Dioxide (2010)	San Juan, PR	1819202122232425	//		Part	23,802	72/061
Salinas Municipio	Sulfur Dioxide (2010)	Guayama- Salinas, PR	1819202122232425	//		Part	23,401	72/123
San Juan Municipio	Sulfur Dioxide (2010)	San Juan, PR	1819202122232425	//		Part	147,963	72/127
Toa Baja Municipio	Culfin	San Juan, PR	1819202122232425	//		Part	52,441	72/137
Important N	lotes							

Discover. Connect. Ask.

Status of Puerto Rico Designated Areas

Puerto Rico Areas by NAAQS

NOTE: As of 03/12/2021, these reports are no longer being updated. For the latest information, see the SIP Status Tools.

Jump to Puerto Rico section for: CO (1971) Lead (1978) Lead (2008) NO2 (1971) Ozone-1Hr (1979) Ozone-8Hr (1997) Ozone-8Hr (2008) Ozone-8Hr (2015) PM-10 (1987) PM-2.5 (1997) PM-2.5 (2006) PM-2.5 (2012) SO2 (1971) SO2 (2010)

Puerto	Rico CO	(1971) A	areas <u>R</u>	eturn to m	<u>nap</u>								
No desig	No designated areas for this pollutant.												
Puerto	Rico Lea	d (1978)	Areas	Return to	<u>тар</u> То	op of page							
No designated areas for this pollutant.													
Puerto	Rico Lea	d (2008)	Areas <u>F</u>	Return to I	<u>map</u>	Top of page							
Click on he Area name to view SIP Require d Element s	Status	Designa tion Date	Classifica tion	2010 Populati on (state por tion)	Meet s NAA QS Basis	Design Value Annual (μg/m³) (entire are a)	Meets NAAQS	SIP Requirem ents Original/ Approved	Clean Air Determin ation Citation Effective Date Click to view FR notice	Redesign ation Request Date	Redesigna tion Citation Effective Date Click to view FR notice		
Arecib o	Nonattain ment	12/31/2 011		32,185	201 7- 201 9	0.18	No	6/6					
Puerto	Rico NO	2 (1971)	Areas <u>I</u>	Return to	mapTo	p of page							
No designated areas for this pollutant.													
Puerto	Puerto Rico Ozone-1Hr (1979) Areas Return to map Top of page												

No designated areas for this pollutant.

Puerto Rico Ozone-8Hr (1997) Areas Return to map Top of page

No designated areas for this pollutant.

Puerto Rico Ozone-8Hr (2008) Areas Return to map Top of page

No designated areas for this pollutant.

Puerto Rico Ozone-8Hr (2015) Areas Return to map Top of page

No designated areas for this pollutant.

Puerto Rico PM-10 (1987) Areas Return to map Top of page

Click on the Area name to view SIP Require d Element S		Designa tion Date	Classifica tion		Meet s NAA QS Basis	Average Estimate d Exceeda nces (est. exc.) (entire are a)	Meets NAAQS	SIP Requirem ents Original/ Approved	Clean Air Determin ation Citation Effective Date Click to view FR notice	Redesign ation Request Date	Redesigna tion Citation Effective Date Click to view FR notice
Guayn abo County	Maintena nce	11/15/1 990	Moderat e	90,470	201 7- 201 9		Insuffic ient Data	3/3		03/31/20 09	02/11/20 10 <u>75 FR</u> <u>1543</u>

Puerto Rico PM-2.5 (1997) Areas Return to map Top of page

No designated areas for this pollutant.

Puerto Rico PM-2.5 (2006) Areas Return to map Top of page

No designated areas for this pollutant.

Puerto Rico PM-2.5 (2012) Areas Return to map Top of page

No designated areas for this pollutant.

Puerto Rico SO2 (1971) Areas Return to map Top of page

No designated areas for this pollutant.

Puerto Rico SO2 (2010) Areas Return to map Top of page

Click on the Area name to view SIP Require d Element s	Status	Designa tion Date	Classifica tion	2010 Populati on (state por tion)	Meet s NAA QS Basis	3 Year 1-Hour Design Value (ppb) (entire are a)	Meets NAAQS	SIP Requirem ents Original/ Approved	Clean Air Determin ation Citation Effective Date Click to view FR notice	Redesign ation Request Date	Redesigna tion Citation Effective Date Click to view FR notice
Guaya ma- Salinas	Nonattain ment	04/09/2 018		23,401	201 7- 201 9		No Data	6/0			
<u>San</u> <u>Juan</u>	Nonattain ment	04/09/2 018		275,267	201 7- 201 9		No Data	6/0			

We have made our best effort to ensure that the data contained in these reports is accurate. We note that there may be brief delays in updating the reports as we receive new state submissions and we take rulemaking action on plans. In order to assist us in providing accurate information, we request that you contact us by clicking on the "Contact Us" link near the top of this page with any comments regarding or corrections to the posted information, including concerns about whether the entries reflect the most recent status.

Current and historical design value data can be found on the <u>EPA Air Quality Design Values website</u> and the <u>EPA Green Book</u> contains comprehensive nonattainment area, designation status, and historical information.

The level of the 1-hour NAAQS for sulfur dioxide is 75 parts per billion (ppb) calculated as the 3-year average of the 99th percentile of the annual distribution of daily maximum 1-hour average concentrations.



Appendix 5: RADON Memo to file and supporting documentations





Memorandum to File

Date: July 1, 2025



From: Patricia Carmenatty Santiago

Environmental Specialist

Behar Ybarra & Associates LLC

CDBG-DR Program

Electrical Power Reliability and Resilience Program (ER2)

Puerto Rico Department of Housing

Application Number: PR-ESP-00169

Project: Farmacia Menay Inc

Re: Justification for the Infeasibility and Impracticability of Radon Testing

After reviewing Application Number PR-ESP-00169 under the Electrical Power Reliability and Resilience Program (ER2), administered by the Puerto Rico Department of Housing (**PRDOH**), to complete the property's contamination analysis in accordance with 24 C.F.R. § 50.3(i) and 24 C.F.R. § 58.5(i), we have determined that testing the property's radon levels is infeasible and impracticable.

Per the U.S. Department of Housing and Urban Development's (**HUD**) CPD Notice 23-103, the recommended best practices and alternative options for radon testing are infeasible and impracticable in this case due to the following reasons:

 As required by the CPD Notice 23-103, the scientific data reviewed in lieu of testing must consist of a minimum of ten documented test results over the previous ten years. If there are less than ten documented results over this period, it is understood that there is a lack of scientific data. The latest report

CDBG-DR Program
Electrical Power Reliability and Resilience Program (ER2)
Memorandum to File
Infeasibility and Impracticability of Radon Testing
Page 2 of 3

for radon testing in Puerto Rico was prepared in 1995 by the U.S. Department of the Interior in Cooperation with the U.S. Environmental Protection Agency. No other completed studies and reports on radon testing are available in Puerto Rico.

- There is no available science-based or state-generated information for Puerto Rico for the last ten years that can be used to determine whether the project site is in a high-risk area. The Department of Health and Human Services, Centers for Disease Control and Prevention (CDC), National Environmental Public Health Tracking, and Radon Testing map do not include Puerto Rico data.
- There are only two (2) licensed professionals in Puerto Rico who can conduct radon testing using the American National Standards Institute/American Association of Radon Scientists and Technologists (ANSI/AARST) testing standards, which makes it difficult, time-consuming, and highly expensive to coordinate and secure a site visit for the contamination evaluation.
- Do-it-yourself (DIY) radon test kits are known to be unreliable in assuring and controlling the quality of the test results; they are not readily available in Puerto Rico, and the cost and time required for purchasing and sending them for analysis are unreasonable when weighed against the results' reliability and the need for prompt results.
- Local authorities in Puerto Rico do not have the specialized radon monitoring equipment or trained staff needed to conduct the radon testing analysis and ensure proper quality control and quality assurance practices are adhered to.
 We also do not have a radiation laboratory certified for radon testing.
- Local authorities in Puerto Rico do not have the specialized radon monitoring equipment or trained staff needed to conduct the radon testing analysis and ensure proper quality control and quality assurance practices are adhered to.
 We also do not have a radiation laboratory certified for radon testing.

CDBG-DR Program
Electrical Power Reliability and Resilience Program (ER2)
Memorandum to File
Infeasibility and Impracticability of Radon Testing
Page 3 of 3

As part of the evaluation for this determination, PRDOH sent information requests to six (6) local agencies at the state and federal levels. We received responses from the following agencies:

- United States Geological Survey;
- Centers for Disease Control and Prevention;
- Puerto Rico Department of Health; and
- United States Environmental Protection Agency.

The agencies mentioned above confirmed the lack of scientific data on Radon testing for Puerto Rico and the technical difficulties that we face to comply with HUD's Radon testing requirement. For the above-mentioned reasons, Radon testing is infeasible and impracticable for this property, and no further consideration of Radon is needed for the environmental review.



August 20, 2024

Mrs. Carmen R. Guerrero Pérez Caribbean Environmental Protection Division City View Plaza II - Suite 7000 #48 Rd. 165 km 1.2 Guavnabo, PR 00968-8069

Vía email: guerrero.carmen@epa.gov

RE: Request for Information regarding available data on radon testing and levels within Puerto Rico

The Puerlo Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerlo Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

Community Planning and Development (CPD) Notice CDP-23-103. This Notice emphasizes the importance of radon testing and milligation in ensuring safe living environments, particularly in HUD-assited properties. PRDOH, as the grantee of the Community Development Block Grant for Disaster Recovery and Miligation (CDBG-DR/MII), is responsible for ensuring compliance with environmental requirements under CDBG-DR/MII programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels, testing practices, and any miltigation efforts within the Islands of Puerto Rico. Rico.

Specifically, we are seeking for possible availability of the following information

 $\underline{Radon\ testing\ data} - Results\ from\ radon\ testing\ conducted\ within\ your\ agency's\ purview,\ including\ details\ on\ location,\ testing\ methods,\ and\ recorded\ radon\ levels.$

Barbosa Ave. #606, Building Juan C. Cordero Davila, Rio Piedras, PR 00918 | PO Box 21365 San Juan, PR 00928-1365 Tel. (787) 274-2527 | www.nivenda.pr.gov



August 20, 2024

Dr. Silvina Cancelos College of Engineering
University of Puerto Rico – Mayagüez Campus 259 Norte Blvd. Alfonso Valdés Cobián Mayagüez, Puerto Rico

Vía email: silvina.cancelos@upr.edu

RE: Request for Information regarding available data on radon testing and levels within Puerto Rico

The Puerto Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerto Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

Community Planning and Development (CPD) Notice CDP-23-103. This Notice emphasizes the importance of radon testing and militigation in ensuring safe living environments, particularly in HUD-assited properties. PRDOH, as the grantee of the Community Development Block Grant for Disaster Recovery and Militigation (CDBG-DR/MIT), is responsible for ensuring compliance with environmental requirements under CDBG-DR/MIT programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels, testing practices, and any militigation efforts within the Islands of Puerto Rico.

Specifically, we are seeking for possible availability of the following information:

Radon testing data – Results from radon testing conducted within your agency's purview, including details on location, testing methods, and recorded radon levels.

Barbosa Ave. #606 , Building Juan C. Cordeto Dávila, Río Piedras, PR 00918 | PO Box 21365 San Juan, PR 00928-1365 Tel. (767) 274-2527 | https://www.nienda.pr.gov

CDBG-DR/MIT Program
Request for Information in relation with HUD CPD-23-103 for Puerto Rico
Page 2 / 2

Reports and assessments – Any reports, studies, or assessments your agency has produced or commissioned that address radon testing or miligation.

<u>Policies and quidelines</u> – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or mitigation.

<u>Historical data</u> – if available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strategies are practical and compliant with federal requirements, if some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely.

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative.

llmn (rez Rodfiguez, Esq.

CDBG-DR/MIT Program
Request for Information in relation with HUD CPD-23-103 for Puerto Rico
Page 2 / 2

Reports and assessments – Any reports, studies, or assessments your agency has produced or commissioned that address radon testing or mitigation.

<u>Policies and auidelines</u> – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or

<u>Historical data</u> – if available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strategi are practical and compliant with federal requirements. If some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely.

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative.

Sincerely.

My Rodríguez, Esq.

Dr. Carlos Marín, carlos,marin3@upr.edu



August 20, 2024

Dr. Jessica Irizarry Director Office of Island Affairs U.S. Centers for Disease Control and Prevention 1324 Cll Canada, San Juan, 00920 Guaynabo, PR 00968-8069

Via email: OIA@cdc.gov

RE: Request for Information regarding available data on radon testing and levels within Puerto Rico

The Puerto Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerto Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

This Notice emphasizes the importance of radon testing and mitigation in Inis Notice emphasizes the importance of radon testing and miligation in ensuring safe living environments, particularly in HUD-assisted properties. PRDOH, as the grantee of the Community Development Block Grant for Biosaster Recovery and Miligation (CDBG-DR/MIT), is responsible for ensuring compliance with environmental requirements under CDBG-DR/MIT programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels, testing practices, and any miligation efforts within the islands of Puerto Rico.

Specifically, we are seeking for possible availability of the following

 $\frac{Radon\ testing\ data}{Results} - Results\ from\ radon\ testing\ conducted\ within\ your\ agency's\ purview,\ including\ details\ on\ location,\ testing\ methods,\ and\ recorded\ radon\ levels.$

Barbosa Ave. #606 , Building Juan C. Cordero Dávila, Río Piedras, PR 00918 | PO Box 21365 San Juan, PR 00928-1365 Tel. (787) 274-2527 | www.vijenda.pr.gov



August 20, 2024

Mrs. Anais Rodriguez Secretary
Puerto Rico Department of Natural Resources Carretera 8838, km, 6.3, Sector El Cinco, Río Piedras San Juan, PR 00926

Via email: anais.rodriquez@drna.pr.gov

RE: Request for Information regarding available data on radon testing

The Puerto Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerto Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

This Notice emphasizes the importance of radon testling and miligation in ensuring safe living environments, particularly in HUD-assisted properties. PRDOH, as the grantee of the Community Development Block Grant for Disaster Recovery and Mitigation (CDBG-DR/MIT), is responsible for ensuring compliance with environmental requirements under CDBG-DR/MIT programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels. It setting practices, and any militardine reforts within the intensic of Puerto testing practices, and any mitigation efforts within the islands of Puerto

Specifically, we are seeking for possible availability of the following

Radon testing data – Results from radon testing conducted within your agency's purview, including details on location, testing methods, and recorded radon levels.

Reports and assessments – Any reports, studies, or assessments your agency has produced or commissioned that address radon testing or mitigation.

Barbosa Ave. #606, Building Juan C. Cordero Dávila, Río Piedras, PR 00918 | PO Box 21365 San Juan, PR 00928-1365 Tel. [787] 274-2527 | www.vivienda.pr.gov

CDBG-DR/MIT Program
Request for Information in relation with HUD CPD-23-103 for Puerto Ric
Page 2 /

agency has produced or commissioned that address radon testing or mitigation.

<u>Policies and guidelines</u> – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or mitigation.

<u>Historical data</u> – if available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strategies are practical and compliant with federal requirements. If some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely.

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative.

D. Rodríguez, Esq

CD8G-DR/MIT Pro Request for Information in relation with HUD CPD-23-103 for Puerli

<u>Policies and guidelines</u> – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or mitigation.

Historical data – if available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strate are practical and compliant with federal requirements. If some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely,

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative.

William O. Rodríguez Rodríguez, Esq.

Secretary

Mr. Luis Márquez, <u>secretariaaire@drna.pr.gov</u> Eng. Amarilys Rosario, <u>aire@drna.pr.gov</u> Mrs. Elid Ortega, <u>eortega@drna.pr.gov</u>



August 20, 2024

Dr. Carlos R. Mellado López Secretary Puerto Rico Department of Health PO Box 70184 San Juan, PR 00936-8184

Vía email: drcarlos.mellado@salud.pr.gov

RE: Request for Information regarding available data on radon testing nd levels within Puerto Rico

The Puerto Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerto Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

This Notice emphasizes the importance of radon testing and milligation in ensuring safe living environments, particularly in HUD-assisted properties. PRDOH, as the grantee of the Community Development Block Grant for Disaster Recovery and Miligation (CDBG-DR/MIT). Is responsible for ensuring compliance with environmental requirements under CDBG-DR/MIT programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels, testing practices, and any mitigation efforts within the islands of Puerto

Specifically, we are seeking for possible availability of the following information

Radon Iestling data – Results from radon testing conducted within your agency's purview, including details on location, testing methods, and recorded radon levels.

Reports and assessments – Any reports, studies, or assessments your agency has produced or commissioned that address radon testing or

Barbosa Ave. #606, Building Juan C. Cordero Dávila, Río Piedras, PR 00918 | PO Box 21365 San Juan, PR 00928-1365 Tel. (787) 274-2527 | https://doi.org/10.1007/j.com/noses/21365 San Juan, PR 00928-1365



August 20, 2024

Mrs. Holly Weyers Regional Director, Southeast – Puerto Rico US Geological Survey 3916 Sunset Ridge Road Raleigh, NC 27607

Vía email: hsweyers@usgs.gov

RE: Request for Information regarding available data on radon testing and levels within Puerto Rico

The Puerto Rico Department of Housing (PRDOH) kindly requests your assistance in gathering data, information, or reports related to radon testing in Puerto Rico, as this information is crucial for our compliance with the U.S. Department of Housing and Urban Development (HUD) Community Planning and Development (CPD) Notice CDP-23-103.

This Notice emphasizes the importance of radon testing and mitigation in ensuring safe living environments, particularly in HUD-assisted properties. PRDOH, as the grantee of the Community Development Block Grant for Disaster Recovery and Miligation (CDBG-DR/MIT), is responsible for ensuring compliance with environmental requirements under CDBG-DR/MIT programs. To fulfill our obligations under this Notice, we must compile comprehensive and up-to-date information on radon levels, testing practices, and any mitigation efforts within the islands of Puerto

Specifically, we are seeking for possible availability of the following

Radon testing data - Results from radon testing conducted within your agency's purview, including details on location, testing methods, and recorded radon levels.

Reports and assessments - Any reports, studies, or assessments your agency has produced or commissioned that address radon testing or mitigation.

Barbosa Ave. #606, Building Juan C. Cordero Dávila, Río Piedras, PR 00918 | PO Box 21365 San Juan, PR 00928-1365 Tel (787) 274-2527 | www.vivienda.or.gov

CDBG-DR/MIT Program
Request for Information in relation with HUD CPD-23-103 for Puerto Roo

<u>Policies and guidelines</u> – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or mitigation.

Historical data – if available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strategies are practical and compliant with federal requirements. It some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely.

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative.

Sincerely.

Ladriguez Rodriguez, Esq.

Mr. Raúl Hernández Doble, rhernandez2@salud.pr.gov

CDBG-DR/MIT Program
Request for Information in relation with HUD CPD-23-103 for Puerto Rico
Page 2 / 2

Policies and guidelines – Information or any policy, guideline, or protocol your agency follows concerning radon testing, exposure limits, or mitigation.

Historical data – if available, historical data or trends in radon levels within the regions you monitor that may impact HUD-assisted housing.

This information is vital to ensure that our radon management strategies are practical and compliant with federal requirements. If some of this information may be sensitive or confidential, we are prepared to discuss any necessary agreements or protocols for sharing this data securely.

Please let us know if you require additional details or have any questions regarding this request. We would greatly appreciate your response by September 15, 2024, so we can incorporate this data into our ongoing compliance efforts.

Thank you in advance for your cooperation and support. We look forward to working together on this critical initiative

Sincerely

Ariauez Rodriguez, Esq.

Mr. R. Randall Schumann, rschumann@usgs.gov

From: Charp, Paul (CDC/NCEH/DEHSP) <pac4@cdc.gov>

Sent: Tuesday, September 3, 2024 6:36 AM

To: Miranda, Sandra (CDC/PHIC/DPS); Irizarry, Jessica (CDC/PHIC/DPS); Rzeszotarski, Peter

(CDC/NCEH/DEHSP); Vinson, D. Aaron (CDC/NCEH/DEHSP)

Cc: Kostak, Liana (CDC/PHIC/DPS); Vazquez, Germaine (CDC/NCEH/DEHSP)

Subject: RE; REHi: Puerto Rico Request for Information- Randon testing and levels

Good morning, Sandra and others,

In response to the request from Mr. William Rodriguez of the Department of Housing, Government of Puerto Rico, I have reviewed all the available data within the CDC National Environmental Public Health Tracking Network system for data related to radon in Puerto Rico. In addition to the tracking data available on the internet, I also reached out to Mr. Aaron Vinson of the NCEH Tracking Branch.

I was not able to find any data in the CDC systems and this was confirmed by Mr. Vinson. We also reached out the US Environmental Protection Agency who indicated they had no radon data in their systems. Please relay this information to Mr. Rodríguez in your response to his requests

If you have any additional questions, please contact me.

Thank you and best regards,

Paul A. Charp, Ph.D., Fellow, HPS
Senior Health Physicist
Emerging Environmental Hazards and Health Effects Branch (EEHHEB)
Division of Environmental Health Science and Practice (DEHSP)
National Center for Environmental Health (NCEH)
Centers for Disease Control and Prevention (CDC)
pcharp@cdc.gov
770-488-0723 office
404.388.0614 Cell



From: Schumann, R. Randall <rschumann@usgs.gov>

Sent: Wednesday, August 21, 2024 4:39 PM

To: Melanie Medina Smaine <mmedina@vivienda.pr.gov>; Weyers, Holly S <hsweyers@usgs.gov> Cc: Elaine Dume Mejia <Edume@vivienda.pr.gov>; Luz S Colon Ortiz <Lcolon@vivienda.pr.gov>; Aldo A.

Rivera-Vazquez <aarivera@vivienda.pr.gov>

Subject: RE: Request for Information- Radon testing and levels

Dear Ms. Medina Smaine,

In the early 1990s the U.S. Geological Survey (USGS) conducted geologic assessments of radon potential for all 50 states and the territories of Guam and Puerto Rico, in collaboration with the U.S. EPA. I conducted the geologic radon potential assessment for Puerto Rico. The PDF file of the report is too large to attach to this message but it can be obtained at https://pubs.usgs.gov/of/1993/0292k/report.pdf. The USGS did not conduct indoor radon testing and we did not conduct field studies associated with this assessment; it was based on existing data. Mr. David Saldana of the Puerto Rico Department of Health kindly provided us with data for 610 homes that were tested for indoor radon by his agency between 1993 and 1995, which are summarized in the report. I am not aware of any other radon-related geologic studies conducted in the Commonwealth of Puerto Rico by the U.S. Geological Survey.

Best regards,

R. Randall Schumann
Scientist Emeritus
U.S. Geological Survey
Geociences and Environmental Change Science Center
Denver, Colorado, USA
rschumann@usgs.gov
https://www.usgs.gov/staff-profiles/r-randall-schumann

From: Raul Hernandez Doble <rhernandez2@salud.pr.gov>

Sent: Wednesday, August 21, 2024 2:13:31 PM

To: Melanie Medina Smaine <mmedina@vivienda.pr.gov>; Dr. Carlos Mellado <drcarlos.mellado@salud.pr.gov> Cc: Elaine Dume Mejia <Edume@vivienda.pr.gov>; Luz S Colon Ortiz <Lcolon@vivienda.pr.gov>; Aldo A. Rivera-Vazquez <aarivera@vivienda.pr.gov>; Mayra Toro Tirado <mtoro@salud.pr.gov>

Subject: RE: [EXTERNAL] Request for Information- Randon testing and levels

Good afternoon, Ms. Medina

I regret to inform that we do not have any recent information on radon testing, since we do not have a certified radiation laboratory certified for radon testing. There are companies that sell test kits available online that can be done and mailed to a testing laboratory. There are also lists of radon contractors and these companies that process radon testing cartridges with instructions, on the Environmental Protection Agency Indoor air Quality web page. The last radon study in Puerto Rico done by the PR Department of Health was done on the year 1993.

Raul Hernandez Doble
Director, Seccion Salud Radiologica
Division de Salud Ambiental
Secretaria Auxiliar para la Vigilancia y la Proteccion de la Salud Publica
rhernandez2@salud.gov.pr

Phone: (787)765-2929 ext. 3210

From: Reyes, Brenda <Reyes.Brenda@epa.gov> Sent: Wednesday, September 18, 2024 11:48 AM

To: Cesar O Rodriguez Santos <cesarrodriguez@drna.pr.gov>; Maritza Rosa Olivares <maritzarosaolivares@drna.pr.gov>;

Silvina Cancelos Mancini <silvina.cancelos@upr.edu>; Melanie Medina Smaine <mmedina@vivienda.pr.gov>

Cc: Elaine Dume Mejia <Edume@vivienda.pr.gov>; Luz S Colon Ortiz <Lcolon@vivienda.pr.gov>; Aldo A. Rivera-Vazquez

<aarivera@vivienda.pr.gov>; Povetko, Oleg (he/him/his) <Povetko.Oleg@epa.gov>

Subject: RE: Request for Information- Randon testing and levels

Saludos.

La EPA esta trabajando una respuesta a su petición. Se sometió borrador a la directora y el subdirector para su aprobación y firma.

Brenda Reyes Tomassini
Public Affairs
U.S. EPA
Region 2
Caribbean Environmental Protection Division
(787) 977-5869/(787) 977-5865
Mobile: 202-834-1290

From: Silvina Cancelos Mancini <silvina.cancelos@upr.edu>

Sent: Friday, September 6, 2024 15:04

To: Melanie Medina Smaine < mmedina@vivienda.pr.gov >

Cc: Elaine Dume Mejia < Edume@vivienda.pr.gov>; Luz S Colon Ortiz < Lcolon@vivienda.pr.gov>; Aldo A. Rivera-Vazquez

<a href="mailto:Aarivera@vivie

<<u>Reyes.Brenda@epa.gov</u>>; Povetko, Oleg <<u>Povetko.Oleg@epa.gov</u>>

Subject: Re: Request for Information- Randon testing and levels

Estimada Melanie Medina

Quería dejarle saber que recibimos su correo el 21 de agosto al igual que el de Maritza Rosa el pasado 4 de septiembre. Ya las personas involucradas de EPA, junto conmigo y el Dr. Marín estamos al tanto del asunto y estamos trabajando para poder enviarles la información.

Atentamente

Silvina Cancelos Professor Associate Director Mechanical Engineering Department University of Puerto Rico - Mayaguez Call BOX 9000 Mayaguez PR 00680 Tel: 787-832-4040 ext 5956 email: silvina.cancelos@upr.edu



Bubble Dynamics Lab



September 23, 2024

VIA EMAIL

William O. Rodríguez Rodríguez, Esq. Secretary
Puerto Rico Department of Housing
Barbosa Ave. 606 Building Juan C. Cordero
San Juan, PR 00917
Email: W.Rodriguez@vivienda.pr.gov

EPA Response to August 20, 2024 request for information of data on radon testing and levels in Puerto Rico

Dear Honorable Secretary Rodríguez Rodríguez

This communication is in response to your letter of August 20, 2024 addressed to the Puerto Rico Department of Natural and Environmental Resources (DNER) and referred to the U.S. Environmental Protection Agency (EPA) regarding available data on radon testing and levels within Puerto Rico

EPA's National Radon Action Plan 2021–2025 sets a goal for the nation to find, fix and prevent high indoor radon levels in 8 million buildings by 2025 and prevent 3,500 lung cancer deaths per year. Under this Plan, leaders from across multiple sectors are working together to plan, guide, and sustain nationwide action to prevent exposure to radon.

Due to the lack of data in Puerto Rico, EPA undertook an investigation in collaboration with the University of Puerto Rico-Mayaguez (UPRM) Campus, Departments of Civil Engineering and Surveying and Mechanical Engineering, to find out if radon presented a problem in Puerto Rico. Up until 2021, the only data we had for Puerto Rico was a 1993-1995 mail-in radon screening study referred to by the U.S. Geological Survey report (USGS, 1995) in which the USGS concluded that several areas of Puerto Rico have the geologic potential to generate indoor radon levels exceeding the EPA Action Level of 4 pC/L (piccouries per liter), perhaps locally reaching very high levels above 50 pC/L, if a house construction and provided to the provided of the provided to the provi

ventilation allow for soil-gas radon to enter and concentrate within the structure. ¹ According to the USGS report, most of these areas are located in the northwest part of the island. Please note that the actual 1993-1995 study documentation is not available to the EPA.

Typical radon testing technology used in mainland United States (charcoal canisters or electric-powered devices) are impractical in Puerto Rico because of high humidity and power outages. The recovery and rebuilding of communities following the aftermath of 2017 Hurricanes Irms and Maria presented an opportunity to develop radon prevention and mitigation strategies in 2019. Initially, EPA sampled indoor radon air in over 170 single-family residences in the municipalities of San Sebastian, Lares, Ciales, Arecibo, Morovis, Camuy, and Hatillo and later expanded the project to other municipalities such as Rincon, Aguada, Aguadalli, stabela, Questradillas, Barecloneta and Vega Baja. The quality assurance protocols were anchored in American National Standards institute/American Association of Radon Scientists and Technologists (ANSI/AARS) standards of practice (ANSI/AARS) 1939. The sampling was designed in two stages: scoping and confirmatory sampling. The scoping sampling was conducted using Corentium Home (CH) electronic monitors and E-Perm ystems. Locations measuring above the EPA Action Level of 4 pCI/L with CH were measured at the second stage of the sampling using RAD7 and Corentium Pro Continuous Radon Monitors (CRMs). Nationally certified and on sampling professionals led by one such professional form the UPRM conducted confirmatory sampling in the second stage. Also, during the study, the nationally certified radon mitigation professionals inspected several homes with elevated indoor radon levels. Typical radon testing technology used in mainland United States (charcoal canisters or electric-powered levels.

Mapping radon in Puerto Rico proved to be a complicated endeavor given the COVID-19 pandemic in wapping fault in Puter to Nico proved to de Econipactace thereawn given the COVID-19 panietin. In 2020. EPA and UPM continue to work on the project, however, results have not been finalized, and no scientific report has been published yet. Unfortunately, EPA cannot share preliminary data at this time because it contains privileged information. Nevertheless, preliminary data from the study does show homes with levels over 4 pCi/L (EPA Action Level) that might need mitigation to protect the health of their inhabitants.

Although many states have developed laws and regulations governing radon disclosure, certification, and mitigation, Puerto Rico lacks legislation or mandatory radon testing provisions for new construction, remodeling, selling or buying homes. Given this loophole and aiming to answer your request, the EPA can provide information on Best Management Practices for sampling indoor radon in Puerto Rico.

CITY VIEW PLAZA II BUILDING, 7TH FLOOR ROUTE 165 GUAYNABO, PR 00968

If you have any questions or need any additional information, please contact me at 787-977-5865 or guerrero.carmen@epa.gov or have your staff contact Reyes, Brenda at reyes.brenda@epa.gov or (787) 977-5869.

Sincerely,

CARMEN **GUERRERO** PEREZ

Digitally signed by CARMEN GUERRERO PEREZ Date: 2024.09.23 09:41:39 -04'00'

Carmen R. Guerrero Pérez Director

Roberto Mendez, Esq (Acting Secretary, PR Department of Natural and Env. Resources)

Melany Medina: mmedina@vivienda.pr.gov Elaine Dume Mejia: Edume@vivienda.pr.gov Luz S Colon Ortiz: Lcolon@vivienda.pr.gov
Aldo A. Rivera-Vazquez: aarivera@vivienda.pr.gov Cesar O. Rodriguez: cesarrodriguez@drna.pr.gov Marita Rosa Olivares: maritzarosaolivares@drna.pr.gov

¹ Reference: USGS. Geologic Radon Potential of Guam and Puerto Rico, Report 93-292-K. Washington, DC: USGS. Retrieved 9/11/2024, from https://pubs.usgs.gov/of/1993/0292k/report.pdf.



ECHO Reports



Detailed Facility Report

Facility Summary

ESSO STANDARD OIL CO - MUNOZ ESSO SVC

CALLE 25 DE JULIO 19A, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110009437779

EPA Region: 02 Latitude: 18.03313 Longitude: -66.8518 Locational Data Source: FRS

Industries: -Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	-

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Toxic Releases (TRI): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Regulatory Information

Clean Air Act (CAA): No Information
Clean Water Act (CWA): No Information

Resource Conservation and Recovery Act (RCRA): Inactive Other,

(PRR000008722)

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110009437779					N	18.03313	-66.8518
RCRAInfo	RCRA	PRR000008722	Other	Inactive ()			N	18.033374	-66.848836

Facility Address

System	System Statute Identifier		Facility Name	Facility Address	Facility County
FRS	FRS 110009437779 ESSO STANDARD OIL CO - MU		ESSO STANDARD OIL CO - MUNOZ ESSO SVC	CALLE 25 DE JULIO 19A, YAUCO, PR 00698	Yauco Municipio
RCRAInfo	RCRAInfo RCRA PRR000008722		ESSO STANDARD OIL CO - MUNOZ ESSO SVC	CALLE 25 DE JULIO 19A, YAUCO, PR 00698-3604	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

System Identifier SIC Code SIC Description System Identifier NAICS Code NAICS Description

No data records returned

No data records returned

Facility Tribe Information

Reservation Name Tribe Name EPA Tribal ID Distance to Tribe (miles)

No data records returned

Enforcement and Compliance

Compliance Monitoring History

ast 5 Years.

Statute Source ID System Activity Type Compliance Monitoring Type Lead Agency Date Finding (if applicable)

No data records returned


Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy

- https://www.epa.gov/compliance/complia
- https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000008722	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter



Informal Enforcement Actions

Last 5 Years

Statute System Source ID Type of Action Lead Agency Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute System System System System Section ID Action No. Agency Name Date State Action Date Settlements/ Section State System S

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) BUC (RAD (Reach Address Database))

WBD (Watershed Boundary Dataset) State Water Body Name (ICIS (Integrated Compliance Information System))

State Water Body Name (ICIS (Integrated Compliance Information System))

WBD (Watershed Boundary Dataset) Beach Closures Within Last Two Years

Wellutants Potentially Related to Impairment Species Act)-listed Aquatic Species?

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit ID Assessment Unit ID Assessment Unit Name Water Condition Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

Air Quality Nonattainment Areas

Pollutant Within Nonattainment Status Area? Nonattainment Status Applicable Standard(s) Within Maintenance Status Area? Maintenance Status Applicable Standard(s)

No data records returned

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land Total On-Site Releases Total Off-Site Transfers

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name

No data records returned

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary https://epa.gov/help/reports/dfr-data-dictionary#demographic.

General Statistics (ACS (American Community Survey)	
Total Persons	9,443
Population Density	3,029/sq.mi.
Housing Units in Area	5,189
Percent People of Color	100%
Households in Area	3,571
Households on Public Assistance	613
Persons With Low Income	7,245
Percent With Low Income	77%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.03313
Center Longitude	-66.8518
Total Area	
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Survey	y)) - Households (%)
Less than \$15,000	1,472 (41.16%)
\$15,000 - \$25,000	601 (16.81%)
\$25,000 - \$50,000	909 (25.42%)
\$50,000 - \$75,000	376 (10.51%)
Greater than \$75,000	218 (6.1%)

Children 5 years and younger	456 (5%)
Minors 17 years and younger	1,772 (19%)
Adults 18 years and older	7,671 (81%)
Seniors 65 years and older	2,081 (22%)
Race Breakdown (ACS (American Community Survey)) - Persons (%)	
White	6,677 (71%)
African-American	434 (5%)
Hispanic-Origin	9,389 (99%)
Asian	0 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	24 (0%)
Other/Multiracial	1,344 (14%)
Education Level (Persons 25 & older) (ACS (American Community Su	rvey)) - Persons (%)
Less than 9th Grade	738 (10.89%)
9th through 12th Grade	374 (5.52%)
High School Diploma	2,287 (33.74%)
Some College/2-year	604 (8.91%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	2,115 (31.2%)



Detailed Facility Report

Facility Summary

ESSO STANDARD OIL CO - PR CO-408

PR-116 CRUCE CUATRO CALLES, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110004892215

EPA Region: 02 **Latitude:** 18.032355 **Longitude:** -66.852698

Locational Data Source: RCRAINFO

Industries: -Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	-

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Toxic Releases (TRI): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Regulatory Information

Clean Air Act (CAA): No Information
Clean Water Act (CWA): No Information

 $\textbf{Resource Conservation and Recovery Act (RCRA):} \quad \text{Active VSQG},$

(PRR000002501)

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110004892215					N	18.032355	-66.852698
ICIS		600007637					N	18.0375	-66.841667
RCRAInfo	RCRA	PRR000002501	VSQG	Active (H)			N	18.032355	-66.852698

Facility Address

System	System Statute Identifier		Facility Name	Facility Address	Facility County
FRS		110004892215	ESSO STANDARD OIL CO - PR CO-408	PR-116 CRUCE CUATRO CALLES, YAUCO, PR 00698	Yauco Municipio
ICIS		600007637	ESSO S/S #408	RD. 4 YAUCO SHOPPING CTR, YAUCO, PR 00698	Yauco Municipio
RCRAInfo	RCRA	PRR000002501	ESSO STANDARD OIL CO - PR CO-408	CARR 116 CRUCE CUATRO CALLES, YAUCO, PR 00698	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

System Identifier SIC Code SIC Description System Identifier NAICS Code NAICS Description

No data records returned

No data records returned

Facility Tribe Information

Reservation Name Tribe Name EPA Tribal ID Distance to Tribe (miles)

No data records returned

Enforcement and Compliance

Compliance Monitoring History

ast 5 Years

Statute Source ID System Activity Type Compliance Monitoring Type Lead Agency Date Finding (if applicable)

No data records returned

Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy


 $< https://www.epa.gov/compliance/compliance-monitoring-programs > activities \ or \ because \ they \ are \ not \ counted \ as \ inspections \ within \ EPA's \ Annual \ Results$

https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000002501	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter



Informal Enforcement Actions

Last 5 Years

Statute System Source ID Type of Action Lead Agency Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute System Law/ Source Section ID Action No. Agency Name Date Status System System Status System System

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) WBD (Watershed Boundary Dataset) WBD (Watershed Boundary Dataset) State Water Body Name (ICIS Database)) WBD (Watershed Boundary Dataset) State Water Body Name (ICIS (Integrated Compliance Information System))

State Water Body Name (ICIS (Integrated Compliance Information System))

Beach Closures Within Last Two Years

Watershed Boundary Database) Watershed Boundary Database) Watershed Aquatic Species Act)-listed Aquatic Species?

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit ID Assessment Unit Name Water Condition Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

Air Quality Nonattainment Areas

Pollutant Within Nonattainment Status Area? Nonattainment Status Applicable Standard(s) Within Maintenance Status Area? Maintenance Status Applicable Standard(s)

No data records returned

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land Total On-Site Releases Total Off-Site Transfers

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name

No data records returned

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary https://epa.gov/help/reports/dfr-data-dictionary#demographic.

General Statistics (ACS (American Community Survey))	
Total Persons	10,147
Population Density	3,254/sq.mi.
Housing Units in Area	5,533
Percent People of Color	100%
Households in Area	3,848
Households on Public Assistance	654
Persons With Low Income	7,751
Percent With Low Income	77%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.032355
Center Longitude	-66.852698
Total Area	
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Survey))) - Households (%)
Less than \$15,000	1,567 (40.74%)
\$15,000 - \$25,000	655 (17.03%)
\$25,000 - \$50,000	966 (25.12%)
\$50,000 - \$75,000	413 (10.74%)
Greater than \$75,000	245 (6.37%)

Children 5 years and younger	473 (5%)
Minors 17 years and younger	1,890 (19%)
Adults 18 years and older	8,256 (81%)
Seniors 65 years and older	2,229 (22%)
Race Breakdown (ACS (American Community Survey)) - Persons (%)
White	7,166 (71%)
African-American	463 (5%)
Hispanic-Origin	10,094 (99%)
Asian	0 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	25 (0%)
Other/Multiracial	1,453 (14%)
Education Level (Persons 25 & older) (ACS (American Community S	urvey)) - Persons (%)
Less than 9th Grade	766 (10.48%)
9th through 12th Grade	385 (5.27%)
High School Diploma	2,475 (33.85%)
Some College/2-year	637 (8.71%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	2,323 (31.77%)



Detailed Facility Report

Facility Summary

ESSO STANDARD OIL CO PR 2P-397

36 25 DE JULIO ST, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110012259616

EPA Region: 02 Latitude: 18.03339 Longitude: -66.8504 Locational Data Source: FRS

Industries: -Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	-

Regulatory Information

Clean Air Act (CAA): No Information
Clean Water Act (CWA): No Information

 $\textbf{Resource Conservation and Recovery Act (RCRA):} \quad \text{Active VSQG},$

(PRR000014233)

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110012259616					N	18.03339	-66.8504
RCRAInfo	RCRA	PRR000014233	VSQG	Active (H)			N	18.033401	-66.850453

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Toxic Releases (TRI): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Facility Address

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110012259616	ESSO STANDARD OIL CO PR 2P-397	36 25 DE JULIO ST, YAUCO, PR 00698	Yauco Municipio
RCRAInfo	RCRA	PRR000014233	ESSO STANDARD OIL CO PR 2P-397	36 25 DE JULIO ST, YAUCO, PR 00698	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

System Identifier SIC Code SIC Description System Identifier NAICS Code NAICS Description

No data records returned

No data records returned

Facility Tribe Information

Reservation Name Tribe Name EPA Tribal ID Distance to Tribe (miles)

No data records returned

Enforcement and Compliance

Compliance Monitoring History

ast 5 Years

Statute Source ID System Activity Type Compliance Monitoring Type Lead Agency Date Finding (if applicable)

No data records returned

Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy


<https://www.epa.gov/compliance/compliance-monitoring-programs> activities or because they are not counted as inspections within EPA's Annual Results

https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000014233	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter



Informal Enforcement Actions

Last 5 Years

Statute System Source ID Type of Action Lead Agency Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute System System System System Section ID Action No. Agency Name Date State Action Date Settlements/ Section State System S

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) WBD (Watershed Boundary Dataset) State Water Body Name (ICIS (Integrated Compliance Database)) State Water Body Name (ICIS (Integrated Compliance Information System))

State Water Body Name (ICIS (Integrated Compliance Information System))

Beach Closures Within Last Two Years

Pollutants Potentially Related to Impairment Species Act)-listed Aquatic Species?

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit ID Assessment Unit Name Water Condition Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)		
No data records returned						
No data records returned						

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name
No data records returned

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary https://epa.gov/help/reports/dfr-data-dictionary#demographic.

General Statistics (ACS (American Community Survey))	
Total Persons	8,750
Population Density	2,806/sq.mi.
Housing Units in Area	4,822
Percent People of Color	100%
Households in Area	3,289
Households on Public Assistance	557
Persons With Low Income	6,728
Percent With Low Income	78%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.03339
Center Longitude	-66.8504
Total Area	
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Surve)	r)) - Households (%)
Less than \$15,000	1,357 (41.28%)
\$15,000 - \$25,000	538 (16.37%)
\$25,000 - \$50,000	867 (26.38%)
\$50,000 - \$75,000	339 (10.31%)
Greater than \$75,000	186 (5.66%)

Children 5 years and younger	427 (5%)
Minors 17 years and younger	1,645 (19%)
Adults 18 years and older	7,105 (81%)
Seniors 65 years and older	1,927 (22%)
Race Breakdown (ACS (American Community Survey)) - Persons (%)	
White	6,164 (70%)
African-American	403 (5%)
Hispanic-Origin	8,699 (99%)
Asian	0 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	23 (0%)
Other/Multiracial	1,247 (14%)
Education Level (Persons 25 & older) (ACS (American Community Su	rvey)) - Persons (%)
Less than 9th Grade	700 (11.21%)
9th through 12th Grade	360 (5.76%)
High School Diploma	2,099 (33.61%)
Some College/2-year	565 (9.05%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	1,900 (30.42%)



Detailed Facility Report

Facility Summary

ESSO STANDARD OIL CO PR CO-402

PR-128 KM 0.6 LA TROCHA FIN, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110022478335

EPA Region: 02

Latitude: 18.039115

Longitude: -66.853968

Locational Data Source: FRS
Industries: Gasoline Stations
Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	-

Regulatory Information

Clean Air Act (CAA): No Information
Clean Water Act (CWA): No Information

 $\textbf{Resource Conservation and Recovery Act (RCRA):} \quad \text{Active VSQG},$

(PRR000017798)

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110022478335					N	18.039115	-66.853968
RCRAInfo	RCRA	PRR000017798	VSQG	Active (H)			N	18.291937	-66.875306

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Toxic Releases (TRI): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Facility Address

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110022478335	ESSO STANDARD OIL CO PR CO-402	PR-128 KM 0.6 LA TROCHA FIN, YAUCO, PR 00698	Yauco Municipio
RCRAInfo	RCRA	PRR000017798	ESSO STANDARD OIL CO PR CO-402	CARR #128 KM 0.6 LA TROCHA FIN, YAUCO, PR 00698	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

System Identifier SIC Code SIC Description

No data records returned

 System
 Identifier
 NAICS Code
 NAICS Description

 RCRAInfo
 PRR000017798
 44719
 Other Gasoline Stations

Facility Tribe Information

Reservation Name Tribe Name EPA Tribal ID Distance to Tribe (miles)

No data records returned

Enforcement and Compliance

Compliance Monitoring History

ast 5 Years

Statute Source ID System Activity Type Compliance Monitoring Type Lead Agency Date Finding (if applicable)

No data records returned

Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy


<https://www.epa.gov/compliance/compliance-monitoring-programs> activities or because they are not counted as inspections within EPA's Annual Results

https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000017798	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter



Informal Enforcement Actions

Last 5 Years

Statute System Source ID Type of Action Lead Agency Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute System Law/ Source Type of Case Lead Case Issued/Filed Settlements/ Settlements/ Settlements/ Settlement/ Action Date Settlement/ Action Date Action Date Action Date Assessed Collected Value Action Cost

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) WBD (Watershed Boundary Dataset) State Water Body Name (ICIS Dataset) HUC (RAD (Reach Address Database)) State Water Body Name (ICIS (Integrated Compliance Information System))

Beach Closures Within Last Two Years

Pollutants Potentially Related to Impairment Species?

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit ID Assessment Unit Name Water Condition Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)		
	No data records returned					
No data records returned						

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land Total On-Site Releases Total Off-Site Transfers No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name
No data records returned

Community

\$50,000 - \$75,000

Greater than \$75,000

Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary https://epa.gov/help/reports/dfr-data-dictionary#demographic.

General Statistics (ACS (American Community Survey))	
Total Persons	8,426
Population Density	2,703/sq.mi.
Housing Units in Area	4,804
Percent People of Color	99%
Households in Area	3,195
Households on Public Assistance	571
Persons With Low Income	6,502
Percent With Low Income	78%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.039115
Center Longitude	-66.853968
Total Area	
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Survey)) - Households (%)
Less than \$15,000	1,309 (40.97%)
\$15,000 - \$25,000	571 (17.87%)
\$25,000 - \$50,000	820 (25.67%)

336 (10.52%)

Children 5 years and younger	440 (5%)	
Minors 17 years and younger	1,530 (18%)	
Adults 18 years and older	6,896 (82%)	
Seniors 65 years and older	1,927 (23%)	
Race Breakdown (ACS (American Community Survey)) - Persons (%)		
White	6,132 (73%)	
African-American	376 (4%)	
Hispanic-Origin	8,357 (99%)	
Asian	0 (0%)	
Hawaiian/Pacific Islander	0 (0%)	
American Indian	19 (0%)	
Other/Multiracial	1,141 (14%)	
Education Level (Persons 25 & older) (ACS (American Community Su	rvey)) - Persons (%)	
Less than 9th Grade	739 (12.11%)	
9th through 12th Grade	373 (6.11%)	
High School Diploma	2,041 (33.45%)	
Some College/2-year	521 (8.54%)	
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	1,849 (30.3%)	



Detailed Facility Report

Facility Summary

ESSO STANDARD OIL CO PR DO-395

25 DE JULIO ST #21, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110004895711

EPA Region: 02 **Latitude:** 18.033384 **Longitude:** -66.84675

Locational Data Source: RCRAINFO

Industries: -Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	-

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Toxic Releases (TRI): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Regulatory Information

Clean Air Act (CAA): No Information
Clean Water Act (CWA): No Information

Resource Conservation and Recovery Act (RCRA): Inactive Other,

(PRR000012807)

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110004895711					N	18.033384	-66.84675
RCRAInfo	RCRA	PRR000012807	Other	Inactive ()			N	18.033384	-66.84675

Facility Address

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110004895711	ESSO STANDARD OIL CO PR DO-395	25 DE JULIO ST #21, YAUCO, PR 00698	Yauco Municipio
RCRAInfo	RCRA	PRR000012807	ESSO STANDARD OIL CO PR DO-395	25 DE JULIO ST #21, YAUCO, PR 00698	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

System Identifier SIC Code SIC Description System Identifier NAICS Code NAICS Description

No data records returned

No data records returned

Facility Tribe Information

Reservation Name Tribe Name EPA Tribal ID Distance to Tribe (miles)

No data records returned

Enforcement and Compliance

Compliance Monitoring History

Last 5 Years

Statute Source ID System Activity Type Compliance Monitoring Type Lead Agency Date Finding (if applicable)

No data records returned


Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy

- https://www.epa.gov/compliance/complia
- https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statut	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000012807	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter



Informal Enforcement Actions

Last 5 Years

Statute System Source ID Type of Action Lead Agency Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute System Law/ Source Type of Section ID Action No. Agency Name Date State Action Date Settlements/ Settlements/ Settlement/ Assessed State/Local Penalty Assessed State/Local Penalty Assessed Collected Value Action Cost

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) BUC (RAD (Reach Address Database))

WBD (Watershed Boundary Dataset) State Water Body Name (ICIS (Integrated Compliance Information System))

State Water Body Name (ICIS (Integrated Compliance Information System))

WBD (Watershed Boundary Dataset) Beach Closures Within Last Two Years

Wellutants Potentially Related to Impairment Species Act)-listed Aquatic Species?

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit ID Assessment Unit Name Water Condition Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

Air Quality Nonattainment Areas

Pollutant Within Nonattainment Status Area? Nonattainment Status Applicable Standard(s) Within Maintenance Status Area? Maintenance Status Applicable Standard(s)

No data records returned

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land Total On-Site Releases Total Off-Site Transfers

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name

No data records returned

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary https://epa.gov/help/reports/dfr-data-dictionary#demographic.

General Statistics (ACS (American Community Survey))	
Total Persons	7,353
Population Density	2,358/sq.mi.
Housing Units in Area	4,117
Percent People of Color	100%
Households in Area	2,747
Households on Public Assistance	431
Persons With Low Income	5,681
Percent With Low Income	78%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.033384
Center Longitude	-66.84675
Total Area	
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Survey)) - Households (%)
Less than \$15,000	1,129 (41.1%)
\$15,000 - \$25,000	435 (15.84%)
\$25,000 - \$50,000	764 (27.81%)
\$50,000 - \$75,000	284 (10.34%)
Greater than \$75,000	135 (4.91%)

Children 5 years and younger	337 (5%)
Minors 17 years and younger	1,276 (17%)
Adults 18 years and older	6,078 (83%)
Seniors 65 years and older	1,628 (22%)
Race Breakdown (ACS (American Community Survey)) - Persons (%)	
White	5,108 (69%)
African-American	309 (4%)
Hispanic-Origin	7,307 (99%)
Asian	0 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	19 (0%)
Other/Multiracial	1,079 (15%)
Education Level (Persons 25 & older) (ACS (American Community Su	rvey)) - Persons (%)
Less than 9th Grade	590 (11.14%)
9th through 12th Grade	333 (6.29%)
High School Diploma	1,804 (34.08%)
Some College/2-year	487 (9.2%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	1,539 (29.07%)



Facility Summary

IMPROVEMENTS TO ROAD PR-359 FROM KM. 0.0 TO KM.

PR-359, KM. 0.0 TO 2.3, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110070545101

EPA Region: 02 Latitude: 18.0311 Longitude: -66.8419

Locational Data Source: NPDES

Industries: -Indian Country: N

Enforcement and Compliance Summary

Statute	CWA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	Terminated Permit
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	-

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Toxic Releases (TRI): No Information

Regulatory Information

Clean Air Act (CAA): No Information

Clean Water Act (CWA): Non-Major, Permit Terminated; Compliance Tracking Off Greenhouse Gas Emissions (eGGRT): No Information

(PRR100077)

Resource Conservation and Recovery Act (RCRA): No Information

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110070545101					N	18.0311	-66.8419
ICIS-NPDES	CWA	PRR100077	Non-Major: General Permit Covered Facility	Terminated; Compliance Tracking Off	Construction Stormwater	02/15/2022	N	18.0311	-66.8419

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110070545101	IMPROVEMENTS TO ROAD PR-359 FROM KM. 0.0 TO KM. 2.3	PR-359, KM. 0.0 TO 2.3, YAUCO, PR 00698	Yauco Municipio
ICIS-NPDES	CWA	PRR100077	IMPROVEMENTS TO ROAD PR-359 FROM KM. 0.0 TO KM. 2.3	PR-359, KM. 0.0 TO 2.3, YAUCO, PR 00698	

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

NAICS Description

No data records returned

No data records returned

Facility Industrial Effluent Guidelines

Facility Tribe Information

,			•			
Identifier	Effluent Guideline (40 CFR Part)	Effluent Guideline Description	Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)
	No data records ret	urned		No data	records returned	
_ ,						

Enforcement and Compliance

Compliance Monitoring History Last 5 Years

	Statute	Source ID	System	Activity Type	Compliance Monitoring Type	Lead Agency	Date	Finding (if applicable)
--	---------	-----------	--------	---------------	----------------------------	-------------	------	-------------------------

No data records returned

Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy

<https://www.epa.gov/compliance/compliance-monitoring-programs> activities or because they are not counted as inspections within EPA's Annual Results

https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
CWA	PRR100077	No	12/31/2024	0	05/30/2025

Three-Year Compliance History by Quarter

Statute	Program/Pollutant/Violation Type	QTR 1	QTR 2	QTR 3	QTR 4	QTR 5	QTR 6	QTR 7	QTR 8	QTR 9	QTR 10	QTR 11
cw	A (Source ID: PRR100077)	01/01-03/31/22	04/01-06/30/22	07/01-09/30/22	10/01-12/31/22	01/01-03/31/23	04/01-06/30/23	07/01-09/30/23	10/01-12/31/23	01/01-03/31/24	04/01-06/30/24	07/01-09/30/24
	Facility-Level Status	Unknown	Terminated Permit									
	Quarterly Noncompliance Report History	Undetermined	Undetermined									

Informal Enforcement Actions

Statute	System	Source ID	Type of Action	Lead Agency	Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute	System	Law/ Section	Source ID	Type of Action	Case No.	Lead Agency	Case Name	Issued/ Filed Date	Settlements/ Actions	Settlement/ Action Date	Federal Penalty Assessed	State/ Local Penalty Assessed	Penalty Amount Collected	SEP Value	Comp Action Cost

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) HUC (RAD (Reach Address Database))	WBD (Watershed Boundary Dataset) Subwatershed Name (RAD (Reach Address Database))	State Water Body Name (ICIS (Integrated Compliance Information System))	Beach Closures Within Last Year	Beach Closures Within Last Two Years	Pollutants Potentially Related to Impairment	Watershed with ESA (Endangered Species Act)-listed Aquatic Species?
210100040202	Rio Yauco at mouth	RIO YAUCO	No	No		Yes

Assessed Waters From Latest State Submission (ATTAINS)

St	ate	Report Cycle	Assessment Unit ID	Assessment Unit Name	Water Condition	Cause Groups Impaired	Drinking Water Use	Ecological Use	Fish Consumption Use	Recreation Use	Other Use
-	PR	2024	PRSR68A1	RIO YAUCO	Impaired - 303(d) Listed - With Restoration Plan	NUTRIENTS ORGANIC ENRICHMENT/OXYGEN DEPLETION PATHOGENS	Not Supporting	Not Supporting		Not Supporting	

Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)				
	No data records returned							

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land Total On-Site Releases Total Off-Site Transfers

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name

No data records returned

CWA (Clean Water Act) Discharge Monitoring Report (DMR) Pollutant Loadings

DMR and TRI Multi-Year Loading Report

NPDES ID Description

No data records returned

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

General Statistics (ACS (American Community Survey))	
Total Persons	5,582
Population Density	1,790/sq.mi.
Housing Units in Area	3,122
Percent People of Color	100%
Households in Area	2,038
Households on Public Assistance	268
Persons With Low Income	4,247
Percent With Low Income	77%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.0311
Center Longitude	-66.8419
Total Area	
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Survey)) - Households (%)
Less than \$15,000	749 (36.79%)
\$15,000 - \$25,000	326 (16.01%)
\$25,000 - \$50,000	623 (30.6%)
\$50,000 - \$75,000	234 (11.49%)
Greater than \$75,000	104 (5.11%)

Children 5 years and younger	214 (4%)
Minors 17 years and younger	881 (16%)
Adults 18 years and older	4,700 (84%)
Seniors 65 years and older	1,203 (22%)
Race Breakdown (ACS (American Community Survey)) - Persons (%)	
White	3,856 (69%)
African-American	185 (3%)
Hispanic-Origin	5,544 (99%)
Asian	0 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	12 (0%)
Other/Multiracial	842 (15%)
Education Level (Persons 25 & older) (ACS (American Community Su	ırvey)) - Persons (%)
Less than 9th Grade	384 (9.43%)
9th through 12th Grade	265 (6.51%)
High School Diploma	1,394 (34.25%)
Some College/2-year	360 (8.85%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	1,203 (29.56%)



Facility Summary

MUNICIPALITY OF YAUCO

SANTIAGO BIBALDI STREET, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110044243850

EPA Region: 02 Latitude: 18.03403 Longitude: -66.85037 Locational Data Source: FRS

Industries: -Indian Country: N

Enforcement and Compliance Summary

Statute	CWA
Compliance Monitoring Activities (5 years)	1
Date of Last Compliance Monitoring Activity	04/21/2025
Compliance Status	Unknown
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	

Regulatory Information

Clean Air Act (CAA): No Information

Clean Water Act (CWA): Non-Major, Permit Expired; Compliance Tracking

Partially Off (PRR040077)

Resource Conservation and Recovery Act (RCRA): No Information

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

	System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
	FRS		110044243850					N	18.03403	-66.85037
1	CIS-NPDES	CWA	PRR040077	Non-Major: General Permit Covered Facility	Expired; Compliance Tracking Partially Off	Urban Stormwater (Small MS4)	06/30/2021	N	18.03405	-66.84792

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Toxic Releases (TRI): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110044243850	MUNICIPALITY OF YAUCO	SANTIAGO BIBALDI STREET, YAUCO, PR 00698	
ICIS-NPDES	CWA	PRR040077	MUNICIPALITY OF YAUCO	SANTIAGO BIBALDI STREET, YAUCO, PR 00698	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

No data records returned

No data records returned

Facility Industrial Effluent Guidelines

Facility Tribe Information

Identifier	Effluent Guideline (40 CFR Part)	Effluent Guideline Description	Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)
	No data records ret	urned		No data	records returned	

Enforcement and Compliance

Compliance Monitoring History Last 5 Years

Statute	Source ID	System	Activity Type	Compliance Monitoring Type	Lead Agency	Date	Finding (if applicable)
CWA	PRR040077	ICIS-NPDES	Offsite Record Review	Urban Stormwater (MS4) - Desk Audit	EPA	04/21/2025	

Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy

 $< https://www.epa.gov/compliance/compliance-monitoring-programs > activities \ or \ because \ they \ are \ not \ counted \ as \ inspections \ within \ EPA's \ Annual \ Results$

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
CWA	PRR040077	No	12/31/2024	0	05/30/2025

Three-Year Compliance History by Quarter

5	tatute	Program/Pollutant/Violation Type	QTR 1	QTR 2	QTR 3	QTR 4	QTR 5	QTR 6	QTR7	QTR 8	QTR 9	QTR 10	QTR 11
	CWA (Source ID: PRR040077)		01/01-03/31/22	04/01-06/30/22	07/01-09/30/22	10/01-12/31/22	01/01-03/31/23	04/01-06/30/23	07/01-09/30/23	10/01-12/31/23	01/01-03/31/24	04/01-06/30/24	07/01-09/30/24
		Facility-Level Status	Unknown										
		Quarterly Noncompliance Report History	Undetermined										

Informal Enforcement Actions Last 5 Years

Statute System Source ID Type of Action Lead Agency	Statute	System	Source ID	Type of Action	Lead Agency	Date

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions | Last 5 Years

Statuto	System	Law/	Source	Type of	Case	Lead	Case	Issued/ Filed	Settlements/	Settlement/	Federal Penalty	State/ Local Penalty	Penalty Amount	SEP	Comp
Statute	System	Section	ID	Action	No.	Agency	Name	Date	Actions	Action Date	Assessed	Assessed	Collected	Value	Action Cost

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) HUC (RAD (Reach Address Database))	WBD (Watershed Boundary Dataset) Subwatershed Name (RAD (Reach Address Database))	State Water Body Name (ICIS (Integrated Compliance Information System))	Beach Closures Within Last Year	Beach Closures Within Last Two Years	Pollutants Potentially Related to Impairment	Watershed with ESA (Endangered Species Act)-listed Aquatic Species?
210100040202	Rio Yauco at mouth		No	No		Yes

https://www.epa.gov/enforcement/enforcement-data-and-results.

Assessed Waters From Latest State Submission (ATTAINS)

S	tate	Report Cycle	Assessment Unit ID	Assessment Unit Name	Water Condition	Cause Groups Impaired	Drinking Water Use	Ecological Use	Fish Consumption Use	Recreation Use	Other Use
	PR	2024	PRSR68A1	RIO YAUCO	Impaired - 303(d) Listed - With Restoration Plan	NUTRIENTS ORGANIC ENRICHMENT/OXYGEN DEPLETION PATHOGENS	Not Supporting	Not Supporting		Not Supporting	

Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)
		No data records retu	urned	

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name

No data records returned

CWA (Clean Water Act) Discharge Monitoring Report (DMR) Pollutant Loadings

DMR and TRI Multi-Year Loading Report

NPDES ID

No data records returned

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

General Statistics (ACS (American Community Survey))								
Total Persons	8,391							
Population Density	2,691/sq.mi.							
Housing Units in Area	4,673							
Percent People of Color	99%							
Households in Area	3,156							
Households on Public Assistance	548							
Persons With Low Income	6,478							
Percent With Low Income	78%							
Geography								
Radius of Selected Area	1 mi.							
Center Latitude	18.03403							
Center Longitude	-66.85037							
Total Area	-							
Land Area	100%							
Water Area	0%							
Income Breakdown (ACS (American Community Surve	ev)) - Households (%)							
Less than \$15,000	1,319 (41.77%)							
\$15,000 - \$25,000	521 (16.5%)							
\$25,000 - \$50,000	822 (26.03%)							
\$50,000 - \$75,000	321 (10.16%)							
Greater than \$75,000	175 (5.54%)							

Age Breakdown (ACS (American Community Survey)) - Persons (%)	
Children 5 years and younger	420 (5%)
Minors 17 years and younger	1,582 (19%)
Adults 18 years and older	6,806 (81%)
Seniors 65 years and older	1,860 (22%)
Race Breakdown (ACS (American Community Survey)) - Persons (%)
White	5,944 (71%)
African-American	389 (5%)
Hispanic-Origin	8,338 (99%)
Asian	0 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	23 (0%)
Other/Multiracial	1,182 (14%)
Education Level (Persons 25 & older) (ACS (American Community St	urvey)) - Persons (%)
Less than 9th Grade	688 (11.5%)
9th through 12th Grade	353 (5.9%)
High School Diploma	2,014 (33.65%)
Some College/2-year	549 (9.17%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	1,801 (30.09%)



Facility Summary

ORAL-B LABS MANUFACTURING CORP OF PR

PR-335 KM 0.4, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110002466581

EPA Region: 02
Latitude: 18.030189
Longitude: -66.846419
Locational Data Source: TRIS
Industries: Chemical Manufacturing

Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	09/09/2005
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	-

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Toxic Releases (TRI): 00768RLBLBSTATE

Greenhouse Gas Emissions (eGGRT): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Regulatory Information

Clean Air Act (CAA): No Information
Clean Water Act (CWA): No Information

Resource Conservation and Recovery Act (RCRA): Inactive Other,

(PRD105820815)

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110002466581					N	18.030189	-66.846419
TRI	EP313	00768RLBLBSTATE	Toxics Release Inventory	Last Reported for 1987			N	18.030189	-66.846419
RCRAInfo	RCRA	PRD105820815	Other	Inactive ()			N	18.030189	-66.846419

System	Statute Identifier		Facility Name	Facility Address	Facility County
FRS	FRS 110002466581 TRI EP313 00768RLBLBSTATE		ORAL-B LABS MANUFACTURING CORP OF PR	PR-335 KM 0.4, YAUCO, PR 00698	Yauco Municipio
TRI			ORAL-B LABS MANUFACTURING CORP OF PR	STATE RD 335, KM 04, YAUCO, PR 007691657	Yauco Municipio
RCRAInfo RCRA PRD105820815		PRD105820815	ORAL-B LABORATORIES MFG OF PR	STATE RD 335 KM 0.4, YAUCO, PR 00768	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

System	Identifier	SIC Code	SIC Description	System	Identifier	NAICS Code	NAICS Description
TRI	00768RLBLBSTATE	2844	Toilet Preparations	TRI	00768RLBLBSTATE	325611	Soap and Other Detergent Manufacturing

Facility Tribe Information

Reservation Name	Tribe Name	EPA Tribal ID	Distance to Tribe (miles)

No data records returned

Enforcement and Compliance

Compliance Monitoring History Last 5 Years

Statute	Source ID	System	Activity Type	Compliance Monitoring Type	Lead Agency	Date	Finding (if applicable)
---------	-----------	--------	---------------	----------------------------	-------------	------	-------------------------

No data records returned

Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy <https://www.epa.gov/compliance/compliance-monitoring-programs> activities or because they are not counted as inspections within EPA's Annual Results https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRD105820815	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter

Statute	Program/Pollutant/Violation Type		QTR 1	QTR 2	QTR 3	QTR 4	QTR 5	QTR 6	QTR7	QTR 8	е ятр	QTR 10	QTR 11
RCRA (Source ID: PRD105820815)		07/01-09/30/22	10/01-12/31/22	01/01-03/31/23	04/01-06/30/23	07/01-09/30/23	10/01-12/31/23	01/01-03/31/24	04/01-06/30/24	07/01-09/30/24	10/01-12/31/24	01/01-03/31/25	
	Facility-Level Status		No Violation Identified										
	Violation	Agency											

Informal Enforcement Actions

Statute	System	Source ID	Type of Action	Lead Agency	Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Statute	System	Law/ Section	Source ID	Type of Action	Case No.	Lead Agency	Case Name	Issued/ Filed Date	Settlements/ Actions	Settlement/ Action Date	Federal Penalty Assessed	State/ Local Penalty Assessed	Penalty Amount Collected	SEP Value	Comp Action Cost

No data records returned

Environmental Conditions

Watersheds

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit ID Assessment Unit Name Water Condition Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

Air Quality Nonattainment Areas

Pollutant Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)				
No data records returned							

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name
No data records returned

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

General Statistics (ACS (American Community Survey))	
Total Persons	7,819
Population Density	2,508/sq.mi.
Housing Units in Area	4,247
Percent People of Color	100%
Households in Area	2,875
Households on Public Assistance	431
Persons With Low Income	5,978
Percent With Low Income	77%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.030189
Center Longitude	-66.846419
Total Area	
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Survey)) - Households (%)
Less than \$15,000	1,127 (39.23%)
\$15,000 - \$25,000	453 (15.77%)
\$25,000 - \$50,000	814 (28.33%)
\$50,000 - \$75,000	310 (10.79%)
Greater than \$75,000	169 (5.88%)

Children 5 years and younger	327 (4%)
Minors 17 years and younger	1,418 (18%)
Adults 18 years and older	6,403 (82%)
Seniors 65 years and older	1,664 (21%)
Race Breakdown (ACS (American Community Survey)) - Persons (%)	
White	5,409 (69%)
African-American	341 (4%)
Hispanic-Origin	7,779 (99%)
Asian	0 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	21 (0%)
Other/Multiracial	1,147 (15%)
Education Level (Persons 25 & older) (ACS (American Community Su	rvey)) - Persons (%)
ess than 9th Grade	579 (10.42%)
Oth through 12th Grade	331 (5.96%)
High School Diploma	1,896 (34.13%)
Some College/2-year	501 (9.02%)
3.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	1,665 (29.97%)



Facility Summary

PR ARMY NATIONAL GUARD

PR-127 KM 0.7, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110007813553

EPA Region: 02 **Latitude:** 18.033469 **Longitude:** -66.848879

Locational Data Source: RCRAINFO

Industries: -Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	-

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Toxic Releases (TRI): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Regulatory Information

Clean Air Act (CAA): No Information
Clean Water Act (CWA): No Information

Resource Conservation and Recovery Act (RCRA): Inactive Other,

(PR7210420017), Inactive Other, (PRD987382108) **Safe Drinking Water Act (SDWA):** No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110007813553					N	18.033469	-66.848879
RCRAInfo	RCRA	PR7210420017	Other	Inactive ()			N		
RCRAInfo	RCRA	PRD987382108	Other	Inactive ()			N	18.033128	-66.851617

racinely, System characteristics

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110007813553	PR ARMY NATIONAL GUARD	PR-127 KM 0.7, YAUCO, PR 00698	Yauco Municipio
RCRAInfo	RCRA	PR7210420017	USARC - PFC LUIS F GARCIA OLIVERAS	RD 127 KM 1.0, YAUCO, PR 00698	Yauco Municipio
RCRAInfo	RCRA	PRD987382108	PR ARMY NATIONAL GUARD	RD 127 KM 0.7, YAUCO, PR 00698	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

System Identifier SIC Code SIC Description System Identifier NAICS Code NAICS Description

No data records returned

No data records returned

Facility Tribe Information

Reservation Name Tribe Name EPA Tribal ID Distance to Tribe (miles)

No data records returned

Enforcement and Compliance

Compliance Monitoring History

ast 5 Years

Statute Source ID System Activity Type Compliance Monitoring Type Lead Agency Date Finding (if applicable)

No data records returned

Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy

<https://www.epa.gov/compliance/compliance-monitoring-programs> activities or because they are not counted as inspections within EPA's Annual Results

https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PR7210420017	No	05/31/2025	0	05/30/2025
RCRA	PRD987382108	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter



Informal Enforcement Actions

Last 5 Years

Statute System Source ID Type of Action Lead Agency Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute System Law/ Source Type of Section ID Action No. Agency Name Date State Action Date Settlements/ Settlements/ Settlements/ Settlements/ Settlements/ Settlements/ Settlements/ Settlements/ Action Date Settlements/ Settlements/ Settlements/ Settlements/ Action Date State/Local Penaltry Penaltry Amount SEP Comp

No data records returned

Environmental Conditions

Watersheds

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit ID Assessment Unit ID Assessment Unit Name Water Condition Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)				
	No data records returned							
		No data records retu	irned					

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land Total On-Site Releases Total Off-Site Transfers

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name

No data records returned

e-Manifest Hazardous Waste History (Public)

Hazardous Waste Shipped in Kilograms by Year (Through 3/1/2025)

Source ID	Waste Description	2022	2023	2024	2025
PR7210420017	Hazardous Waste		159		
PR7210420017	Acute Hazardous Waste		0		
PR7210420017	Pharmaceutical Hazardous Waste		0		

"Pharmaceutical Hazardous Waste" refers to quantities managed under 40 CFR part 266 subpart P and thus excluded from the Hazardous and Acute Hazardous Waste quantities shown above.

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

General Statistics (ACS (American Community Survey))	
Total Persons	8,123
Population Density	2,605/sq.mi.
Housing Units in Area	4,496
Percent People of Color	100%
Households in Area	3,039
Households on Public Assistance	503
Persons With Low Income	6,260
Percent With Low Income	78%

394 (5%)
1,502 (18%)
6,620 (81%)
1,790 (22%)
5,692 (70%)
369 (5%)
8,075 (99%)
0 (0%)



Facility Summary

PREPA - YAUCO TECHNICAL OPERATIONS OFFICE

49 MATIENZO CINTRO ST INT PR-116, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110004891467

EPA Region: 02 Latitude: 18.032723 Longitude: -66.851437 Locational Data Source: FRS

Industries: Utilities **Indian Country:** N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	-

Regulatory Information

Clean Air Act (CAA): No Information
Clean Water Act (CWA): No Information

 $\textbf{Resource Conservation and Recovery Act (RCRA):} \quad \text{Active VSQG},$

(PRR00000331)

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110004891467					N	18.032723	-66.851437
RCRAInfo	RCRA	PRR000000331	VSQG	Active (H)			N	18.03281	-66.852267

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Greenhouse Gas Emissions (eGGRT): No Information

oreemiouse ous Emissions (cooking, no mornadion

Toxic Releases (TRI): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

	System	Statute	Identifier	Facility Name	Facility Address	Facility County
	FRS		110004891467	PREPA - YAUCO TECHNICAL OPERATIONS OFFICE	49 MATIENZO CINTRO ST INT PR-116, YAUCO, PR 00698	Yauco Municipio
Г	RCRAInfo	RCRA	PRR000000331	LUMA - YAUCO DISTRICT OFFICE LINES	49 MATIENZO CINTRO ST INT PR 116, YAUCO, PR 00698	Yauco Municipio

RCRAInfo

Facility SIC (Standard Industrial Classification) Codes

sification) Codes

Classification System) Codes

tem | Identifier | SIC Code | SIC Description | System | Identifier | NAICS Code | NAICS Descr

No data records returned

Facility Tribe Information

22112

PRR000000331

Reservation Name Tribe Name EPA Tribal ID Distance to Tribe (miles)

Facility NAICS (North American Industry

No data records returned

Electric Power Transmission, Control, and Distribution

Enforcement and Compliance

Compliance Monitoring History

ast 5 Years

Statute Source ID System Activity Type Compliance Monitoring Type Lead Agency Date Finding (if applicable)

No data records returned

Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy


<https://www.epa.gov/compliance/compliance-monitoring-programs> activities or because they are not counted as inspections within EPA's Annual Results

https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000000331	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter



Informal Enforcement Actions

Last 5 Years

Statute System Source ID Type of Action Lead Agency Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute System Law/ Source Type of Case Lead Case Issued/Filed Settlements/ Settlements/ Settlements/ Settlement/ Action Date Settlement/ Action Date Action Date Action Date Assessed Collected Value Action Cost

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) WBD (Watershed Boundary Dataset) State Water Body Name (ICIS Dataset) HUC (RAD (Reach Address Database)) State Water Body Name (ICIS (Integrated Compliance Information System))

Beach Closures Within Last Two Years

Pollutants Potentially Related to Impairment Species?

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit Name Water Condition Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)			
No data records returned							
		No data records reto	irried				

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land Total On-Site Releases Total Off-Site Transfers

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name
No data records returned

Community

\$50,000 - \$75,000

Greater than \$75,000

Demographic Profile of Surrounding Area (1-Mile Radius)

This section provides demographic information regarding the community surrounding the facility. ECHO compliance data alone are not sufficient to determine whether violations at a particular facility had negative impacts on public health or the environment. Statistics are based upon the 2022 American Community Survey (ACS) 5-year Summary and are accurate to the extent that the facility latitude and longitude listed below are correct. Census boundaries and demographic data for U.S. Territories are based on the "2020 Island Areas Demographic Profiles" from the U.S. Census Bureau. EPA's spatial processing methodology considers the overlap between the selected radii and ACS census block groups in determining the demographics surrounding the facility. For more detail about this methodology, see the DFR Data Dictionary https://epa.gov/help/reports/dfr-data-dictionary#demographic.

General Statistics (ACS (American Community Survey))	
Total Persons	9,516
Population Density	3,052/sq.mi.
Housing Units in Area	5,195
Percent People of Color	100%
Households in Area	3,590
Households on Public Assistance	603
Persons With Low Income	7,284
Percent With Low Income	77%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.032723
Center Longitude	-66.851437
Total Area	
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Survey))) - Households (%)
Less than \$15,000	1,466 (40.84%)
\$15,000 - \$25,000	596 (16.6%)
\$25,000 - \$50,000	928 (25.85%)

381 (10.61%)

219 (6.1%)

Children 5 years and younger	450 (5%)
Minors 17 years and younger	1,780 (19%)
Adults 18 years and older	7,734 (81%)
Seniors 65 years and older	2,089 (22%)
Race Breakdown (ACS (American Community Survey)) - Persons (%)
White	6,699 (70%)
African-American	436 (5%)
Hispanic-Origin	9,464 (99%)
Asian	0 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	24 (0%)
Other/Multiracial	1,363 (14%)
Education Level (Persons 25 & older) (ACS (American Community St	urvey)) - Persons (%)
Less than 9th Grade	735 (10.77%)
9th through 12th Grade	374 (5.48%)
High School Diploma	2,301 (33.71%)
Some College/2-year	603 (8.84%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	2,128 (31.18%)



Facility Summary

SHELL CO PR LTD SS 1627 GARAJE SAN JOSE

68 25 DE JULIO ST, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110004893036

EPA Region: 02 Latitude: 18.03295 Longitude: -66.85204 Locational Data Source: FRS

Industries: -Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	-

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Toxic Releases (TRI): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Regulatory Information

Clean Air Act (CAA): No Information
Clean Water Act (CWA): No Information

Resource Conservation and Recovery Act (RCRA): Inactive Other,

(PRR000005405)

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110004893036					N	18.03295	-66.85204
ICIS		1400002779					N	18.032778	-66.8525
RCRAInfo	RCRA	PRR000005405	Other	Inactive ()			N		

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110004893036	SHELL CO PR LTD SS 1627 GARAJE SAN JOSE	68 25 DE JULIO ST, YAUCO, PR 00698	Yauco Municipio
ICIS		1400002779	SHELL #1627	25 DE JULIO #68, YAUCO, PR 00698	Yauco Municipio
RCRAInfo	RCRA	PRR000005405	SHELL CO PR LTD SS 1627 GARAJE SAN JOSE	68 25 DE JULIO ST, YAUCO, PR 00698-3512	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

System Identifier SIC Code SIC Description System Identifier NAICS Code NAICS Description

No data records returned

No data records returned

Facility Tribe Information

Reservation Name Tribe Name EPA Tribal ID Distance to Tribe (miles)

No data records returned

Enforcement and Compliance

Compliance Monitoring History

ast 5 Years

Statute Source ID System Activity Type Compliance Monitoring Type Lead Agency Date Finding (if applicable)

No data records returned

Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy


 $< https://www.epa.gov/compliance/compliance-monitoring-programs > activities \ or \ because \ they \ are \ not \ counted \ as \ inspections \ within \ EPA's \ Annual \ Results$

https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000005405	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter



Informal Enforcement Actions

ons Last 5 Years

Statute System Source ID Type of Action Lead Agency Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute System Law/ Section ID Action No. Agency Name Date Date Settlements/ Settlements/ Settlements/ Settlement/ Federal Penalty State/Local Penalty Penalty Amount SEP Composition Collected Value Action Cost

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) WBD (Watershed Boundary Dataset) WBD (Watershed Boundary Dataset) State Water Body Name (ICIS Database))

WBD (Watershed Boundary Dataset) State Water Body Name (ICIS (Integrated Compliance Information System))

Beach Closures Within Last Two Years

Watershed Boundary Dataset) Pollutants Potentially Related to Impairment Species Act)-listed Aquatic Species?

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit ID Assessment Unit ID Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

Air Quality Nonattainment Areas

Pollutant Within Nonattainment Status Area? Nonattainment Status Applicable Standard(s) Within Maintenance Status Area? Maintenance Status Applicable Standard(s)

No data records returned

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land Total On-Site Releases Total Off-Site Transfers

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name

No data records returned

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

General Statistics (ACS (American Community Survey)	
Total Persons	9,629
Population Density	3,088/sq.mi.
Housing Units in Area	5,283
Percent People of Color	100%
Households in Area	3,645
Households on Public Assistance	622
Persons With Low Income	7,379
Percent With Low Income	77%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.03295
Center Longitude	-66.85204
Total Area	-
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Surve	y)) - Households (%)
Less than \$15,000	1,496 (41.04%)
\$15,000 - \$25,000	617 (16.93%)
\$25,000 - \$50,000	921 (25.27%)
\$50,000 - \$75,000	386 (10.59%)
Greater than \$75,000	225 (6.17%)

Children 5 years and younger	460 (5%)
Minors 17 years and younger	1,801 (19%)
Adults 18 years and older	7,828 (81%)
Seniors 65 years and older	2,123 (22%)
Race Breakdown (ACS (American Community Survey)) - Persons (%)	
White	6,808 (71%)
African-American	443 (5%)
Hispanic-Origin	9,577 (99%)
Asian	0 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	25 (0%)
Other/Multiracial	1,371 (14%)
Education Level (Persons 25 & older) (ACS (American Community Su	rvey)) - Persons (%)
Less than 9th Grade	748 (10.81%)
9th through 12th Grade	375 (5.42%)
High School Diploma	2,338 (33.78%)
Some College/2-year	612 (8.84%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	2,169 (31.34%)



Facility Summary

SHELL CO PR LTD SS 804347 YAUCO

PR-376 KM 0.19, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110007819272

EPA Region: 02 Latitude: 18.037079 Longitude: -66.85706 Locational Data Source: FRS

Industries: --Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	-

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Toxic Releases (TRI): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

Regulatory Information

Clean Air Act (CAA): No Information Clean Water Act (CWA): No Information

Resource Conservation and Recovery Act (RCRA): Inactive Other,

(PRR000005785)

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110007819272					N	18.037079	-66.85706
RCRAInfo	RCRA	PRR000005785	Other	Inactive ()			N	18.037079	-66.85706

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110007819272	SHELL CO PR LTD SS 804347 YAUCO	PR-376 KM 0.19, YAUCO, PR 00698	Yauco Municipio
RCRAInfo	RCRA	PRR000005785	SHELL CO PR LTD SS 804347 YAUCO	RD PR 376 KM 0.19, YAUCO, PR 00698	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

System Identifier SIC Code SIC Description System Identifier NAICS Code NAICS Description

No data records returned

No data records returned

Facility Tribe Information

Reservation Name Tribe Name EPA Tribal ID Distance to Tribe (miles)

No data records returned

Enforcement and Compliance

Compliance Monitoring History

Last 5 Years

Statute Source ID System Activity Type Compliance Monitoring Type Lead Agency Date Finding (if applicable)

No data records returned


Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy

- https://www.epa.gov/compliance/complia
- https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statu	e Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCR	PRR000005785	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter



Informal Enforcement Actions

Last 5 Years

Statute System Source ID Type of Action Lead Agency Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute System Law/ Source Type of Section ID Action No. Agency Name Date State Action Date Settlements/ Settlements/ Settlement/ Assessed State/Local Penalty Assessed State/Local Penalty Assessed Collected Value Action Cost

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) BUC (RAD (Reach Address Database))

WBD (Watershed Boundary Dataset) State Water Body Name (ICIS (Integrated Compliance Information System))

State Water Body Name (ICIS (Integrated Compliance Information System))

WBD (Watershed Boundary Dataset) Beach Closures Within Last Two Years

Wellutants Potentially Related to Impairment Species Act)-listed Aquatic Species?

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit ID Assessment Unit Name Water Condition Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

Air Quality Nonattainment Areas

Pollutant Within Nonattainment Status Area? Nonattainment Status Applicable Standard(s) Within Maintenance Status Area? Maintenance Status Applicable Standard(s)

No data records returned

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land Total On-Site Releases Total Off-Site Transfers

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name

No data records returned

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

General Statistics (ACS (American Community Survey)	
Total Persons	11,211
Population Density	3,596/sq.mi.
Housing Units in Area	6,089
Percent People of Color	99%
Households in Area	4,277
Households on Public Assistance	744
Persons With Low Income	8,579
Percent With Low Income	77%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.037079
Center Longitude	-66.85706
Total Area	-
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Surve	y)) - Households (%)
Less than \$15,000	1,714 (40.05%)
\$15,000 - \$25,000	777 (18.15%)
\$25,000 - \$50,000	1,073 (25.07%)
\$50,000 - \$75,000	460 (10.75%)
Greater than \$75,000	256 (5.98%)

Children 5 years and younger	530 (5%)		
Minors 17 years and younger	2,067 (18%)		
Adults 18 years and older	9,146 (82%)		
Seniors 65 years and older	2,524 (23%)		
Race Breakdown (ACS (American Community Survey)) - Persons (%)		
White	8,096 (72%)		
African-American	499 (4%)		
Hispanic-Origin	11,138 (99%)		
Asian	0 (0%)		
Hawaiian/Pacific Islander	0 (0%)		
American Indian	24 (0%)		
Other/Multiracial	1,580 (14%)		
Education Level (Persons 25 & older) (ACS (American Community St	ırvey)) - Persons (%)		
ess than 9th Grade	920 (11.26%)		
Oth through 12th Grade	435 (5.33%)		
High School Diploma	2,779 (34.03%)		
Some College/2-year	670 (8.2%)		
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	2,584 (31.64%)		



Facility Summary

TEXACO PR INC - JUAN GARCIA PACHECO

25 JULIO 9, YAUCO, PR 00768

FRS (Facility Registry Service) ID: 110009437500

EPA Region: 02 Latitude: 18.0334 Longitude: -66.848365 Locational Data Source: FRS

Industries: -Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	

Regulatory Information

Clean Air Act (CAA): No Information
Clean Water Act (CWA): No Information

Resource Conservation and Recovery Act (RCRA): Inactive Other,

(PRR000003277)

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110009437500					N	18.0334	-66.848365
RCRAInfo	RCRA	PRR000003277	Other	Inactive ()			N		

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Greenhouse Gas Emissions (eGGRT): No Information

oreemiouse ous zimissions (cooki). No imornia

Toxic Releases (TRI): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

System	Statute	Identifier	Facility Name	Facility Address	Facility County
FRS		110009437500	TEXACO PR INC - JUAN GARCIA PACHECO	25 JULIO 9, YAUCO, PR 00768	Yauco Municipio
RCRAInfo	RCRA	PRR000003277	TEXACO PR INC - JUAN GARCIA PACHECO	25 JULIO 9, YAUCO, PR 00768	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

System Identifier SIC Code SIC Description System Identifier NAICS Code NAICS Description

No data records returned

No data records returned

Facility Tribe Information

Reservation Name Tribe Name EPA Tribal ID Distance to Tribe (miles)

No data records returned

Enforcement and Compliance

Compliance Monitoring History

ast 5 Years

Statute Source ID System Activity Type Compliance Monitoring Type Lead Agency Date Finding (if applicable)

No data records returned


Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy

- https://www.epa.gov/compliance/complia
- https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statute	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000003277	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter



Informal Enforcement Actions

Last 5 Years

Statute System Source ID Type of Action Lead Agency Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute System System System System Section ID Action No. Agency Name Date State Action Date Settlements/ Action Date Settlements/ Settlements/ Settlements/ Settlements/ Assessed State/Local Penaltry Penaltry Amount SEP Comp

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) BUC (RAD (Reach Address Database))

WBD (Watershed Boundary Dataset) State Water Body Name (ICIS (Integrated Compliance Information System))

State Water Body Name (ICIS (Integrated Compliance Information System))

WBD (Watershed Boundary Dataset) Beach Closures Within Last Two Years

Wellutants Potentially Related to Impairment Species Act)-listed Aquatic Species?

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit ID Assessment Unit ID Assessment Unit ID Assessment Unit Name Water Condition Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

No data records

Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)
		No data records retu	ırned	

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land No. Site Releases Total Off-Site Transfers No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name	
No data records returned	

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

General Statistics (ACS (American Community Survey)	
Total Persons	7,975
Population Density	2,558/sq.mi.
Housing Units in Area	4,416
Percent People of Color	100%
Households in Area	2,981
Households on Public Assistance	487
Persons With Low Income	6,144
Percent With Low Income	78%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.0334
Center Longitude	-66.848365
Total Area	-
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Surve	y)) - Households (%)
Less than \$15,000	1,229 (41.23%)
\$15,000 - \$25,000	473 (15.87%)
\$25,000 - \$50,000	818 (27.44%)
\$50,000 - \$75,000	306 (10.27%)
Greater than \$75,000	155 (5.2%)

Children 5 years and younger	382 (5%)
Minors 17 years and younger	1,459 (18%)
Adults 18 years and older	6,515 (82%)
Seniors 65 years and older	1,756 (22%)
Race Breakdown (ACS (American Community Survey)) - Persons (%)	
White	5,573 (70%)
African-American	357 (4%)
Hispanic-Origin	7,926 (99%)
Asian	0 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	21 (0%)
Other/Multiracial	1,154 (14%)
Education Level (Persons 25 & older) (ACS (American Community Su	rvey)) - Persons (%)
Less than 9th Grade	644 (11.31%)
9th through 12th Grade	347 (6.1%)
High School Diploma	1,918 (33.7%)
Some College/2-year	522 (9.17%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	1,687 (29.64%)



Facility Summary

YAUCO SS 0493

CALLE 25 DE JULIO, YAUCO, PR 00698

FRS (Facility Registry Service) ID: 110004892741

EPA Region: 02 Latitude: 18.03313 Longitude: -66.8518 Locational Data Source: FRS

Industries: -Indian Country: N

Enforcement and Compliance Summary

Statute	RCRA
Compliance Monitoring Activities (5 years)	-
Date of Last Compliance Monitoring Activity	-
Compliance Status	No Violation Identified
Qtrs in Noncompliance (of 12)	0
Qtrs with Significant Violation	0
Informal Enforcement Actions (5 years)	-
Formal Enforcement Actions (5 years)	-
Penalties from Formal Enforcement Actions (5 years)	-
EPA Cases (5 years)	-
Penalties from EPA Cases (5 years)	

Regulatory Information

Clean Air Act (CAA): No Information
Clean Water Act (CWA): No Information

Resource Conservation and Recovery Act (RCRA): Inactive Other,

(PRR000004259)

Safe Drinking Water Act (SDWA): No Information

Go To Enforcement/Compliance Details

Known Data Problems https://epa.gov/resources/echo-data/known-data-problems

Facility/System Characteristics

Facility/System Characteristics

System	Statute	Identifier	Universe	Status	Areas	Permit Expiration Date	Indian Country	Latitude	Longitude
FRS		110004892741					N	18.03313	-66.8518
RCRAInfo	RCRA	PRR000004259	Other	Inactive ()			N	18.033384	-66.84675

Other Regulatory Reports

Air Emissions Inventory (EIS): No Information

Greenhouse Gas Emissions (eGGRT): No Information

Toxic Releases (TRI): No Information

Compliance and Emissions Data Reporting Interface (CEDRI): No Information

System	Statute	statute Identifier Facility Name		Facility Address	Facility County
FRS		110004892741	YAUCO SS 0493	CALLE 25 DE JULIO, YAUCO, PR 00698	Yauco Municipio
RCRAInfo	RCRA	PRR000004259	YAUCO SS 0493	CALLE 25 DE JULIO, YAUCO, PR 00698-3604	Yauco Municipio

Facility SIC (Standard Industrial Classification) Codes

Facility NAICS (North American Industry Classification System) Codes

System Identifier SIC Code SIC Description System Identifier NAICS Code NAICS Description

No data records returned

No data records returned

Facility Tribe Information

Reservation Name Tribe Name EPA Tribal ID Distance to Tribe (miles)

No data records returned

Enforcement and Compliance

Compliance Monitoring History

Last 5 Years

Statute Source ID System Activity Type Compliance Monitoring Type Lead Agency Date Finding (if applicable)

No data records returned


Entries in italics are not included in ECHO's Compliance Monitoring Activity counts because they are not compliance monitoring strategy

- https://www.epa.gov/compliance/complia
- https://www.epa.gov/enforcement/enforcement-data-and-results.

Compliance Summary Data

Statut	Source ID	Current SNC (Significant Noncompliance)/HPV (High Priority Violation)	Current As Of	Qtrs with NC (Noncompliance) (of 12)	Data Last Refreshed
RCRA	PRR000004259	No	05/31/2025	0	05/30/2025

Three-Year Compliance History by Quarter



Informal Enforcement Actions

Last 5 Years

Statute System Source ID Type of Action Lead Agency Date

No data records returned

Entries in italics are not counted as "informal enforcement actions" in EPA policies pertaining to enforcement response tools.

Formal Enforcement Actions

Last 5 Years

Statute System System System System Section ID Action No. Agency Name Date State Action Date Settlements/ Section State System S

No data records returned

Environmental Conditions

Watersheds

12-Digit WBD (Watershed Boundary Dataset) WBD (Watershed Boundary Dataset) State Water Body Name (ICIS (Integrated Compliance Database)) State Water Body Name (ICIS (Integrated Compliance Information System))

State Water Body Name (ICIS (Integrated Compliance Information System))

Beach Closures Within Last Two Years

Pollutants Potentially Related to Impairment Species Act)-listed Aquatic Species?

No data records returned

Assessed Waters From Latest State Submission (ATTAINS)

State Report Cycle Assessment Unit ID Assessment Unit ID Assessment Unit ID Assessment Unit Name Water Condition Cause Groups Impaired Drinking Water Use Ecological Use Fish Consumption Use Recreation Use Other Use

No data records returned

Air Quality Nonattainment Areas

Pollutant	Within Nonattainment Status Area?	Nonattainment Status Applicable Standard(s)	Within Maintenance Status Area?	Maintenance Status Applicable Standard(s)			
No data records returned							

Pollutants

Toxics Release Inventory History of Reported Chemicals Released or Transferred in Pounds per Year at Site

TRI Facility ID Year Air Emissions Surface Water Discharges Off-Site Transfers to POTWs (Publicly Owned Treatment Works) Underground Injections Disposal to Land

No data records returned

Toxics Release Inventory Total Releases and Transfers in Pounds by Chemical and Year

Chemical Name
No data records returned

Community

Demographic Profile of Surrounding Area (1-Mile Radius)

General Statistics (ACS (American Community Survey)	1
Total Persons	9.443
	•
Population Density	3,029/sq.mi.
Housing Units in Area	5,189
Percent People of Color	100%
Households in Area	3,571
Households on Public Assistance	613
Persons With Low Income	7,245
Percent With Low Income	77%
Geography	
Radius of Selected Area	1 mi.
Center Latitude	18.03313
Center Longitude	-66.8518
Total Area	
Land Area	100%
Water Area	0%
Income Breakdown (ACS (American Community Surve	y)) - Households (%)
Less than \$15,000	1,472 (41.16%)
\$15,000 - \$25,000	601 (16.81%)
\$25,000 - \$50,000	909 (25.42%)
\$50,000 - \$75,000	376 (10.51%)
Greater than \$75,000	218 (6.1%)

Children 5 years and younger	456 (5%)
Minors 17 years and younger	1,772 (19%)
Adults 18 years and older	7,671 (81%)
Seniors 65 years and older	2,081 (22%)
Race Breakdown (ACS (American Community Survey)) - Persons (%)	
White	6,677 (71%)
African-American	434 (5%)
Hispanic-Origin	9,389 (99%)
Asian	0 (0%)
Hawaiian/Pacific Islander	0 (0%)
American Indian	24 (0%)
Other/Multiracial	1,344 (14%)
Education Level (Persons 25 & older) (ACS (American Community Su	rvey)) - Persons (%)
Less than 9th Grade	738 (10.89%)
9th through 12th Grade	374 (5.52%)
High School Diploma	2,287 (33.74%)
Some College/2-year	604 (8.91%)
B.S./B.A. (Bachelor of Science/Bachelor of Arts) or More	2,115 (31.2%)

MENU

Search EPA.gov

You are here: EPA Home >>Cleanups">>>Cleanups >>>Cleanups In My Community (CIMC)

CONTACT US https://www.epa.gov/cleanups/forms/contact-us

Property Details for Trocha Street Service Station

On this page:

- Profile Information
- Property Location
- Property Progress
- CAs Associated with this Property
- Assessment Activities at this Property
- Climate Adaption and Mitigation Planning or Assessment
- Contaminants and Media
- Cleanup Activities
- Climate Adaption and Mitigation Demolition or Cleanup
- Institutional & Engineering Controls
- Redevelopment and Other Leveraged Accomplishments
- Climate Adaption and Mitigation Redevelopment
- Additional Property Attributes

Legal Notices https://www.epa.gov/cleanups/cimc-legal-notices

Profile Information

Property Alias
Property Owner Private
ACRES Property ID 125690

Property Address La Trocha Street #1 Yauco, PR 00698

.5

Parcel Numbers

Latitude/ Longitude

18.039969 / -66.852905

Congressional District

Property Contact Madera, Carmen

cdbgyauco@hotmail.com

787-267-4008

Top of Page

Property Location

Top of Page

Property Progress

Assessment

Clean Up

Institutional

Controls in Place

Engineering Controls in Place

Ready for Anticipated Use

Redevelopment Underway

Top of Page

CAs Associated with this Property

CA Name	CA#	State	Туре	Announcement Year
Yauco, Municipality of	BF97244008	PR	Assessment	2008

Assessment Activities at this Property

Activity	EPA Funding	Start Date	Completion Date	CA	Accomplishment Counted?	Counted When?
Phase I Environmental Assessment	\$16,389.00	08/06/2010	12/07/2010	Yauco, Municipality of	Υ	FY11

Is Cleanup Necessary? **Unknown**EPA Assessment Funding: **\$16,389.00**Leveraged Funding:
Total Funding: **\$16,389.00**

Top of Page

Climate Adaption and Mitigation - Planning or Assessment

There is no data for Climate Adaption and Mitigation - Planning or Assessment.

Top of Page

Contaminants and Media

Media Affected
Unknown

Remediating Action for Media

NOT Cleaned up

Top of Page

Cleanup Activities

There are no current cleanup activities.

Cleanup/Treatment Implemented: Cleanup/Treatement Categories: Addl Cleanup/Treatment info: Address of Data Source:

Top of Page

Climate Adaption and Mitigation - Demolition or Cleanup

There is no data for Climate Adaption and Mitigation - Demolition or Cleanup.

Top of Page

Institutional and Engineering Controls

Indicate whether **U** Institutional Controls are required

Categories of Controls

Additional Institutional Controls Information

Address of Data Source (URL if available) Are Institutional No Controls in Place

Date Institutional Controls were put in place

Indicate whether No Engineering Controls are required

Categories of Controls

Additional Engineering controls information

Address of Data Source (URL if available)

Indicate whether No Engineering Controls are in place

Date Engineering Controls were put in place

Top of Page

Redevelopment and Other Leveraged Accomplishments

There are no current redevelopment activities.

Number of Redevelopment Jobs Leveraged: Actual Acreage of Greenspace Created: Leveraged Funding:

Top of Page

Climate Adaption and Mitigation – Redevelopment

There is no data for Climate Adaption and Mitigation - Redevelopment

Additional Property Attributes

Property Highlights Former Use: The Site is a former gasoline service station. The facility is located on the south-east side of state road PR-3372. The section of PR-3372 in which the Site is located is also known as La Trocha Street in the Municipality of Yauco. The exact address of the site is #1 La Trocha Street, Yauco, Puerto Rico. The parcel has a rectangular shape with an area of approximately 2,000 square meter. Most of the Site so outdoor area is paved with concrete. Indoor areas include an office, restrooms, and a storage room. Outdoor areas appear to be designated for fuel dispensing area, vehicle maintenance/check up area, and oil change area. A tire air pump and a water faucet is located near the north east corner of the Site. A manhole which apparently gives access to an underground fuel storage tank was observed on the northwest side of the facility.

Predominant Past Usage

What types of funding are being used on this property?

State and Tribal Program Information

Date No Further Action Letter Received

Date Letter/Signed Report Received from a Qualified Professional

Other Cleanup Documentation Petroleum

Top of Page



Discover. Connect. Ask.

Accessibili ty https://www.epa.gov/

accessibility> **Budget &**

Performan Ce https://www.epa.gov/planandbudget

Data.gov

https://www.data.gov/>

Inspector General

https://">https://">

Contact

EPA https://www.epa.gov/aboutepa/forms/contact-epa

EPA Disclaimer

S <https://www.epa.gov/

MENU

Search EPA.gov

You are here: EPA Home >>Cleanups">>>Cleanups >>>Cleanups In My Community (CIMC)

CONTACT US https://www.epa.gov/cleanups/forms/contact-us

Property Details for Former Natali Family Residence

On this page:

- Profile Information
- Property Location
- Property Progress
- CAs Associated with this Property
- Assessment Activities at this Property
- Climate Adaption and Mitigation Planning or Assessment
- Contaminants and Media
- Cleanup Activities
- Climate Adaption and Mitigation Demolition or Cleanup
- Institutional & Engineering Controls
- Redevelopment and Other Leveraged Accomplishments
- Climate Adaption and Mitigation Redevelopment
- Additional Property Attributes

Legal Notices https://www.epa.gov/cleanups/cimc-legal-notices

Profile Information

Property Alias
Property Owner Private
ACRES Property ID 125704

Property Address Pacheco Street #24 Yauco, PR 00698

.22 Size

Parcel Numbers

Latitude/ Longitude

18.035338 / -66.851363

Congressional District

Property Contact Madera, Carmen

cdbgyauco@hotmail.com

787-267-4008

Top of Page

Property Location

Top of Page

Property Progress

Assessment

Clean Up

Institutional

Controls in Place

Engineering Controls in Place

Ready for Anticipated Use

Redevelopment Underway

Top of Page

CAs Associated with this Property

CA Name	CA#	State	Туре	Announcement Year
Yauco, Municipality of	BF97244108	PR	Assessment	2008

Assessment Activities at this Property

Activity	EPA Funding	Start Date	Completion Date	CA	Accomplishment Counted?	Counted When?
Phase I Environmental Assessment	\$16,389.00	08/06/2010	12/07/2010	Yauco, Municipality of	Υ	FY11

Is Cleanup Necessary? **Unknown**EPA Assessment Funding: **\$16,389.00**Leveraged Funding:
Total Funding: **\$16,389.00**

Top of Page

Climate Adaption and Mitigation - Planning or Assessment

There is no data for Climate Adaption and Mitigation - Planning or Assessment.

Top of Page

Contaminants and Media

Media Affected
Unknown

Remediating Action for Media **NOT Cleaned up**

Top of Page

Cleanup Activities

There are no current cleanup activities.

Cleanup/Treatment Implemented: Cleanup/Treatement Categories: Addl Cleanup/Treatment info: Address of Data Source:

Top of Page

Climate Adaption and Mitigation - Demolition or Cleanup

There is no data for Climate Adaption and Mitigation - Demolition or Cleanup.

Top of Page

Institutional and Engineering Controls

Indicate whether No Institutional Controls are required

Categories of Controls

Additional Institutional Controls Information

Address of Data Source (URL if available) Are Institutional No Controls in Place

Date Institutional Controls were put in place

Indicate whether No Engineering Controls are required

Categories of Controls

Additional Engineering controls information

Address of Data Source (URL if available)

Indicate whether No Engineering Controls are in place

Date Engineering Controls were put in place

Top of Page

Redevelopment and Other Leveraged Accomplishments

There are no current redevelopment activities.

Number of Redevelopment Jobs Leveraged: Actual Acreage of Greenspace Created: Leveraged Funding:

Top of Page

Climate Adaption and Mitigation – Redevelopment

There is no data for Climate Adaption and Mitigation - Redevelopment

Additional Property Attributes

Property Highlights Former Use: The Site is a parcel with an area of approximately 900 square meters of area located in the urban center in the Municipality. The Site has a brick house, which was built in the 1800 \(\phi \)s. Currently the Site \(\phi \)s structure is in very poor conditions. The structure \(\phi \)s fa\(\phi \)e survives but observations of the inside reveal that much of the roof, walls, and floors are missing, or in advanced deterioration. A floor plan was not prepared for the brick structure since MPPR could not gain access to its interior due to safety reasons.

Predominant Past Usage

What types of funding are being used on this property?

State and Tribal Program Information

Date No Further Action Letter Received

Date Letter/Signed Report Received from a Qualified Professional

Other Cleanup Documentation **Hazardous**

Top of Page



Discover. Connect. Ask.

Accessibili ty https://www.epa.gov/

accessibility>

Budget & Performan

Ce https://www.epa.gov/planandbudget>

Contractin

2 <https://

Data.gov

<https:// www.data.gov/>

Inspector General

>a href="https://">>a href="http

Contact

EPA https://www.epa.gov/aboutepa/forms/contact-epa

EPA Disclaimer

S https://www.epa.gov/web-policies-and-procedures/

Parcel Numbers

Latitude/ Longitude

18.034100 / -66.849008

Congressional District

Property Contact Madera, Carmen

cdbgyauco@hotmail.com

787-267-4008

Top of Page

Property Location

Top of Page

Property Progress

Assessment

Clean Up

Institutional Controls in Place

Engineering Controls in Place

Ready for Anticipated Use

Redevelopment Underway

Top of Page

CAs Associated with this Property

CA Name	CA#	State	Туре	Announcement Year
Yauco, Municipality of	BF97244008	PR	Assessment	2008

Assessment Activities at this Property

Activity	EPA Funding	Start Date	Completion Date	CA	Accomplishment Counted?	Counted When?
Phase I Environmental Assessment	\$16,389.00	05/25/2010	12/07/2010	Yauco, Municipality of	Υ	FY11

Is Cleanup Necessary? **Unknown**EPA Assessment Funding: **\$16,389.00**Leveraged Funding:
Total Funding: **\$16,389.00**

Top of Page

Climate Adaption and Mitigation - Planning or Assessment

There is no data for Climate Adaption and Mitigation - Planning or Assessment.

Top of Page

Contaminants and Media

Contaminant Found Media Affected **Unknown** Remediating Action for Contaminants Remediating Action for Media **NOT Cleaned up**

Ta	_	۰t	Da	~-
To	ν	Οı	гα	צנ

Cleanup Activities

There are no current cleanup activities.

Cleanup/Treatment Implemented: Cleanup/Treatement Categories: Addl Cleanup/Treatment info: Address of Data Source:

Top of Page

Climate Adaption and Mitigation - Demolition or Cleanup

....

There is no data for Climate Adaption and Mitigation - Demolition or Cleanup.

Top of Page

Institutional and Engineering Controls

Indicate whether **U** Institutional Controls are required

Categories of Controls

Additional Institutional Controls Information

Address of Data Source (URL if available)

Are Institutional No Controls in Place

Date Institutional Controls were put in place

Indicate whether **U** Engineering Controls are required

Categories of Controls

Additional Engineering controls information

Address of Data Source (URL if available)

Indicate whether No Engineering Controls are in place

Date Engineering Controls were put in place

Top of Page

Redevelopment and Other Leveraged Accomplishments

There are no current redevelopment activities.

Number of Redevelopment Jobs Leveraged: Actual Acreage of Greenspace Created: Leveraged Funding:

Top of Page

Climate Adaption and Mitigation - Redevelopment

There is no data for Climate Adaption and Mitigation - Redevelopment

Additional Property Attributes

Property Highlights Former Use: The Site is located in Betances Street in the municipality of Yauco. The physical address of the facility is the corner of Betances Street and Santiago Vivaldi Avenue. The Site is a brick building of one level located in a land parcel of approximately 0.097 acres. The building occupies approximately 0.094 acres. The Site was constructed in the 1920 s and has been operating as an auto part warehouse for approximately 25 years. The access door connects directly to the corner of the Betances street and the Santiago Vivaldi Avenue, and the building has one exit door which connects to an internal patio at the west side of the facility. See Figure No. 3 for a detailed site plan. The building has dimension of approximately eighty 80 feet wide and forty-seven 47 feet in length and has an area of approximately 4,122 square feet. The building s second floor is made of wood and is also a storage area of car motor parts. The building floor, walls and roof are made of concrete.

Predominant Past Usage

What types of funding are being used on this property?

State and Tribal Program Information

Date No Further Action Letter Received

Date Letter/Signed Report Received from a Qualified Professional

Other Cleanup Documentation **Petroleum**

Top of Page



Discover. Connect. Ask.

Accessibili ty https://

www.epa.gov/ accessibility>

Budget & Performan

CC https://www.epa.gov/planandbudget>

Data.gov

https://www.data.gov/

Inspector General

https://">https://">https://">https://">h

Contact

EPA https://www.epa.gov/ aboutepa/forms/contact-epa>

EPA Disclaimer

S https://www.epa.gov/web-policies-

MENU

Search EPA.gov

You are here: EPA Home >> **Cleanups** >> Cleanups In My Community (CIMC)

CONTACT US https://www.epa.gov/cleanups/forms/contact-us

Property Details for Mu�oz Rivera Building

On this page:

- Profile Information
- Property Location
- Property Progress
- CAs Associated with this Property
- Assessment Activities at this Property
- Climate Adaption and Mitigation Planning or Assessment
- Contaminants and Media
- Cleanup Activities
- Climate Adaption and Mitigation Demolition or Cleanup
- Institutional & Engineering Controls
- Redevelopment and Other Leveraged Accomplishments
- Climate Adaption and Mitigation Redevelopment
- Additional Property Attributes

Legal Notices https://www.epa.gov/cleanups/cimc-legal-notices

Profile Information

Property Alias
Property Owner Private
ACRES Property ID 125703

Property Address Luis Mu oz Rivera Street #56 Yauco, PR 00698

.03 Size

Parcel Numbers

Latitude/ Longitude

18.036031 / -66.851383

Congressional District

Property Contact Madera, Carmen

cdbgyauco@hotmail.com

787-267-4008

Top of Page

Property Location

Top of Page

Property Progress

Assessment

Clean Up

Institutional

Controls in Place

Engineering Controls in Place

Ready for Anticipated Use

Redevelopment Underway

Top of Page

CAs Associated with this Property

CA Name	CA#	State	Туре	Announcement Year
Yauco, Municipality of	BF97244108	PR	Assessment	2008

Assessment Activities at this Property

Activity	EPA Funding	Start Date	Completion Date	CA	Accomplishment Counted?	Counted When?
Phase I Environmental Assessment	\$16,389.00	05/25/2010	12/07/2010	Yauco, Municipality of	Υ	FY11

Is Cleanup Necessary? **Unknown**EPA Assessment Funding: **\$16,389.00**Leveraged Funding:
Total Funding: **\$16,389.00**

Top of Page

Climate Adaption and Mitigation – Planning or Assessment

There is no data for Climate Adaption and Mitigation - Planning or Assessment.

Top of Page

Contaminants and Media

Media Affected
Unknown

Remediating Action for Media **NOT Cleaned up**

Top of Page

Cleanup Activities

There are no current cleanup activities.

Cleanup/Treatment Implemented: Cleanup/Treatement Categories: Addl Cleanup/Treatment info: Address of Data Source:

Top of Page

Climate Adaption and Mitigation - Demolition or Cleanup

There is no data for Climate Adaption and Mitigation - Demolition or Cleanup.

Top of Page

Institutional and Engineering Controls

Indicate whether No Institutional Controls are required

Categories of Controls

Additional Institutional Controls Information

Address of Data Source (URL if available) Are Institutional No Controls in Place

Date Institutional Controls were put in place

Indicate whether No Engineering Controls are required

Categories of Controls

Additional Engineering controls information

Address of Data Source (URL if available)

Indicate whether No Engineering Controls are in place

Date Engineering Controls were put in place

Top of Page

Redevelopment and Other Leveraged Accomplishments

There are no current redevelopment activities.

Number of Redevelopment Jobs Leveraged: Actual Acreage of Greenspace Created: Leveraged Funding:

Top of Page

Climate Adaption and Mitigation – Redevelopment

There is no data for Climate Adaption and Mitigation - Redevelopment

Additional Property Attributes

Property Highlights Former Use: At the time of the ESA the Site showed signs of being abandoned for several years. The site consists of a land parcel of approximately 0.13 acres with a three-story vacant building within the parcel.currently owned by Mrs. Rosa Mar�Carri�n Ruiz de Esteves. The patio has an area of approximately 3 meters per 30 meters feet. It has an **�L�** shape that connects the east side of the property with the back side. The patio is separated from the continuous buildings by a masonry wall of approximately 8 feet tall. The building fully occupies the west side of the parcel with a separation of one foot from the next building wall. The access door connects directly to the Betances street sidewalk, and the building has one exit door which connects to the patio at the east side of the facility. See Figure No.3 for a site plan of the facility. The facility was used since it was constructed in the 1900 s as a theater. In recent years a section of the building was also used as a travel agency. The building is approximately thirteen 13 meters in front and thirty 30 meters in length, located in a lot with an area of approximately 512 square meters. The structure os interiors are divided with walls which separate the cinema room, from the receiving area, and the travel agency. The second floor interior walls separate the projection room from the public bathrooms. The third floor is inaccessible and could not be inspected. The building walls are made of concrete, and its roof is consists of a structural steel covered with metal panels. Its ceiling is deteriorated with some acoustic insulator installed. The building is floor has vinyl tiles on all rooms except in the cinema and its access area are covered with rugs. Bathroom floors and walls are finished with ceramic tiles.

Predominant Past Usage

What types of funding are being used on this property?

State and Tribal Program Information

Date No Further Action Letter Received

Date Letter/Signed Report Received from a Qualified Professional

Other Cleanup Documentation **Hazardous**

Top of Page



Discover. Connect. Ask.

Accessibili tv <httns://

Data.gov

<httns·//

Contact F.PA https://

MENU

Search EPA.gov

You are here: EPA Home >>Cleanups">>>Cleanups >>>Cleanups In My Community (CIMC)

CONTACT US https://www.epa.gov/cleanups/forms/contact-us

Property Details for PRIDCO Facility T-12440-79

On this page:

- Profile Information
- Property Location
- Property Progress
- CAs Associated with this Property
- Assessment Activities at this Property
- Climate Adaption and Mitigation Planning or Assessment
- Contaminants and Media
- Cleanup Activities
- Climate Adaption and Mitigation Demolition or Cleanup
- Institutional & Engineering Controls
- Redevelopment and Other Leveraged Accomplishments
- Climate Adaption and Mitigation Redevelopment
- Additional Property Attributes

Legal Notices https://www.epa.gov/cleanups/cimc-legal-notices

Profile Information

Property Alias
Property Owner **Government**ACRES Property ID **125701**

Property Address State Road PR-127 near kilometer 2.0 Jacanas Industrial Park Yauco, PR 00698

Size 1.2

Parcel Numbers

Latitude/ Longitude

18.033014 / -66.843633

Congressional District

Property Contact Madera, Carmen

cdbgyauco@hotmail.com

787-267-4008

Top of Page

Property Location

Top of Page

Property Progress

Assessment

Clean Up

Institutional Controls in Place

Engineering Controls in Place Ready for

Anticipated Use Redevelopment Underway

Top of Page

CAs Associated with this Property

CA Name	CA#	State	Туре	Announcement Year
Yauco, Municipality of	BF97244108	PR	Assessment	2008

Assessment Activities at this Property

Activity	EPA Funding	Start Date	Completion Date	CA	Accomplishment Counted?	Counted When?
Phase I Environmental Assessment	\$16,389.00	08/06/2010	12/07/2010	Yauco, Municipality of	Υ	FY20

Is Cleanup Necessary? **Unknown**EPA Assessment Funding: **\$16,389.00**Leveraged Funding:
Total Funding: **\$16,389.00**

Top of Page

Climate Adaption and Mitigation - Planning or Assessment

There is no data for Climate Adaption and Mitigation - Planning or Assessment.

Top of Page

Contaminants and Media

Media Affected
Unknown

Remediating Action for Media **NOT Cleaned up**

Top of Page

Cleanup Activities

There are no current cleanup activities.

Cleanup/Treatment Implemented: Cleanup/Treatement Categories: Addl Cleanup/Treatment info: Address of Data Source:

Top of Page

Climate Adaption and Mitigation - Demolition or Cleanup

There is no data for Climate Adaption and Mitigation - Demolition or Cleanup.

Top of Page

Institutional and Engineering Controls

Indicate whether No Institutional Controls are required

Categories of Controls

Additional Institutional Controls Information

Address of Data Source (URL if available) Are Institutional No Controls in Place

Date Institutional Controls were put in place

Indicate whether No Engineering Controls are required

Categories of Controls

Additional Engineering controls information

Address of Data Source (URL if available)

Indicate whether No Engineering Controls are in place

Date Engineering Controls were put in place

Top of Page

Redevelopment and Other Leveraged Accomplishments

There are no current redevelopment activities.

Number of Redevelopment Jobs Leveraged: Actual Acreage of Greenspace Created: Leveraged Funding:

Top of Page

Climate Adaption and Mitigation – Redevelopment

There is no data for Climate Adaption and Mitigation - Redevelopment

Additional Property Attributes

Property Highlights As shown on the FEMA FIRM #72000C1615H approved on April 19, 2005 the Site s current flood zone classification is AE. Areas designated as flood zone AE have a 1 percent chance of experiencing a flood each year, and a 26 percent chance of flooding at some point over a 30-year period. Property owners in zone AE are required to purchase flood insurance through the National Flood Insurance Program. Zone AE is considered a special flood hazard area SFHA because it represents an area that will be covered by floodwater during a base flood.

Former Use: The Site, located south of Puerto Rico s state road PR-127 and west of the intersection with state road PR-359 in what is commonly known as the Centro Industrial Jacanas in the Municipality of Yauco, is currently owned by PRIDCO and is known as the PRIDCO Facility T-12440-79 see Figures 1 and 2. At the time of the ESA the Site showed signs of being abandoned for multiple years. The Site consists of a land parcel of approximately 1.2 acres with an access road, two loading decks, unpaved areas and a single, one-story building. Figure 3 shows a site plan of the facility.

Predominant Past Usage

What types of funding are being used on this property?

State and Tribal Program Information

Date No Further Action Letter Received

Date Letter/Signed Report Received from a Qualified Professional

Other Cleanup Documentation **Hazardous**

Top of Page



Discover. Connect. Ask.

Accessibili ty https://

www.epa.gov/accessibility>

Budget &

Data.gov

https://www.data.gov/">

Inspector General Contact

EPA https://www.epa.gov/aboutepa/forms/contact-epa

 \mathbf{LDV}

MENU

Search EPA.gov

You are here: EPA Home Cleanups cleanups >> Cleanups In My Community (CIMC)

CONTACT US https://www.epa.gov/cleanups/forms/contact-us

Property Details for Puerto Rico Army National Guard Armory Building

On this page:

- Profile Information
- Property Location
- Property Progress
- CAs Associated with this Property
- Assessment Activities at this Property
- Climate Adaption and Mitigation Planning or Assessment
- Contaminants and Media
- Cleanup Activities
- Climate Adaption and Mitigation Demolition or Cleanup
- Institutional & Engineering Controls
- Redevelopment and Other Leveraged Accomplishments
- Climate Adaption and Mitigation Redevelopment
- Additional Dranarty Attributes

Legal Notices https://www.epa.gov/cleanups/cimc-legal-notices

Profile Information

Property Alias

Property Owner Government

ACRES Property 125685

ID

Property State Road PR-127 kilometer 1.0 near the Jacanas Industrial Park Yauco, PR

Address 00698

Size **1.01**

Parcel Numbers

Latitude/ Longitude

18.032894 / -66.844857

Congressional 1

District

Property Contact

Madera, Carmen

cdbgyauco@hotmail.com

787-267-4008

Top of Page

Property Location

Top of Page

Property Progress

Assessment





Institutional Controls in Place

Engineering Controls in Place

Ready for Anticipated Use

Redevelopment Underway

Top of Page

CAs Associated with this Property

CA Name	CA#	State	Туре	Announcement Year
Yauco, Municipality of	BF97244008	PR	Assessment	2008

Top of Page

Assessment Activities at this Property

There are no current assessment activities.

Is Cleanup Necessary? EPA Assessment Funding: Leveraged Funding: Total Funding:

Climate Adaption and Mitigation – Planning or Assessment

There is no data for Climate Adaption and Mitigation - Planning or Assessment.

Top of Page

Contaminants and Media

Contaminant Found Media Affected **Unknown** Remediating Action for Contaminants Remediating Action for Media **NOT Cleaned up**

Top of Page

Cleanup Activities

There are no current cleanup activities.

Cleanup/Treatment Implemented: Cleanup/Treatement Categories: Addl Cleanup/Treatment info:

Address of Data Source:

Climate Adaption and Mitigation – Demolition or Cleanup

There is no data for Climate Adaption and Mitigation - Demolition or Cleanup.

Top of Page

Institutional and Engineering Controls

Indicate **U** whether Institutional Controls are required

Categories of Controls

Additional Institutional Controls Information

Address of Data Source (URL if available)

Are **No**Institutional
Controls in

Place

Date Institutional Controls were put in place

Indicate **U** whether Engineering Controls are required

Categories of Controls

Additional Engineering controls information

Address of Data Source (URL if available)

Indicate whether Engineering Controls are in place

Date Engineering Controls were put in place

Top of Page

Redevelopment and Other Leveraged Accomplishments

There are no current redevelopment activities.

Number of Redevelopment Jobs Leveraged: Actual Acreage of Greenspace Created: Leveraged Funding:

Top of Page

Climate Adaption and Mitigation – Redevelopment

There is no data for Climate Adaption and Mitigation – Redevelopment

Additional Property Attributes

Property Highlights

Predominant Past Usage

What types of **Petroleum** funding are being used on this property?

State and Tribal Program Information

Date No Further Action Letter Received

Date Letter/ Signed Report Received from a Qualified Professional

Other Cleanup
Documentation

Top of Page





Discove Connec Ask. r. t. Contac

	D . 4	t EPA
Access	Data.g	<https: <="" th=""></https:>
ibility	ov	www.epa.g
<https: <="" td=""><td><https: <="" td=""><td>ov/</td></https:></td></https:>	<https: <="" td=""><td>ov/</td></https:>	ov/
www.epa.g	www.data.	aboutepa/
ov/	gov/>	forms/

MENU

Search EPA.gov

You are here: EPA Home >> Cleanups >> Cleanups In My Community (CIMC)

CONTACT US https://www.epa.gov/cleanups/forms/contact-us

Property Details for Ramilli Theater

On this page:

- Profile Information
- Property Location
- Property Progress
- CAs Associated with this Property
- · Assessment Activities at this Property
- Climate Adaption and Mitigation Planning or Assessment
- Contaminants and Media
- Cleanup Activities
- Climate Adaption and Mitigation Demolition or Cleanup
- Institutional & Engineering Controls
- Redevelopment and Other Leveraged Accomplishments
- Climate Adaption and Mitigation Redevelopment
- Additional Property Attributes

Legal Notices https://www.epa.gov/cleanups/cimc-legal-notices

Profile Information

Property Alias

Property Owner **Private** ACRES Property ID **125702**

Property Address Betances Street #4 Yauco, PR 00698

Size **.13**

Parcel Numbers

Latitude/ Longitude

18.034489 / -66.848886

Congressional

District

Property Contact Madera, Carmen

cdbgyauco@hotmail.com

787-267-4008

Top of Page

Property Location

Top of Page

Property Progress

Assessment

Clean Up

Institutional Controls in Place

Engineering Controls in Place

Ready for Anticipated Use

Redevelopment Underway

Top of Page

CAs Associated with this Property

CA Name	CA#	State	Туре	Announcement Year
Yauco, Municipality of	BF97244108	PR	Assessment	2008

Assessment Activities at this Property

Activity	EPA Funding	Start Date	Completion Date	CA	Accomplishment Counted?	Counted When?
Phase I Environmental Assessment	\$16,389.00	05/25/2010	12/07/2010	Yauco, Municipality of	Υ	FY22

Is Cleanup Necessary? **Unknown**EPA Assessment Funding: **\$16,389.00**Leveraged Funding:
Total Funding: **\$16,389.00**

Top of Page

Climate Adaption and Mitigation - Planning or Assessment

There is no data for Climate Adaption and Mitigation - Planning or Assessment.

Top of Page

Contaminants and Media

Contaminant Found Media Affected **Unknown** Remediating Action for Contaminants Remediating Action for Media **NOT Cleaned up**

Ta	_	۰t	Da	~-
To	ν	Οı	га	צנ

Cleanup Activities

There are no current cleanup activities.

Cleanup/Treatment Implemented: Cleanup/Treatement Categories: Addl Cleanup/Treatment info: Address of Data Source:

Top of Page

Climate Adaption and Mitigation - Demolition or Cleanup

....

There is no data for Climate Adaption and Mitigation - Demolition or Cleanup.

Top of Page

Institutional and Engineering Controls

Indicate whether No Institutional Controls are required

Categories of Controls

Additional Institutional Controls Information

Address of Data Source (URL if available)

Are Institutional Controls in Place

Date Institutional Controls were put in place

Indicate whether No Engineering Controls are required

Categories of Controls

Additional Engineering controls information

Address of Data Source (URL if available)

Indicate whether No Engineering Controls are in place

Date Engineering Controls were put in place

Top of Page

Redevelopment and Other Leveraged Accomplishments

There are no current redevelopment activities.

Number of Redevelopment Jobs Leveraged: Actual Acreage of Greenspace Created: Leveraged Funding:

Top of Page

Climate Adaption and Mitigation - Redevelopment

There is no data for Climate Adaption and Mitigation - Redevelopment

Additional Property Attributes

Property Highlights

Former Use: At the time of the ESA the Site showed signs of being abandoned for several years. The site consists of a land parcel of approximately 0.13 acres with a three-story vacant building within the parcel currently owned by Mrs. Rosa Mar&Carri&n Ruiz de Esteves. The patio has an area of approximately 3 meters per 30 meters feet. It has an • Los shape that connects the east side of the property with the back side. The patio is separated from the continuous buildings by a masonry wall of approximately 8 feet tall. The building fully occupies the west side of the parcel with a separation of one foot from the next building wall. The access door connects directly to the Betances street sidewalk, and the building has one exit door which connects to the patio at the east side of the facility. See Figure No.3 for a site plan of the facility. The facility was used since it was constructed in the 1900 s as a theater. In recent years a section of the building was also used as a travel agency. The building is approximately thirteen 13 meters in front and thirty 30 meters in length, located in a lot with an area of approximately 512 square meters. The structure s interiors are divided with walls which separate the cinema room, from the receiving area, and the travel agency. The second floor interior walls separate the projection room from the public bathrooms. The third floor is inaccessible and could not be inspected. The building walls are made of concrete, and its roof is consists of a structural steel covered with metal panels. Its ceiling is deteriorated with some acoustic insulator installed. The building is floor has vinyl tiles on all rooms except in the cinema and its access area are covered with rugs. Bathroom floors and walls are finished with ceramic tiles.

Predominant Past Usage

What types of funding are being used on this property?

State and Tribal Program Information

Date No Further Action Letter Received

Date Letter/Signed Report Received from a Qualified Professional

Other Cleanup Documentation **Hazardous**

Top of Page



Discover. Connect. Ask.

Accessibili ty https://

www.epa.gov/ accessibility> Data.gov

<https:// www.data.gov/> Contact EPA https://

www.epa.gov/ aboutepa/forms/



Appendix *: "USFWS "No Effect" Memo and supporting documentations

Date: April 24, 2025

Applicant ID: PR-ESP-00169

Street Address: 16 Calle Baldorioty, Yauco PR, 00698

Municipality: Youco

RE: No Effect Determination for PR-ESP-00169

Executive Summary

Section 7 of the Endangered Species Act (ESA) mandates that federal agencies ensure the actions that they authorize, fund, or carry out shall not jeopardize the continued existence of federally listed plants and animals or result in the adverse modification or destruction of designated critical habitat. Where their actions may affect resources protected by the ESA, agencies must consult with the Fish and Wildlife Service and/or the National Marine Fisheries Service ("FWS" and "NMFS" or "the Services").

This memo serves to document that the proposed project, PR-ESP-00169, located at 16 Calle Baldorioty, Yauco PR, 00698 (Parcel ID# 361-085-072-15-001) was reviewed in accordance with Section 7 of the Endangered Species Act of 1973 (16 USC 1536) as well as the Fish and Wildlife Coordination Act (47 Stat. 401, as amended; 16 U.S.C. 661 et seq.) by a qualified Biologist, resulting in a 'No Effect' determination.

The CDBG-DR Energy Electrical Power Reliability and Resilience (ER2) Program's objective is to enhance electric system reliability, affordability, and resiliency through the development and interconnection of projects that qualify as electric system enhancements or improvements.

Project Description

The subject property is a Commercial Building located in Yauco, PR. The project scope includes the installation of a photovoltaic (solar) panel system and appurtenant storage system (batteries) on the existing commercial building's roof and will be built at Latitude: 18.034524, Longitude: -66.849707 (see Site Map at Appendix A, Figure 1). All improvements will be limited to the roof, floors, and walls of existing commercial buildings. The Field Observation Form and Environmental Screening Checklist depicting and clarifying the extent and location of project activities are included in Appendix B.

As indicated by the Official Species List obtained from the Information for Planning and Consultation (IPaC) system (Appendix C) and USFWS Critical Habitat data (Appendix A, Figure 2), the proposed project lies within the ranges of the following federally listed species and critical habitats:

Species	Status	
Puerto Rican Boa (Chilabothrus inornatus)	Endangered	

	Critical Habitat
None.	



Existing Conditions:

The project area where the activities will be taking place consists of approximately 0.06-acres of land located at 16 Calle Baldorioty, Yauco PR, 00698. According to the U.S. Geological Survey National Land Cover Database (NLCD) (Appendix A, Figure 4) the majority of the project area consists of a medium intensity developed land. According to historic imagery on Earth Explorer the building is present on 1977 Imagery. A topographic map is included (see Appendix A, Figure 3). The project is located in Zone X on the FEMA Flood map and ABFE map, panel number 72000C1615H dated 4/19/2005 (see Flood Map Appendix A, Figure 5 and ABFE map Appendix A, Figure 6). A Preliminary FIRM has not been developed for this area. There is a mapped NWI riverine, an Unnamed creek approximately 882 feet to the east of the proposed project location. The project activities will not occur within a natural or manmade wetlands and no direct or indirect impacts are anticipated as a result of the project activities (see wetlands map Appendix A, Figure 7).

Effect Determination:

Based on a review of site photos and other information gathered during a site visit on March 6, 2025, none of the species listed above were observed in the vicinity of the proposed project activities and no critical habitat was identified within the proposed project area. Having carefully analyzed the project site and the information available, including the IPaC species list and available Dkey(s), critical habitat data, nature of the project, previous site disturbance, and scope of project activities, the following effect determinations have been made:

Species	Effect Determination	Conservation Measures to be Implemented (if needed)
Puerto Rican Boa (Chilabothrus inornatus)	No Effect	None required

SPECIES ANALYSIS

Puerto Rican Boa (Chilabothrus inornatus)

Considered to be a habitat generalist, the Puerto Rican Boa tolerates a wide variety terrestrial and arboreal habitat, including rocky areas, haystack hill, trees and branches, rotting stumps, caves, plantations, various types of forested areas such as karst and mangrove forests, forested urban and rural areas, and along streams and road edges. The IPaC Determination Key (Dkey) for the Puerto Rican Boa, dated April 24, 2025, was used to evaluate the potential impacts to federally listed species from this project. Based on the Dkey responses, it was determined that the proposed project will have 'No Effect' on the Puerto Rican Boa (Appendix C).

If a Puerto Rican Boa is found in the project activity site, work shall cease until the Boa moves off on its own. If the Boa does not move off, the Construction Manager shall contact the Puerto Rico Department of Natural and Environmental Resources and ask them to relocate the Boa.



	4/24/2025
Patricia Carmenatty / Senior Biologist	Date




Appendix A: Figures




Location: Aerial Map
Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707



Legend:

PR-ESP-00169





Service Layer Credits:

Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Centro de Recaudación de Ingresos Municipales (CRIM) https://catastro.crimpr.net/cdprpc/




Threatened and Endangered Species Map

Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707







Service Layer Credits:

Sources: Esri, HERE, Garmin, USGS, Intermap, INCREMENT P, NRCan, Esri Japan, METI, Esri China (Hong Kong), Esri Korea, Esri (Thailand), NGCC, (c) OpenStreetMap contributors, and the GIS User Community


Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


NOAA Office of Response and Restoration https://response.restoration.noaa.gov/



Location: Topographic MapElectrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707










Land Cover Map
Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707









Service Layer Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors


Multi-Resolution Land Characteristics (MRLC) Consortium https://www.mrlc.gov/viewer/



Flood Insurance Rate Map Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707







Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

Federal Emergency Management Agency (FEMA)


https://msc.fema.gov/portal/home





Advisory Base Flood Elevation Map

Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc. 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707







Federal Emergency Management Agency (FEMA),

https://gis-r2-fema.hub.arcgis.com/

Junta de Planificacion de Puerto Rico (JP), https://maps.jp.pr.gov/

Mapas de Niveles de Inundacion Base Recomendados





Wetlands Map

Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay Inc 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707









Service Layer Credits:

Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community Esri, Garmin, GEBCO, NOAA NGDC, and other contributors

Source

U.S. Fish and Wildlife Service - National Weatlands Inventory https://www.fws.gov/program/national-wetlands-inventory




Appendix B: Field Observation Form and Environmental Screening Checklist





Environmental Field Assessment Form - PR-ESP-00169

		APPLICAN	NT/LOCATION	INFORM	MATION
Applicant ID:	PR-ESP-00169			Pro Maria	
Applicant Name:	Farmacia Menay				
Parcel ID:	361-085-072-15-001				
Coordinates:	18.034524, -66.849707			6	
Street Address:	16 CALLE BALDORIOTY			To Yakica	
Municipio:	Yauco				3 50
Zip Code:	00698				
Site Inspector:	Egon Gonzalez		PR 127		
Date of Visit:	March 6, 2025				
Time of Visit:	12:56		Kadaster	Dave	ered by
Year Built:	Circa 1930		Nadaster	row	ered by





	Building Information			
	Question	Answer	Notes	
1.	Location verified:	Yes	18.034524, -66.849707	
2.	Is the building correct on GIS?	Yes	Building is correct on GIS	
3.	Building Type:	Commercial		
4.	# of Stories:	2		
5.	Building Foundation:	Concrete Slab		
6.	Is the building in use?	Yes	Building is in use	
7.	Does the building have a detached garage / carport present?	No		
8.	Is the electricity connected?	Yes	Electricity is connected	
9.	Is the water connected?	Yes	Water is connected	
10.	Are there signs of poor housekeeping on site? (mounds of rubble, garbage, storm debris, solid waste, petroleum products, paint, pesticides, cleaning fluids, vehicle batteries, abandoned vehicles, pits, pools, ponds of hazardous substances, electrical equipment etc.)	No		
11.	Is a septic system present? If Yes report apparent condition.	No		
12.	Are there any obvious signs of animals, birds nesting or burrows near the site?	No		





	Parcel Conditions			
	Question	Answer	Notes	
1)	Are there any 55-gallon drums visible on site? If yes, are they leaking?	Yes	(1) 55gal Drum contains diesel and is located at back of structure. (2) 55gal drums used as trash bin are located right side of structure.	
2)	Are there any (or signs of any) underground storage tanks on the property?	No		
3)	Are there signs of AST on the parcel or adjacent parcel? If yes, list approximate size and contents, if known.	Yes	100gal Diesel tank under generator located at back of structure. 200gal Water cistern located on right side of structure.	
4)	Is there any stained soil or pavement on the parcel?			
5)	Are there any potentially hazardous trees that could fall?			
6)	Are there any groundwater monitoring wells on the site or adjacent parcel?	No		
7)	Is there distressed vegetation on the parcel?			
8)	Are any additional environmental or non-environmental site hazards observed?			
9)	Is there any permanent standing water, such as a pond or stream, located on the site(do not include ponding from recent rain / weather events)?	No		
10)	Does the subject property have water frontage?	No		
11)	Is the applicant aware of any significant historical event or persons associated with the structure, or of it being located in a historic district/ area?	No		
12)	Is a historic marker present?	No		
13)	Based on the above finding, does additional information need to be obtained from the applicant to determine whether an environmental hazard is present?	No		





	Building Environmental Conditions			
	Question	Answer	Notes	
1.	Is there any visible evidence of asbestos, chipping, and flaking or peeling paint, or hazardous materials present in or on the structure?	No		
2.	Is there any visible indication of mold?	No		
3.	Are there any pungent, foul or noxious odors?	No		

Additional Needs Analysis		
Question	Answer	Notes
Based on the above findings, does additional information need to be obtained from the applicant to determine whether an environmental hazard is present?	No	

I verify that I have physically visited this property and that the findings outlined above are accurate.

Inspector Signature

Egon Gonzalez

March 6, 2025





Front of Structure


Photo Direction: East

Comments:



Facing Away from Front

Photo Direction: West








Side #1 of Structure

Photo Direction: East

Comments:



Facing Away From Side #1

Photo Direction: Northeast







Back of Structure

Photo Direction: North

Comments:



Facing Away from Back

Photo Direction: South







Side #2 of Structure

Photo Direction: East

Comments:



Facing Away from Side #2

Photo Direction: East








Streetscape #1


Photo Direction: South

Comments:



Streetscape #2

Photo Direction: North







Address

Photo Direction: East







Photo Direction:

Photo Description: Electricity is connected



Architectural Details 2

Photo Direction:

Photo Description: Water is connected







Photo Direction:

Photo Description: 100gal Diesel tank for generator located at back of structure and (1) 55gal Drum used for diesel located at back of structure



Architectural Details 4

Photo Direction:

Photo Description: General interior view







Photo Direction:

Photo Description: General interior view



Architectural Details 6

Photo Direction:

Photo Description: 200gal Water cistern located at back of structure







Photo Direction:

Photo Description: Additional right side view



Architectural Details 8

Photo Direction:

Photo Description: 55gal Drum is used as garbage bin and is empty. Located on right side of structure.








Photo Direction:

Photo Description: 55gal Drum is used as garbage bin and is empty. Located on right side of structure.



Architectural Details 10

Photo Direction:

Photo Description: Additional right side view









Photo Direction:

Photo Description: Additional back of structure view



Architectural Details 12 Photo Direction: Photo Description:



Appendix C: Information for Planning and Consultation (IPaC) system



United States Department of the Interior



FISH AND WILDLIFE SERVICE

Caribbean Ecological Services Field Office
Post Office Box 491
Boqueron, PR 00622-0491
Phone: (939) 320-3135 Fax: (787) 851-7440

Phone: (939) 320-3135 Fax: (787) 851-7440 Email Address: <u>CARIBBEAN ES@FWS.GOV</u>

In Reply Refer To: 04/24/2025 17:03:04 UTC

Project Code: 2025-0087978 Project Name: PR-ESP-00169

Subject: List of threatened and endangered species that may occur in your proposed project

location or may be affected by your proposed project

To Whom It May Concern:

THE FOLLOWING SPECIES LIST IS NOT A SECTION 7 CONSULTATION. PLEASE CONTACT OUR OFFICE TO COMPLETE THE CONSULTATION PROCESS

The purpose of the Endangered Species Act (Act) is to provide a means whereby threatened, and endangered species and the ecosystems upon which they depend may be conserved. Under sections 7(a)(1) and 7(a)(2) of the Act and its implementing regulations (50 CFR 402 et seq.), Federal agencies are required to utilize their authorities to carry out programs for the conservation of threatened and endangered species and to determine whether projects may affect those species and/or their designated critical habitat.

Federal agencies are required to "request of the Secretary of Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action". The enclosed species list provides information to assist with the U.S. Fish and Wildlife Service (Service) consultation process under section 7 of the Act. However, **the enclosed species list does not complete the required consultation process.** The species list identifies threatened, endangered, proposed and candidate species, as well as proposed and designated critical habitats, that may occur within the boundary of your proposed project and/or may be affected by your proposed project. A discussion between the Federal agency and the Service should include what types of listed species may occur in the proposed action area and what effect the proposed action may have on those species. This process initiates informal consultation.

Once a species list is obtained for the proposed project, an effect determination for endangered and threatened species should be made. The applicant could make an effect determination by using available keys on IPaC for specific species. For species with no determination keys, the applicant should request concurrence from the Service by sending a project package

to <u>caribbean es@fws.gov</u>. To obtain guidance for completing this process and the minimum requirements for project packages, please visit:

 $\frac{https://www.fws.gov/sites/default/files/documents/consultation-under-section-7-of-the-endangered-species-act-with-the-caribbean-ecological\%20Services-field-office-template-letter.pdf$

When a federal agency, after discussions with the Service, determines that the proposed action is not likely to adversely affect any listed species, or adversely modify any designated critical habitat, and the Service concurs, the informal consultation is complete, and the proposed project moves ahead. If the proposed action is suspected to affect a listed species or modify designated critical habitat, the Federal agency may then prepare a Biological Assessment (B.A.) to assist in its determination of the project's effects on species and their habitat. However, a B.A. is required for construction projects (or other undertakings having similar physical impacts) that are major Federal actions significantly affecting the quality of the human environment as defined in the National Environmental Policy Act (42 U.S.C. 4332(2) (c)). For projects other than major construction activities, the Service suggests that a biological evaluation similar to a B.A. where the agency provides the Service with an evaluation on the likely effects of the action to determine whether the project may affect listed or proposed species and/or designated or proposed critical habitat. Recommended contents of a B.A. are described at 50 CFR 402.12.

If a federal agency determines, based on its B.A. or biological evaluation, that listed species and/ or designated critical habitat may be affected by the proposed project, the agency is required to further consult with the Service pursuant to 50 CFR 402. In addition, the Service recommends that candidate species, proposed species, and proposed critical habitat be addressed within the consultation process. More information on the regulations and procedures for section 7 consultation, including the role of permit or license applicants, can be found in the "Endangered Species Consultation Handbook" at:

https://www.fws.gov/sites/default/files/documents/endangered-species-consultation-handbook.pdf

New information based on updated surveys, changes in the abundance and distribution of species, changed habitat conditions, or other factors could change this list. Please feel free to contact us if you need more current information or assistance regarding the potential impacts to federally proposed, listed, and candidate species.

This list is provided pursuant to Section 7 of the Endangered Species Act and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action". Please use this list to determine whether your project requires consultation and to make your effects determination. For more guidance, use the Guideline for Consultation under Section 7 of the Endangered Species Act with the Caribbean Ecological Services Field Office by clicking here.

This species list is provided by:

Project code: 2025-0087978

Caribbean Ecological Services Field Office caribbean es@fws.gov
Post Office Box 491
Boqueron, PR 00622-0491
(786) 244-0081

Attachment(s):

- Official Species List
- USFWS National Wildlife Refuges and Fish Hatcheries
- Bald & Golden Eagles
- Migratory Birds
- Wetlands

OFFICIAL SPECIES LIST

This list is provided pursuant to Section 7 of the Endangered Species Act, and fulfills the requirement for Federal agencies to "request of the Secretary of the Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action".

This species list is provided by:

Caribbean Ecological Services Field Office Post Office Box 491 Boqueron, PR 00622-0491 (939) 320-3135


PROJECT SUMMARY

Project Code: 2025-0087978
Project Name: PR-ESP-00169
Project Type: Power Gen - Solar

Project Description: Farmacia Menay / Commercial Building

Project Location:

The approximate location of the project can be viewed in Google Maps: https://www.google.com/maps/@18.03450715,-66.84967358643573,14z



Counties: Yauco County, Puerto Rico

ENDANGERED SPECIES ACT SPECIES

Project code: 2025-0087978

There is a total of 1 threatened, endangered, or candidate species on this species list.

Species on this list should be considered in an effects analysis for your project and could include species that exist in another geographic area. For example, certain fish may appear on the species list because a project could affect downstream species.

IPaC does not display listed species or critical habitats under the sole jurisdiction of NOAA Fisheries¹, as USFWS does not have the authority to speak on behalf of NOAA and the Department of Commerce.

See the "Critical habitats" section below for those critical habitats that lie wholly or partially within your project area under this office's jurisdiction. Please contact the designated FWS office if you have questions.

1. <u>NOAA Fisheries</u>, also known as the National Marine Fisheries Service (NMFS), is an office of the National Oceanic and Atmospheric Administration within the Department of Commerce.

Project code: 2025-0087978 04/24/2025 17:03:04 UTC

REPTILES

NAME STATUS

Puerto Rican Boa Chilabothrus inornatus

Endangered

No critical habitat has been designated for this species. Species profile: https://ecos.fws.gov/ecp/species/6628

General project design guidelines:

https://ipac.ecosphere.fws.gov/project/BWJBGLXOO5CQ7PNFPVHSTTTGMA/documents/generated/7159.pdf

CRITICAL HABITATS

THERE ARE NO CRITICAL HABITATS WITHIN YOUR PROJECT AREA UNDER THIS OFFICE'S JURISDICTION.

YOU ARE STILL REQUIRED TO DETERMINE IF YOUR PROJECT(S) MAY HAVE EFFECTS ON ALL ABOVE LISTED SPECIES.

USFWS NATIONAL WILDLIFE REFUGE LANDS AND FISH HATCHERIES

Any activity proposed on lands managed by the <u>National Wildlife Refuge</u> system must undergo a 'Compatibility Determination' conducted by the Refuge. Please contact the individual Refuges to discuss any questions or concerns.

THERE ARE NO REFUGE LANDS OR FISH HATCHERIES WITHIN YOUR PROJECT AREA.

BALD & GOLDEN EAGLES

Bald and Golden Eagles are protected under the Bald and Golden Eagle Protection Act ² and the Migratory Bird Treaty Act (MBTA) ¹. Any person or organization who plans or conducts activities that may result in impacts to Bald or Golden Eagles, or their habitats, should follow appropriate regulations and consider implementing appropriate avoidance and minimization measures, as described in the various links on this page.

- 1. The Bald and Golden Eagle Protection Act of 1940.
- 2. The Migratory Birds Treaty Act of 1918.
- 3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

Bald and Golden Eagles are protected under the Bald and Golden Eagle Protection Act and the Migratory Bird Treaty Act (MBTA). Any person or organization who plans or conducts activities that may result in impacts to Bald or Golden Eagles, or their nests, should follow appropriate regulations and implement required avoidance and minimization measures, as described in the various links on this page.

The data in this location indicates that no eagles have been observed in this area. This does not mean eagles are not present in your project area, especially if the area is difficult to survey. Please review the 'Steps to Take When No Results Are Returned' section of the Supplemental Information on Migratory Birds and Eagles document to determine if your project is in a poorly surveyed area. If it is, you may need to rely on other resources to determine if eagles may be present (e.g. your local FWS field office, state surveys, your own surveys).

Any person or organization who plans or conducts activities that may result in impacts to bald or golden eagles, or their habitats, should follow appropriate regulations and consider implementing appropriate conservation measures, as described in the links below. Specifically, please review the "Supplemental Information on Migratory Birds and Eagles".

MIGRATORY BIRDS

Project code: 2025-0087978

The Migratory Bird Treaty Act (MBTA) ¹ prohibits the take (including killing, capturing, selling, trading, and transport) of protected migratory bird species without prior authorization by the Department of Interior U.S. Fish and Wildlife Service (Service). The incidental take of migratory birds is the injury or death of birds that results from, but is not the purpose, of an activity. The Service interprets the MBTA to prohibit incidental take.

- 1. The Migratory Birds Treaty Act of 1918.
- 2. The <u>Bald and Golden Eagle Protection Act</u> of 1940.
- 3. 50 C.F.R. Sec. 10.12 and 16 U.S.C. Sec. 668(a)

THERE ARE NO FWS MIGRATORY BIRDS OF CONCERN WITHIN THE VICINITY OF YOUR PROJECT AREA.

WETLANDS

Impacts to <u>NWI wetlands</u> and other aquatic habitats may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal statutes.

For more information please contact the Regulatory Program of the local <u>U.S. Army Corps of Engineers District</u>.

Please note that the NWI data being shown may be out of date. We are currently working to update our NWI data set. We recommend you verify these results with a site visit to determine the actual extent of wetlands on site.

WETLAND INFORMATION WAS NOT AVAILABLE WHEN THIS SPECIES LIST WAS GENERATED. PLEASE VISIT https://www.fws.gov/wetlands/data/mapper.html OR CONTACT THE FIELD OFFICE FOR FURTHER INFORMATION.

Project code: 2025-0087978 04/24/2025 17:03:04 UTC

IPAC USER CONTACT INFORMATION

Agency: Private Entity

Name: Patricia Carmenatty

Address: Perseo St. 554 Cond. Iberia Suite J-3

City: San Juan

State: PR Zip: 00920

Email patricia.carmenatty@byaea.com

Phone: 7877830290



United States Department of the Interior



FISH AND WILDLIFE SERVICE

Caribbean Ecological Services Field Office Post Office Box 491 Boqueron, PR 00622-0491

Phone: (939) 320-3135 Fax: (787) 851-7440 Email Address: <u>CARIBBEAN ES@FWS.GOV</u>

In Reply Refer To: 04/24/2025 17:04:37 UTC

Project code: 2025-0087978 Project Name: PR-ESP-00169


Subject: Technical Assistance letter for the project named 'PR-ESP-00169' for specified

threatened and endangered species, that may occur in your proposed project location, pursuant to the IPaC determination key titled Caribbean Determination Key (DKey).

Dear Applicant:

Thank you for using the assisted evaluation keys in IPaC. This letter is provided pursuant to the Service's authority under the Endangered Species Act of 1973, as amended (ESA) (87 Stat. 884; 16 U.S.C. 1531et seq.). On April 24, 2025, Patricia Carmenatty used the Caribbean DKey; dated January 03, 2025, in the U.S. Fish and Wildlife Service's online IPaC application to evaluate potential impacts to federally listed species, from a project named 'PR-ESP-00169'. The project is located in Yauco County, Puerto Rico (shown below).

The approximate location of the project can be viewed in Google Maps: https://www.google.com/maps/@18.03450715,-66.84967358643573,14z



The following description was provided for the project 'PR-ESP-00169':

Farmacia Menay / Commercial Building

Based on your answers and the assistance of the Service's Caribbean DKey, you determined the proposed Action will have "No Effect" on the following species:

SpeciesListing StatusDeterminationPuerto Rican Boa (Chilabothrus inornatus)EndangeredNo effect

Thank you for informing the Service of your "No Effect" determination(s) for this project. No further consultation/coordination for this project is required for these species. However, be aware that reinitiation of consultation may be necessary if later modifications are made to the project so that it no longer meets the criteria or outcome described above, or if new information reveals effects of the action that could affect listed species or critical habitat in a manner or to an extent not previously considered, or if a new species is listed.

This letter serves as documentation of your consideration of the federally listed species as required under section 7 of the ESA. However, effects to the other federally listed species or critical habitat as listed below from the "IPaC print-out for the project" (see below) should be considered as part of your ESA review for the project.

The Service will notify you within 30 calendar days if we determine that this proposed Action does not meet the criteria for a "No Effect" (NE) determination for Federally listed species in the Caribbean. If we do not notify you within that timeframe, you may proceed with the Action under the terms of the NE concurrence provided here. This verification period allows the Caribbean Ecological Services Field Office to apply local knowledge to evaluate the Action, as we may identify a small subset of actions having unanticipated impacts. In such instances, the Caribbean Ecological Services Field Office may request additional information to verify the effects determination reached through the DKey.

Note: Projects located within the range of the Puerto Rican boa or the Virgin Islands tree boa might encounter these species during project activities. **This letter does not provide take to handle or move these species.** If relocation of the species is needed, please contact either the Puerto Rico Department of Natural Resources (DNER) at 787-724-5700, 787-230-5550, or 787-771-1124 for projects in Puerto Rico, or the Virgin Islands Department of Planning and Natural Resources, Division of Fish and Wildlife (DFW) at 340-775-6762 for projects in the Virgin Islands. Otherwise, contact the Caribbean Ecological Services Field Office (caribbean_es@fws.gov) to determine whether the consultation needs to be reinitiated.

If the proposed project is located within species range where a DKey has not been developed for those species, please follow the established guidance for initiating section 7 consultation Caribbean Ecological Services Field Office.

We appreciate your interest in protecting endangered species and their habitats. It is the Service's mission to work with others to conserve, protect, and enhance fish, wildlife, and plants and their habitats for the continuing benefit of our people. If you have any questions or require additional information, please contact our office at Caribbean_es@fws.gov.

Action Description

You provided to IPaC the following name and description for the subject Action.

1. Name


PR-ESP-00169

2. Description

The following description was provided for the project 'PR-ESP-00169':

Farmacia Menay / Commercial Building

The approximate location of the project can be viewed in Google Maps: https://www.google.com/maps/@18.03450715,-66.84967358643573,14z



QUALIFICATION INTERVIEW

 Is the proposed project an EPA Multi-Sector General Permit (MSGP) renewal for an existing project? (MSGP Fact Sheet)

No

2. Is the proposed project within an urban developed area? (i.e., cities, downtowns, shopping malls etc.)

Note: Urban and developed areas has one or more of the following characteristics: Presence of existing buildings, residential areas, and commercial establishments. Well-established infrastructure including roads, utilities, and urban facilities. High population density. Established neighborhoods and urban amenities ("urbanizaciones"). Developed landscape with paved surfaces, parking lots, and industrial areas. Signs of human activity and urbanization, such as shopping centers and recreational facilities. Location within the boundaries of a city or town ("casco urbano"). High concentration of built-up structures and limited open spaces. Aerial imagery might be requested to the applicant. .

Yes

3. [Hidden Semantic] Does the proposed project intersect the Puerto Rican boa area of influence?

Automatically answered

Yes

IPAC USER CONTACT INFORMATION

Agency: Private Entity

Patricia Carmenatty Name:

Address: Perseo St. 554 Cond. Iberia Suite J-3

City: San Juan

State: PR Zip: 00920

Email patricia.carmenatty@byaea.com

Phone: 7877830290



Appendix D: USFWS Species Analysis



U.S. FISH AND WILDLIFE SERVICE CARIBBEAN ECOLOGICAL SERVICES FIELD OFFICE

Conservation Measures for the Puerto Rican boa (*Chilabothrus inornatus*)

Section 7 (a)(1) of the Endangered Species Act (ESA) charges Federal agencies to aid in the conservation of listed species, and section 7 (a)(2) requires the agencies, through consultation with the U.S. Fish and Wildlife Service (Service), to ensure their activities are not likely to jeopardize the continued existence of listed species or adversely modify designated critical habitats. Section 7 applies to the management of Federal lands as well as Federal actions that may affect federally listed species, such as Federal approval of private activities through the issuance of Federal funding, permits, licenses, or other actions. Any person that injures, captures, or kills a Puerto Rico boa is subject to penalties under the ESA. If Federal funds or permits are needed, the funding or permitting agency should initiate Section 7 consultation with the Service. To initiate a consultation under the Section 7 of the ESA, you must submit a project package with the established minimum requirements. These conservation measures should be incorporated into the project plans to minimize possible impacts to the species.

The endangered Puerto Rican (PR) boa (*Chilabothrus inornatus*, formerly *Epicrates inornatus*) is the largest endemic snake species that inhabits Puerto Rico. The PR boa is non-venomous and does not pose any life threatening danger to humans, but some individuals may try to bite if disturbed or during capture or handling. Its body color ranges from tan to dark brown with irregular diffuse marking on the dorsum, but some individuals lack marking and are uniformly dark. Juveniles may have a reddish color with more pronounced markings. In general, as they mature, their body color tends to darken.



The PR boa was federally listed in 1970. Currently, the species has an island-wide distribution and occurs in a wide variety of habitat types, ranging from wet montane to subtropical dry forest and can be found from mature forest to areas with different degrees of human disturbance such as roadsides or houses, especially if near their habitat in rural areas. The PR boa is considered mostly nocturnal, remaining less active, concealed or basking under the sun during the day.

The Service has developed the following conservation measures with the purpose of assisting others to avoid or minimize adverse effects to the PR boa and its habitat. These recommendations may be incorporated into new project plans and under certain circumstances into existing projects. Depending on the project, additional conservation measures can be implemented besides the ones presented in this document.

Conservation Measures:

- 1. Inform all project personnel about the potential presence of the PR boa in areas where the proposed work will be conducted. A pre-construction meeting should be conducted to inform all project personnel about the need to avoid harming the species as well as penalties for harassing or harming PR boas. An educational poster or sign with photo or illustration of the species should be displayed at the project site.
- 2. Prior to any construction activity, including removal of vegetation and earth movements, the boundaries of the project and areas to be excluded and protected should be clearly marked in the project plan and in the field in order to avoid further habitat degradation into forested and conservation areas.
- 3. Once areas are clearly marked, and prior to the use of heavy machinery and any construction activity (including removal of vegetation and earth movement), a biologist or project personnel with experience on this species should survey the areas to be cleared to verify the presence of any PR boa within the work area.
- 4. If a PR boa is found within any of the working or construction areas, activities should stop at that area and information recorded (see #5). **Do not capture the boa.** If boas need to be moved out of harm's way, designated personnel shall immediately contact the Puerto Rico Department of Natural and Environmental Resources (PRDNER) Rangers for safe capture and relocation of the animal (PRDNER phone #s: (787) 724-5700, (787) 230-5550, (787) 771-1124). **If immediate relocation is not an option, project-related activities at that area must stop until the boa moves out of harm's way on its own**. Activities at other work sites, where no boas have been found after surveying the area, may continue.
- 5. For all boa sightings (dead or alive), record the time and date of the sighting and the specific location where it was found. PR boa data should also include a photo of the animal (dead or alive), site GPS coordinates, the time and date, and comments on how the animal was detected and its behavior.

- 6. If a PR boa is captured by PRDNER personnel, record the name of that person and information on where the PR boa will be taken. This information should be reported to the Service.
- 7. Measures should be taken to avoid and minimize PR boa casualties by heavy machinery or motor vehicles being used on site. Any heavy machinery left on site (staging) or near potential PR boa habitat (within 50 meters of potential boa habitat), needs to be thoroughly inspected each morning before work starts to ensure that no boas have sheltered within engine compartments or other areas of the equipment. If PR boas are found within vehicles or equipment, do not capture the animal, and let it move on its own or call PRDNER Rangers for safe capture and relocation of the animal (see #4). If not possible, the animal should be left alone until it leaves the vehicle on its own.
- 8. PR boas may seek shelter in debris piles. Measures should be taken to avoid and minimize boa casualties associated with sheltering in debris piles as a result of project activities. Debris piles should be placed far away from forested areas. Prior to moving, disposing or shredding, debris piles should be carefully inspected for the presence of boas. If debris piles will be left on site, we recommend they be placed in areas that will not be disturbed in the future.
- 9. If a dead PR boa is found, immediately cease all work in that area and record the information accordingly (see #5). If the PR boa was accidentally killed as part of the project actions, please include information on what conservation measures had been implemented and what actions will be taken to avoid further killings. A dead boa report should be sent by email (see contacts below) to the Service within 48 hours of the event.
- 10. Projects must comply with all state laws and regulations. Please contact the PRDNER for further guidance.

If you have any questions regarding the above conservation measures, please contact the Service:

- José Cruz-Burgos, Endangered Species Program Coordinator
 - o Email: jose_cruz-burgos@fws.gov
 - o Office phone (305) 304-1386
- Jan Zegarra, Fish and Wildlife Biologist
 - o Email: jan_zegarra@fws.gov
 - o Office phone (786) 933-1451



Appendix 7: SECTION 106 CONSULTATION PACKAGE



Executive Director | Carlos A. Rubio Cancela | carubio@prshpo.pr.gov

September 19, 2025

Lauren B. Poche

269 Avenida Ponce de León San Juan, PR 00917

Referencia: SHPO-CF-08-21-25-07 - PR-ESP-00169 (Yauco), Farmacia Menay Inc

Dear Ms. Poche,

Our Office has received and reviewed the above referenced project in accordance with 54 USC 306108 (commonly known as Section 106 of the National Historic Preservation Act, as amended) and 36 CFR Part 800: Protection of Historic Properties from the Advisory Council on Historic Preservation. After a review of all the documentation, the PRSHPO agrees with your finding that the proposed project with the established conditions, will have no adverse effect upon historic properties:

1. When installed, the solar panels remain not visible or minimally visible from the street to be consistent with the related Secretary of the Interior's standards, guidelines, and technical briefs.

In the event they do not accept the condition, please notify us accordingly so that we can continue with the Section 106 process. If you have any questions concerning our comments, do not hesitate to



Romen

contact our Office.

Sincerely,

Carlos A. Rubio Cancela

Carly afartir

State Historic Preservation Officer CARC/GMO/SG







March 24, 2025

Samir El Hage Arocho General Partner, HORNE LLP 269 Juan Ponce de León Ave. Hato Rey, Puerto Rico 00917-00918

Via email: samir.elhage@horne.com

RE: Authorization for Grant Management (GM) to Conduct the Required Environmental Consultations with Federal and Local Agencies on PRDOH's Behalf

Dear Mr. El Hage,

Provisions at 24 C.F.R. Part 58 establish the environmental review procedures for entities assuming the U.S. Department of Housing and Urban Development (HUD) environmental responsibilities under the National Environmental Policy Act (NEPA) and other applicable laws. The Puerto Rico Department of Housing (PRDOH), as the designated CDBG-DR/MIT grantee, has assumed HUD's environmental responsibilities under NEPA and related laws (Responsible Entity) by directly implementing multiple CDBG-DR/MIT projects.

One of the Responsible Entity's many responsibilities under 24 C.F.R. Part 58 is consulting with State, Federal, and non-federal entities in preparing an Environmental Review Record (**ERR**). Regarding a Responsible Entity's interactions with State, Federal, and non-Federal entities, 24 C.F.R. § 58.14 states that:

A responsible entity shall consult with appropriate environmental agencies, State, Federal and non-Federal entities and the public in the preparation of an EIS, EA or other environmental reviews undertaken under the related laws and authorities cited in § 58.5 and § 58.6. [...].

In conducting its role as a Responsible Entity that directly undertakes a project, as per 24 C.F.R. § 58.4(b)(1), PRDOH "must assume the environmental review responsibilities for the State's activities and those of any non-governmental entity that may participate in the project." Accordingly, a Responsible Entity may delegate certain tasks in the preparation of ERRs but retains full legal responsibility for compliance with environmental requirements.

To effectively manage available environmental resources and expedite the preparation of ERRs, PRDOH—as Responsible Entity—wishes to delegate the task of consulting with State, Federal, and non-Federal entities contained in 24 C.F.R. § 58.14. Therefore, PRDOH hereby authorizes Alberto Mercado Vargas, GM Environmental SME, or his authorized representative) to conduct on its behalf the environmental consultations with Federal and local agencies required to prepare ERRs for the implementation of CDBG-DR and CDBG-MIT projects, while still maintaining the ultimate and full legal responsibility for compliance with environmental requirements. This authorization extends to both early and formal consultations before Federal agencies such as the U.S. Fish and Wildlife Service (USFWS) and the State Historic Preservation Office (SHPO), among others required for compliance with applicable laws and regulations as established in 24 C.F.R. § 58.14 and § 58.5. GM should include and copy the PRDOH Environmental Division in all communications with Federal and local agencies for these purposes.

PRDOH appreciates GM's commitment to Puerto Rico's recovery and is confident in its ability to execute this task effectively. Please feel free to contact me with any questions.

Sincerely,

Ciary Pérez Peña

Secretary

Puerto Rico Department of Housing

Cc.

Alberto Mercado Vargas GM Environmental SME

alberto.mercadovargas@horne.com



August 21, 2025

Carlos A. Rubio Cancela Director Ejecutivo Oficina Estatal de Conservación Histórica Cuartel de Ballajá (Tercer Piso) San Juan, PR 00902-3935

PUERTO RICO DISASTER RECOVERY, CDBG-DR PROGRAM: ENERGY POWER RELIABILITY AND RESILIENCE/DDEC ENERGY SUPPORT PROGRAM (ESP)

Section 106 NHPA Effect Determination Submittal – PR-ESP-00169, Farmacia Menay Inc, Yauco, Puerto Rico – *No Adverse Effect – Conditioned*

Dear Architect Rubio Cancela,

In accordance with Section 106 of the National Historic Preservation Act and its implementing regulations, 36 CFR Part 800, HORNE is providing information for your review and requesting your concurrence regarding the above-referenced projects on behalf of the Puerto Rico Department of Housing (PRDOH) and Electrical Power Reliability and Resilience Program (ER2). On February 9, 2018, an allocation of Community Development Block Grant – Disaster Recovery (CDBG-DR) funds was approved by the United States Department of Housing and Urban Development (HUD) under the Federal Register Volume 83, No. 28, 83 FR 5844, to assist the Commonwealth of Puerto Rico in meeting unmet needs in the wake of Hurricanes Irma and Maria. On August 14, 2018, an additional \$8.22 billion recovery allocation was allocated to Puerto Rico under the Federal Register Volume 83, No. 157, 83 FR 40314. With these funding allocations, the Puerto Rico Department of Housing (Housing) aims to lead a comprehensive and transparent recovery for the benefit of Puerto Rico residents.

The purpose of the ESP is to benefit Puerto Rican communities by funding projects that enhance electric system reliability, affordability, and resiliency. The Program's design will be carried out through the development and interconnection of microgrids and distributed energy resources, including renewable energy generation, combined heat and power (CHP) systems, photovoltaic systems (PVS), and battery storage systems (BSS), among other eligible project types.

On behalf of PRDOH, we are submitting documentation for the proposed Farmacia Menay Inc Project, located within Yauco Traditional Urban Center. The applicant is proposing the installation of a Photovoltaic System (PVS) on the roof and a Battery Storage System (BSS)



on the right-side wall of structure located 16 Calle Baldorioty. The full scope of the project is described in the submitted documentation, which includes mapping, photographs, and the site plan.

Based on the provided documentation, the Program requests a concurrence with a determination that **no adverse effect** to historic properties is appropriate for this undertaking, conditioned that, when installed, the solar panels remain not visible or minimally visible from the street to be consistent with the related Secretary of the Interior's standards, guidelines, and technical briefs.

We look forward to your review and concurrence. Please contact me with any questions or concerns by email at kristin.sanders@horne.com or phone at 225-276-2109.

Kindest regards,

Kristin P. Sanders

Historic Preservation Manager

Kristin P. Sanders

Attachments

PUERTO RICO 2017 DISASTER RECOVERY, CDBG-DR PROGRAM

ENERGY POWER RELIABILITY AND RESILIENCE/DDEC ENERGY SUPPORT PROGRAM (ESP)

Section 106 NHPA Effect Determination - Historic Property Architectural Form

Case ID: PR-ESP-00169

City: Yauco

HOUSING

GOVERNMENT OF PUERTO BICO

Applicant Name: Farmacia Menay Inc

Project Location (Street Address, City): 16 CALLE BALDORIOTY, Yauco

Project Coordinates (Lat/Long): 18.034524, -66.849707

Parcel ID: 361-085-072-15-001

Type of Undertaking: Installation of Photovoltaic System (PVS) and a Battery Storage System (BSS)

Construction Date (AH est.): circa 1980 Property Size (acres): 0.07

SOI-Qualified Architect/Architectural Historian: Jorge L Lizardi Pollock, PhD

Date Reviewed: 5/5/2025

In compliance with Section 106 of the National Historic Preservation Act (NHPA), the Program is responsible for identifying historic properties listed in the National Register of Historic Places (NRHP) and any properties not listed that would be considered eligible for listing that are located within the geographic area of potential effects (APE) of the proposed project and assessing the potential effects of its undertakings on these historic properties. It has been determined that the proposed undertaking does not meet allowances as outlined in the Programmatic Agreement.

Project Description (Undertaking)

The proposed undertaking is the installation of a Photovoltaic System (PVS) and a Battery Storage System (BSS) on the roof of the residence located at 16 CALLE BALDORIOTY, in the Puerto Rico Planning Board designated Historic Zone and Traditional Urban Center of the municipality of Yauco. According to the project quote the PVS will be installed on the structure roof and the BSS will be installed in the exterior, on the right-side wall of structure. The proposed installation location on the subject property showing where the PVS and BSS will be shown below in Figure 1. The proposed system will not be visible from the public right-of-way.

The property has two levels, features a rectangular floor plan, and is constructed entirely of reinforced concrete. This property was likely built over the footprint of a previous residence or commercial building demolished between 1977 and 1983, according to USGS aerial photographs. (Figures 1 and 2)

Case ID: PR-ESP-00169

City: Yauco



Figure 1. 1977 Aerial Photo, source USGS Earth Explorer



Figure 2. 1983 Aerial Photo, source USGS Earth Explorer



Case ID: PR-ESP-00169

City: Yauco

The subject property is a mixed-use building comprising both commercial and residential uses. Currently, the entire front section of both the first and second floors is occupied by the drugstore Menay. The rear sections of both levels are used for residential purposes. The entrance door to the first-floor residence and the concrete staircase leading to the second level are in the back. The building is designed in a modern, austere style. It aligns with the edge of the sidewalk and has an entrance ramp parallel to its façade on the left side. The first-floor façade features mosaic tiles on the lower portion and horizontal windows with glass panes on the right side. The glass entrance door, flanked by a similarly square glass and metal window, is located on the left side. A short overhang with lamps above the windows extends from the left edge of the building to the side entrance gate.

On the upper level, horizontal glass-pane windows occupy only a strip of the top section above the drugstore commercial sign. Above that, an eave of similar proportions extends across the entire façade. The left side wall also features small glass jalousie windows near the sidewalk and a balcony at the rear. On the right side are the pharmacy's air conditioning units, and at the back side of the building, there is a small storage area, also made of concrete.

Area of Potential Effects

As defined in 36 CFR §800.16(d), the area of potential effects (APE) is the geographic area or areas within which an undertaking may directly or indirectly cause changes in the character or use of historic properties if any such properties exist. Based on this definition and the nature and scope of the Undertaking, the Program has determined that the Direct APE for this project is the building itself at 16 CALLE BALDORIOTY. The Indirect/Visual APE is defined as the viewshed of the proposed project which is the surrounding properties in the designated Yauco Historic Zone and Traditional Urban Center.

Identification of Historic Properties

Existing information on previously identified historic properties has been reviewed to determine if any such properties are located within the APE of this undertaking. The



Case ID: PR-ESP-00169

City: Yauco

review of this existing information, by a Program contracted Historic Preservation Specialist meeting the Secretary of the Interior's Professional Qualification Standards (36 CFR Part 61), shows that the project area is within the boundaries of the Puerto Rico Planning Board designated Historic Zone and National Register of Historic Places (NRHP)-eligible Yauco Traditional Urban Center. Through this review, the following NRHP listed and SHPO eligible properties have been identified within a ¼ mile radius of the project area:

- 1. Yauco Town Hall. Built in 1864, renovated in 1923, within a neo renascence style. NRHP eligible, 0.03 miles SE. 18.034096, -66.84931.
- 2. Arturo Lluberas Park, nineteenth century public space, renovated several times, NRHP eligible, 0.03 miles SE, 18.033864, -66.849459.
- 3. Roig Hotel, circa 1900, recently reconstructed concrete wood and metal residence, NHRP eligible, 0.05 miles E, 18.034242, -66.848845.
- 4. Fernando de Pacheco Public Square, nineteenth century main public space, several times renovated, NRHP eligible, 0.06 miles, NE. 18.034972, -66.848927
- 5. Banco Popular Building, concrete one floor residence built in 1913 within a neoclassic style, NRHP eligible, 0.07 miles NE. 18.035517, -66.849178.
- 6. Cinestar Cinema, Art Deco fashion two floors building made in concrete with a metal two gable roof, its also shows Spanish Revival style traits, circa 1930, NRHP eligible, 0.05 miles E, 18.034459, -66.848868.
- 7. Casa Mariani, eclectic with neoclassic elements concrete, wood and metal residence built circa 1910, NRHP eligible, 0.10 miles SE, 18.033365, -66.848620.
- 8. Casa Filardi, concrete wood and metal residence designed by Vicente Filardi Ponzi in 1916, in a Beaux Arts fashion, 0.07 miles S, NRHP registered, No. 85000116, 18.033277, -66.849905.
- 9. Teatro Ideal, eclectic fashion theatre designed by Jesús Buíl Lluberas, built in 1926, NRHP registered, No. 88000683, 0.08 miles NE, 18.034876, -66.84842.
- 10. Challet Amill, residence designed by Tomás Olivari Santoni in 1914, in a Beaux Arts fashion, NRHP registered, No. 85000115, 0.08 miles N, 18.035621, -66.849927.



Case ID: PR-ESP-00169

City: Yauco

- Alejandro Franceschi Antongiorgi house, concrete, wood and metal residence, designed by André Toublard and built in 1910 in a Beaux Arts fashion, NRHP registered, No. #85000113, 0.09 miles SE, 18.03349, -66.848756.
- 12. Casa Rodríguez Zamora, concrete Spanish Revival residence designed by Pedro Méndez circa 1938, NRHP eligible, 0.10 Miles NW, 18.035684, -66.850529.
- 13. Nuestra Señora del Rosario Parish, concrete church designed by Francisco Porrata Doria in 1933 within an eclectic appearance and Spanish Revival elements, NRHP eligible, 0.11 miles NE, 18.035381, -66.848249.
- 14. Colegio del Santísimo Rosario, catholic school, within Beaux Arts traits, built circa 1912, renovated with some Art Deco elements, NRHP eligible, 0.11 miles E, 18.034488, -66.847975
- 15. Césari House, creole neoclassic two floors with elongated balcony residence designed by Antonio Mattei Lluberas in 1893, for Angel Cesari Poggi, NRHP registered No. 85000114, 0.13 miles SW, 18.033291, -66.851161.
- 16. Jose María Agostini house, late Spanish colonial two floor residence with commercial storage in the first, made in masonry, built for the Agostini family and designed by Miguel Briganti, early nineteenth century. NRHP registered No. 88000682, 0.13 miles NE, 18.034856, -66.847664
- 17. González Vivaldi house, one floor masonry, wood, and metal residence with central projecting porch, designed by an unknow architect and built in 1880 within neoclassic traits. NRHP registered No. 8600320, 0.14 miles NE, 18.035777, -66.847890.
- 18. Plaza de Mercado de Yauco, concrete with a gable wood and metal roof marketplace that shows eclectic modernist traits, built in 1925. NRHP eligible, 0.015 miles W. 18.034476, -66.852074.
- 19. Escuela Luis Muñoz Rivera, concrete two stores school designed by Blas Silva Boucher in 1925 within a Beaux Arts fashion. NRHP eligible, 0.18 miles S, 18.034524, -66.849707.
- 20. Public Health Unit, reinforced concrete one floor building with Spanish Revival architectural traits, built in 1937 by the Puerto Rico Reconstruction Administration. NRHP registered No. MP1000070780, 18 miles W, 18.034500, -66.852472.




Case ID: PR-ESP-00169

City: Yauco

- 21. Masonic lodge Hijos de la Luz, designed and built by André Troublard in 1894 within a Neoclassic fashion. NRHP registered No. 88000684, 0.20 SE, 18.031878, -66.848291.
- 22. Santiago Negroni School, concrete two floors building within front belfry and cortile designed in a Beaux Arts fashion, 1910-25. NRHP eligible, 0.22 miles SE, 18.031417, -66.848465.

In addition to NRHP-registered properties or SHPO identified as eligible buildings, the municipality of Yauco documented nearly a hundred eligible properties within its urban center, as shown in the Historic Zone delimitation map below (Figure 3). Adjacent properties to the north, south, and east have already been identified as eligible for designation. Likewise, all four properties that aligned their façades to the west sidewalk are deemed NRHP eligible.





Case ID: PR-ESP-00169

City: Yauco

Figure 3. Historic Zone Map established by the Puerto Rico Planning Board in 2023. The properties highlighted in Yellow are the eligible ones as per Yauco municipality.

Three properties on the west side of the street, facing the subject building, are one-story commercial and residential, with traditional setbacks and late Spanish Colonial Neoclassic characteristics. A third one located to the north is an early twentieth-century commercial building to which apartments were added as a third level. Immediately adjacent to the subject property, a lateral yard separates it from a late colonial masonry and concrete house topped with a wood and metal roof. To the south, three out of four properties are identified as eligible in the Historic Zone map, and behind them are some patios and the Yauco Town Hall, as well as a modern edifice used for educational purposes.

The property for which the installation is proposed is a modern concrete building that, despite its volumetric characteristics and street setback, doesn't comply with the criteria of the NRHP for eligibility or registration. It neither represents a significant event (Criterion A), is not associated with an important person (Criterion B), its architecture is austere, modern, and was not conceived by an architectural master (Criterion C), nor yields information relevant to Yauco or national history (Criterion D).

Determination

The following historic properties have been identified within the APE:

- Direct Effect:
 - No historic properties are present within the Direct APE.
- Indirect Effect:
 - PVS/BSS will not be visible from the street and will not have a significant impact on the appearance of the street landscape.



Case ID: PR-ESP-00169

City: Yauco

Based on the results of our historic property identification efforts, the Program has determined that project actions will not affect the historic properties that compose the Area of Potential Effect.



Case ID: PR-ESP-00169

City: Yauco

City. Fauco	
Recommendation (Please keep on same page as SHPO Staff Section)	
The Puerto Rico Department of Housing requests that the Pue	rto Rico SHPO concur that
the following determination is appropriate for the undertaking	(Choose One):
□ No Historic Properties Affected	
☑ No Adverse Effect	
Conditioned to systems not visible or minimally visible f	rom street.
□ Adverse Effect	
Proposed Resolution (if appliable)	
This Section is to be Completed by SHPO Staff C	Only
The Puerto Rico State Historic Preservation Office has reviewe	•
and:	
☐ Concurs with the information provided.	
Does not concur with the information provided.	
Comments:	
Carlos Rubio-Cancela	
State Historic Preservation Officer	Date:



Case ID: PR-ESP-00169

City: Yauco

PROPOSED INSTALLATION LOCATION ON THE SUBJECT PROPERTY





Case ID: PR-ESP-00169

City: Yauco

Project (Parcel) Location – Area of Potential Effect Map (Aerial)


BYA BEHAR-YBARRA AND ASSOCIATES LLC

Application ID: PR-ESP-00169

Project (PR-CEWRI-00169) Location: **Area of Potential Effect Map**

Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707



HOUSING

Case ID: PR-ESP-00169

City: Yauco

Project (Parcel) Location - Aerial Map




Application ID: PR-ESP-00169

Project (PR-CEWRI-00169) Location: **Aerial Map**

Electrical Power Reliability and Resilience Program (ER2)


Farmacia Menay 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707





Case ID: PR-ESP-00169

City: Yauco





Case ID: PR-ESP-00169

City: Yauco

Project (Parcel) Location with Recorded Historic Properties - Aerial Map




Application ID: PR-ESP-00169

Project (PR-CEWRI-00169) Location with Recorded Historic Properties: Aerial Map

Electrical Power Reliability and Resilience Program (ER2)

Farmacia Menay 16 Calle Baldorioty, Yauco PR 00698 Catastro: 361-085-072-15-001 Lat: 18.034524, Lon: -66.849707



Buffer (0.25 Mile)

Traditional Urban Centers - TUC

Contour Interval 20 Feet



Case ID: PR-ESP-00169

City: Yauco

Project (Parcel) Location with Recorded Historic Properties - USGS Topographic Map Application ID: PR-ESP-00169 BYA BEHAR-YBARRA AND ASSOCIATES LLC Project (PR-CEWRI-00169) Location with Recorded Farmacia Menay 16 Calle Baldorioty. Historic Properties: USGS Topographic Map Yauco PR 00698 Catastro: 361-085-072-15-001 Electrical Power Reliability and Resilience Program (ER2) Lat: 18.034524, Lon: -66.849707 emeriterio 13 m PR-ESP-00169 20 18 8 Legend: PR-ESP-00169

Quadrangle: Yauco

Service Layer Credits: Est, Garmin, GEBCO, NOAA NGDC, and other contributors and Google Earth

source: United States Geological Survey (USGS) National Geologic Map Databasc https://ngmdb.usgs.gov/ngmdb/ngmdb_home.html



Case ID: PR-ESP-00169

City: Yauco



Photo #: 001

Description (include direction): Front elevation looking East

Date: 3/6/2025



Photo #: 002

Description (include direction): Left elevation looking East



Case ID: PR-ESP-00169

City: Yauco



Photo #: 003

Description (include direction): Right elevation looking East

Date: 3/6/2025




Photo #: 004

Description (include direction): Rear elevation looking North



Case ID: PR-ESP-00169

City: Yauco



Photo #: 005

Description (include direction): Streetscape view looking south

Date: 3/6/2025



Photo #: 006

Description (include direction): Streetscape view looking North



Case ID: PR-ESP-00169

City: Yauco



Photo #: 007

Description (include direction): Proposed battery storage system and inverter location